

vtech DM221-2 Digital Audio Monitor User Manual

Home » vtech » vtech DM221-2 Digital Audio Monitor User Manual 🖔

Contents

- 1 vtech DM221-2 Digital Audio **Monitor**
- 2 What's in the box
- 3 Important safety instructions
- 4 Connect and charge the battery
- 5 Before use
 - 5.1 Positioning the baby monitor
- 6 Using the baby monitor
- 7 Baby unit overview
- 8 Parent unit overview
- 9 Parent unit icons
 - 9.1 Status icons
- 10 Frequently asked questions
- 11 General product care
- 12 FCC and IC regulations
- 13 Limited warranty
- 14 Documents / Resources
 - 14.1 References
- **15 Related Posts**



vtech DM221-2 Digital Audio Monitor




Go to <u>www.vtechphones.com</u> to register your product for enhanced warranty support and the latest VTech product news.

Congratulations

on purchasing your new VTech product. Before using this product, please read Important safety instructions. This manual has all the feature operations and troubleshooting necessary to install and operate your new VTech product. Please review this manual thoroughly to ensure proper installation and operation of this innovative and feature-rich VTech product. For support, shopping, and everything new at VTech, visit our website at www.vtechphones.com.

What's in the box



Important safety instructions

The applied nameplate is located in the battery compartment of the baby and parent units. When using your equipment, basic safety precautions should always be followed to reduce the risk of fire, electric shock and injury, including the following:

- 1. Follow all warnings and instructions marked on the product.
- 2. Adult setup is required.
- 3. **CAUTION:** Do not install the baby unit at a height above 2 meters.
- 4. This product is not a substitute for adult supervision of the infant. Supervising the infant is the parent's or

caregiver's responsibility. This product could cease operating, and therefore you should not assume it will continue workingproperly for any given period of time. Further, this is not a medical device and should not be used as such. This product is intended to assist you in supervising your baby.

- 5. Do not use this product near water. For example, do not use it next to a bath tub, wash bowl, kitchen sink, laundry tub or swimming pool, or in a wet basement or shower.
 - CAUTION: Use only the batteries provided. There may be a risk of explosion if a wrong type of battery is used for the parent unit. The batteries cannot be subjected to high or low extreme temperature and low air pressure at high altitude during use, storage or transportation. Disposal of batteries into fire or a hot oven, or mechanically crushing or cutting or the batteries can result in an explosion. Leaving the batteries in an extremely high temperature surrounding environment can result in an explosion or the leakage of flammable liquid of gas. Batteries subjected to extremely low air pressure mayresult in an explosion or the leakage of flammable liquid or gas. Dispose of used battery according to the information in The RBRC seal.
- Use only the adapters included with this product. Incorrect adapter polarity or voltage can seriously damage the product.
- 7. Use only adaptors and batteries listed below.
 - Power adapter information:
 - Output: 6V DC 400mA

VTECH TELECOMMUNICATIONS LTD.

Model: VT05UUS06040 Rechargeable battery information: 2.4V 750mAh Ni-MH battery YIYANG CORUN BATTERY CO LTD.

• Model: Ni-MH AAA750*2

- 8. The power adapters are intended to be correctly oriented in a vertical or floor mount position. The prongs are not designed to hold the plug in place if it is plugged into a ceiling, under- the-table or cabinet outlet.
- 9. For pluggable equipment, the socket-outlet shall be installed near the equipment and shall be easily accessible.
- 10. Unplug this product from the wall outlet before cleaning. Do not use liquid or aerosol cleaners. Use a damp cloth for cleaning.
- 11. Unplug the power cords before replacing batteries.
- 12. Do not cut off the power adapters to replace them with other plugs, as this causes a hazardous situation.
- 13. Do not allow anything to rest on the power cords. Do not install this product where the cords may be walked on or crimped.
- 14. This product should be operated only from the type of power source indicated on the marking label. If you are not sure of the type of power supply in your home, consult your dealer or local power company.
- 15. Do not overload wall outlets or use an extension cord.
- 16. Do not place this product on an unstable table, shelf, stand or other unstable surfaces.
- 17. This product should not be placed in any area where proper ventilation is not provided. Slots and openings in the back or bottom of this product are provided for ventilation. To protect them from overheating, these openings must not be blocked by placing the product on a soft surface such as a bed, sofa or rug. This product should never be placed near or over a radiator or heat register.
- 18. Never push objects of any kind into this product through the slots because they may touch dangerous voltage points or create a short circuit. Never spill liquid of any kind on the product.
- 19. To reduce the risk of electric shock, do not disassemble this product, but take it to an authorized service facility. Opening or removing parts of the product other than specified access doors may expose you to dangerous voltages or other risks. Incorrect reassembling can cause electric shock when the product is subsequently

used.

- 20. You should test the sound reception every time you turn on the units or move one of the components.
- 21. Periodically examine all components for damage.
- 22. There is a very low risk of privacy loss when using certain electronic devices, such as baby monitors, cordless telephones, etc. To protect your privacy, make sure the product has never been used before purchase, reset the baby monitor periodically by powering off and then powering on the units, and power off the baby monitor if you will not use it for some time.
- 23. Children should be supervised to ensure that they do not play with the product.
- 24. The product is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.

SAVE THESE INSTRUCTIONS

Cautions

- 1. Use and store the product at a temperature between 32oF and 104oF.
- 2. Do not expose the product to extreme cold, heat or direct sunlight. Do not put the product close to a heating source.
- 3. Batteries should not be exposed to excessive heat such as bright sunshine or fire.
- 4. Warning—Strangulation Hazard—Children have STRANGLED in cords. Keep this cord out of the reach of children (more than 3 ft (0.9 m) away). Do not remove this tag.
- 5. Never place the baby unit inside the baby's crib or playpen. Never cover the baby unit or parent unit with anything such as a towel or a blanket.
- 6. Other electronic products may cause interference with your baby monitor. Try installing your baby monitor as far away from these electronic devices as possible: wireless routers, radios, cellular telephones, intercoms, room monitors, televisions, personal computers, kitchen appliances and cordless telephones. Precautions for users of implanted cardiac pacemakers (applies only to digital cordless devices): Wireless Technology Research, LLC (WTR), an independent research entity, led a multidisciplinary evaluation of the interference between portable wireless devices and implanted cardiac pacemakers. Supported by the U.S. Food and Drug Administration, WTR recommends to physicians that:

Pacemaker patients

- Should keep wireless devices at least six inches from the pacemaker.
- Should NOT place wireless devices directly over thepacemaker, such as in a breast pocket, when it is turned ON. WTR's evaluation did not identify any risk to bystanders with pacemakers from other persons using wireless devices.

Electromagnetic fields (EMF)

This VTech product complies with all standards regarding electromagnetic fields (EMF). If handled properly and according to the instructions in this user's manual, the product is safe to be used based on scientific evidence available today.


Connect and charge the battery

Install the parent unit battery

The parent unit runs on rechargeable battery or AC power. To continuously monitor your baby, make sure you use both battery and AC power at the same time. With the battery alone, the parent unit can cordlessly run for a short time only.

NOTES

- Use only the battery supplied with this product.
- If the parent unit will not be used for a long time, disconnect and remove the battery to prevent possible leakage.




Replace the battery

To replace the battery, unplug the battery connector from the socket, and then pull the battery out of the battery compartment. Follow the steps above to install the battery.

Connect the baby monitor

NOTES

- Use only the power adapters supplied with this product.
- Make sure the baby monitor is not connected to an electric outlet that is controlled by a switch.
- The power adapters' prongs are not designed to hold the weight of your baby monitor. Make sure you connect the adapters to wall outlets that are in vertical or floor mount position. Do not connect them to undermount and ceiling outlets. Otherwise, your baby monitor would fall out of the outlets.
- Make sure the parent unit, the baby unit and the power adapter cords are out of reach of children.



Charge the parent unit battery

When you have connected the parent unit and installed its battery for the first time or after power outage, the parent unit powers on automatically. The battery icon indicates the battery status (see the following table).

NOotes

- The parent unit battery is fully charged after 11 hours of continuous charging.
- It takes longer to charge the battery when the parent unit is turned on. To shorten the charging time, turn the parent unit off while charging.
- The standby time varies depending on the sensitivity level you set, your actual use and the age of the battery.


BATTERY INDICATORS	BATTERY STATUS	Action
The battery icon is off.	No battery is installed but operates using AC power.	Install the parent unit battery. Charge without interruption (at least 30 minutes).
The screen displays LOW BATTERY and . The ! light flashes.	The battery has very little charge and may be used for only a short time.	Charge without interruption (about 30 minutes).
The battery icon becomes solid ••• .	The battery is fully charged.	To keep the battery charged, connect it to AC power when not in use.

Before use

Test your baby monitor

You may test the baby monitor before initial use, and at regular times thereafter.

- 1. Make sure your baby unit and parent unit are on.
- 2. Speak towards the microphone of the baby unit. You will hear the sound at the parent unit, and see the visual sound indicators light up.



Caution

• For hearing protection, make sure the parent unit is more than 3 feet (1 meter) away from the baby unit. If you hear any high-pitched noise, move the parent unit further until the noise stops. You can also press VOLUME on the parent unit to lower or mute the noise.

Note

• This baby monitor is intended as an aid. It is not a substitute for proper adult supervision, and should not be used as such.

When the parent unit displays NOT LINKED and flashes, move the parent unit closer to the baby unit (observe
the minimum distance of 3 feet/ 1 meter). You can also check if the baby monitor is connected to a live power
socket and switched on.

Tip


• Increase the speaker volume of the parent unit if you cannot hear the sounds transmitted from the baby unit.

Before use (cont'd)


Positioning the baby monitor

Caution

- Keep the baby units out of the reach of your baby. Never place or mount the baby units inside the baby's crib or playpen.
- 1. lace the baby units more than 3 feet (1 meter) away from your baby.



2. Place the parent unit more than 3 feet (1 meter) away from the baby unit to avoid screeching noise.



Caution

• The default volume of your parent unit is level 3. If you experience high-pitched screeching noise from your

baby monitor while positioning:

- Make sure your baby unit and parent unit are more than 3 feet (1 meter) apart, OR
- Turn down the volume of your parent unit.

Operating range

The operating range of the baby monitor is up to 1,000 feet (300 meters) outdoors or 160 feet (50 meters) indoors. The actual operating range may vary depending on the environmental conditions, and other interferences such as walls, doors, and other obstructions.


Using the baby monitor

Power on or off the baby unit

- Press to power on the baby unit. The power light turns on.
- Press and hold to power off the baby unit. The power light turns off.

Power on or off the parent unit

- Press b to power on the parent unit. The screen turns on.
- Press and hold again to power off the parent unit. The screen turns off.



Note

• The parent unit powers on automatically once it is connected to power socket or battery installed. The baby unit also powers on automatically once connected to power socket.

Adjust the speaker volume for the baby unit

• Press **VOLUME a** on the baby unit at any time.

Note

- The speaker of baby unit cannot be muted. Adjust the speaker volume for parent unit You can adjust the speaker volume from VOLUME 1 to VOLUME 5, or turn it off. The speaker volume is preset to VOLUME 3.
- Press When the parent unit is not in use. When the speaker volume is set to VOLUME OFF, the screen displays .

Adjust the sound sensitivity of the baby unit

You can choose to hear sounds from the baby unit all the time, or to hear sounds that exceed a certain level. You can use the parent unit to adjust the microphone sensitivity of your baby unit. The higher the sensitivity level, the more sensitive the baby unit is in detecting sounds for transmitting to the parent unit. The VOX sensitivity level is preset to HIGHEST.

- 1. Press MENU when the parent unit is not in use.
- 2. Press SELECT to select VOX LEVEL.
- 3. Press A Or T to choose the desired sensitivity level.
- 4. Press SELECT to confirm your selection. The screen displays SAVED and you hear a confirmation tone.

Note

• To enter the VOX LEVEL menu of the parent unit, the baby unit must be turned on.

Sound alert

If you want the parent unit alerts you with sound, especially when the baby unit detects loud sounds, you can turn on the sound alert feature. This feature is preset to OFF. Once this feature is on, is shown on LCD display. When the visual sound indicator hits the red light range, i.e. the baby unit detects loud sounds, your parent unit beeps and flashes.

- 1. Press MENU when the parent unit is not in use.
- 2. Press A Or T to choose SOUND ALERT, then press SELECT.
- 3. Press A Or T to choose ON or OFF.
- 4. Press SELECT to confirm your selection. The screen displays SAVED and you hear a confirmation tone.

Note

• The sound alert setting on each parent unit is independent.

Vibration alert

You can set your parent unit to vibrate and alert you, whenever the baby unit detects loud sounds. This feature is preset to OFF. Once this feature is on, is shown on LCD display. When the visual sound indicator hits the red light range, i.e. the baby unit detects loud sounds, your parent unit vibrates and

1. Press MENU when the parent unit is not in use.

- 2. Press A Or T to choose VIBE ALERT, then press SELECT.
- 3. Press Or T to choose ON or OFF.
- 4. Press SELECT to confirm your selection. The screen displays SAVED and you hear a confirmation tone.

Notes

- Each time you set the vibration alert to ON, the parent unit vibrates briefly after you press SELECT.
- The vibration alert setting on each parent unit is independent.

Nightlight

Both your parent unit(s) and baby unit allow you to turn on or off the nighlight on the baby unit.

Turn on/off the nightlight using the baby unit:

- 1. Press to turn on the nightlight.
- 2. Press again to turn off the nightlight.

Turn on/off the nightlight using the parent unit:

1. Press MENU when the parent unit is not in use.

Using the baby monitor (Con't)

- 2. Press or to choose NIGHTLIGHT, then press SELECT.
- 3. Press or to choose ON or OFF.
- 4. Press SELECT to confirm your selection. The screen displays SAVED and you hear a confirmation tone.

Notes

- When the nightlight is turned on, the parent unit displays.
- The nightlight on baby unit operates even when the parent unit battery is out of charge or has been turned off.
- If the parent unit lost link, the nightlight icon on its LCD display will disappear, regardless of the nightlight status.

Language

You can select a language (English, Spanish or French) to be used in all screen displays. The language is preset to English.

- 1. Press MENU when the parent unit is not in use.
- 2. Press or to choose LANGUAGE, then press SELECT.
- 3. Press or to choose ENGLISH, ESPANOL, or FRANCAIS.
- 4. Press SELECT to confirm your selection. The screen displays SAVED and you hear a confirmation tone.

Note

• The language setting on each parent unit is independent.

Set default

Use this feature to restore to the default settings. Restoring the default settings on one parent unit will also reset the shared settings for VOX sensitivity level of the other parent unit.

- 1. Press MENU when the parent unit is not in use.
- 2. Press or to choose SET DEFAULT, then press SELECT.
- 3. Press or to choose YES or NO.
- 4. When you choose YES, press SELECT to confirm your selection. The screen displays SAVED and you hear a confirmation tone.

OR


When you choose NO, press SELECT to confirm your selection. The screen displays the previous menu.


Talk to the baby unit

You can broadcast messages from a parent unit to the baby unit and the other parent unit. If you have two parent units, you can use both of them at the same time to talk to the baby unit.

- 1. Press and hold TALK on the side of the parent unit. The screen displays TALK when the voice connection to the baby unit is made.
- 2. Speak towards the MIC on the parent unit. Your voice is broadcast to the baby unit and the other parent unit.

Baby unit overview





1. Night light

- On when night light is turned on manually.
- · Off when night light is turned off manually.

2. POWER light

- On when the baby unit is turned on.
- · Press to turn the night light on or off.

3. VOLUME

• Press to adjust the speaker volume.

4. on /off

• Press to power on, and the power light turns on.

• Press and hold to power off, and the power light turns off.

5. PAGE

- · Press to start or stop paging parent unit.
- 6. Microphone
- 7. Speaker
- 8. Power jack

Notes

- If you have two parent units, and you use one of them to talk to you baby, your voice will broadcast to both the baby unit and the other parent unit. The other parent unit displays TALKBACK. However, no sound will transmit from the baby unit to any parent unit during broadcasting.
- If speaker volume of the parent unit has been turned off before the talk, it will change to default volume level after the talk finished.

Find/page the parent unit


Use this feature to locate misplaced parent units.

- 1. Press PAGE on the baby unit. All idle parent units ring and display PAGING.
- 2. To end paging, press any key on the parent unit, or press PAGE on the baby unit.

Notes

- Paging rings all parent units even if the speaker volume of parent unit is set to VOLUME OFF.
- The baby unit cannot page any parent unit that is turned off, out of range, or talking to the baby unit.

Parent unit overview



1. Visual sound indicator O O O O

The visual sound indicator has two functions. One is to show the sound level detected by the baby unit. The other one is to show the volume level during speaker volume setting.

Sound level detected by the baby unit

• O One to three green lights indicate a moderate sound level detected by the baby unit.		
• O O Additional red lights indicate a higher sound level detected by the baby unit (e.g.		
baby crying loudly).		
Speaker volume level		
• O One to three green lights indicate Level 1 to Level 3 of the speaker volume setting.		
• O O O Additional red lights indicate Level 4 to Level 5 of the speaker volume setting.		
2. LCD display		
3. Microphone		
4. on/off		
Press to power on, the screen turns on.		
 Press and hold again to power off, the screen turns off. 		
While in a menu, press to return to idle screen.		
5. VOLUME		
Press to adjust the speaker volume.		
While in a menu, press to scroll up or down.		
6. SELECT		
 While in a menu, press to choose an item, or save a setting. 		
7. Battery LED		
 Light on when the battery is being charged. 		
 Light flashes when the battery is low and needs charging. 		
• Light off when the parent unit is brunning on AC power without battery installed, or the parent unit is		
running on battery only.		
8. MENU/BACK		
Press to enter the menu.		
While in a menu, press to return to the previous menu.		
9. Speaker		
10. TALK		
 Press and hold to talk to the baby. 		
11. Power jack		
12. Belt clip		
13. Battery compartment cover		
Parent unit icons		
Status icons		

Pare

Connection status

- displays when strong signal strength is detected between the baby unit and the parent unit.
- displays when moderate signal strength is detected between the baby unit and the parent unit.
- Tdisplays when the weak signal strength is detected between the baby unit and the parent unit.

• If flashes when the link between the baby unit and the parent unit is lost.

Night light

• On when the night light is turned on.

Sound alert

- Displays when the sound alert of the parent unit is turned on.
- Flashes when there are loud sounds detected from the baby unit.

Vibration alert

- Displays when the vibration alert of the parent unit is turned on.
- Flashes when there are loud sounds detected from the baby unit.

Volume off

• Displays when the patient unit speaker volume is turned off.

Battery status



- displays solid when the battery is fully charged.
- Iflashes when the battery is in low level and needs charging.
- No battery icon displays when there is no battery installed.

Parent unit display screen messages

- LINKED The link between the parent unit and the baby unit is established.
- LOW BATTERY The parent unit uses only the rechargeable battery pack and it needs to be recharged.
- NOT LINKED The link between the parent unit and the baby unit is lost continuously for over 10 seconds.
- PAGING Both idle parent units are being paged by the baby unit.
- SAVED Your selection has been saved.
- SEARCHING The parent unit is out of range of the baby unit, or the baby unit is out of power.
- TALK You are using the parent unit to talk to your baby. Someone is using the other parent unit to talk to the baby, and the voice is also broadcasting to your parent unit. No sound will transmit from the baby unit to any parent unit during broadcasting. (For DM221-2 only)

Frequently asked questions

Below are the questions most frequently asked about the baby monitor. If you cannot find the answer to your

Why does the baby monitor not	Try the following (in the order listed) for common cure:				
respond normally?	 Disconnect the power to the baby unit and the parent unit. Remove the batteries in the parent unit. Then, install the batteries again. Wait a few minutes before connecting power back to the baby unit and the parent unit. Turn on the baby unit and the parent unit. 				
			Wait for the parent unit to synchronize with the baby unit. Allow up to one minute for this to take place.		
			Why doesn't the screen of the parent unit go on when I switch on the unit?	Perhaps the rechargeable battery of the parent unit is empty and the parent unit is not connected to the power. Insert the appliance plug into the parent unit and put the adapter in a wall socket.	
			Why doesn't the POWER light of the baby unit go on when I switch on the unit?	Perhaps the baby unit is not connected to the power. Connect the baby unit to the power.	
	Why does the baby monitor produce a high-pitched noise?	The units may be too close to each other. Make sure the parent unit and the baby unit are more than 3 feet (1 meter) away from each other.			
Why does the parent unit react too quickly to other sounds?	The baby unit also detects other sounds than those of your baby. Adjust the VOX sensitivity level to a lower level or adjust the speaker volume on the paren unit.				
Why don't I hear a sound/Why can't I hear my baby cry?	The volume of the parent unit may have set too low. Press VOLUME ▲ to increase the volume level.				
	You may have set a low VOX sensitivity level. See Adjust the sound sensitivity of the baby unit to change the setting.				
Why does the parent unit beep?	If the sound alert feature is on, there is sound detected from the baby unit.				
	The baby unit may be out of range. Move the parent unit closer to the baby unit (but not less than 3 feet).				
	If the parent unit is powered by the provided battery, it may not have enough charge for the parent unit to perform normally. Charge the battery in the parent unit for up to 11 hours.				
Why can't I establish a connection? Why is the connection lost every now and then? Why are there sound interruptions?	The baby unit may be out of range. Move the parent unit closer to the baby unit (but not less than 3 feet).				
	Other electronic products may cause interference with your baby monitor. Try installing your baby monitor as far away from these electronic devices as possible.				
Why doesn't the battery icon shown on LCD display even I have properly installed the battery?	The battery may not be working. Contact our customer service to purchase a new battery.				

General product care

To keep this product working well and looking good, follow these guidelines:

- Avoid putting it near heating appliances and devices that generate electrical noise (for example, motors or fluorescent lamps).
- DO NOT expose it to direct sunlight or moisture.
- Avoid dropping the product or treating it roughly.
- · Clean with a soft cloth.
- DO NOT immerse the parent unit and the baby unit in water and do not clean them under the tap.
- DO NOT use cleaning spray or liquid cleaners.
- Make sure the baby unit and parent unit are dry before you connect them to the mains again.

FCC and IC regulations

FCC Part 15

This equipment has been tested and found to comply with the requirements for a Class B digital device under Part 15 of the Federal Communications Commission (FCC) rules. These requirements are intended to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance withthe instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

WARNING: Changes or modifications to this equipment not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. This Class B digital apparatus complies with Canadian requirement: CAN ICES-3 (B)/NMB-3(B)

Industry Canada

This device contains license-exempt transmitter(s)/receiver(s) that comply with Innovation, Science, and Economic Development Canada's license-exempt RSS(s). Operation is subject to the following two conditions: (1) This device may not cause interference. (2) This device must accept any interference, including interference that may cause undesired operation of the device. The term 'IC:" before the certification/registration number only signifies that the Industry Canada technical specifications were met.

This product meets the applicable Innovation, Science and Economic Development Canada technical specifications. This equipment complies with Industry Canada RSS-102 with respect to Canada's Health Code 6 for Exposure of Humans to RF Fields.

RF radiation exposure statement

The device has been tested and complies with FCC and IC SAR limits.

To ensure safety of users, the FCC has established criteria for the amount of radio frequency energy that can be safety absorbed by a user or bystander according to the intended usage of the product. This product has been tested and found to comply with the FCC criteria. The baby unit shall be installed and used such that parts of all persons' body are maintained at a distance of approximately 20 cm (8 inches) or more. For body worn operation, this parent unit has been tested and meets the FCC RF exposure guidelines when used with the accessories supplied or designed for this product. Use of other accessories may not ensure compliance with FCC RF exposure guidelines.

The RBRC seal

The RBRC seal on the Ni-MH battery indicates that VTech Communications, Inc. is voluntarily participating in an industry program to collect and recycle these batteries at the end of their useful lives, when taken out of service within the United States and Canada. RBRC The program provides a convenient alternative to placing used Ni-MH batteries into the trash or municipal waste, which may be illegal in your area. 822 VTech's participation makes it easy for you to drop off the spent battery at local retailers participating in the program or at authorized VTech product service centers. Please call 1 (800) 8 BATTERY for information on Ni-MH battery recycling and disposal

bans/restrictions in your area. VTech's involvement in this program is part of ifs commitment to protecting our environment and conserving natural resources. The RBRC Seal and 1 (800) 8 BATTERY® are registered trademarks of Call2recycle, Inc.

CALIFORNIA ENERGY COMMISSION BATTERY CHARGING TESTING MODE

This baby monitor meets the California Energy Commission (CEC) regulations for energy consumption. Your baby monitor is set up to comply with the energy-conserving standards right out of the box. Follow the instructions to install and charge the battery. The CEC battery charging testing mode is activated while charging. Even if the parent unit is paired to baby units, the CEC battery charging testing mode is activated while it is powered off and charging.

DISCLAIMER AND LIMITATION OF LIABILITY

VTech Communications, Inc. and its suppliers assume no responsibility for any damage or loss resulting from the use of this user's manual. VTech Communications, Inc. and its suppliers assume no responsibility for any loss or claims by third parties that may arise through the use of this product. Company: VTech Communications, Inc. Address: 9020 SW Washington Square Road- Ste 555 Tigard, OR 97223, United States Phone: 1 (800) 595-9511 in the U.S. or 1 (800) 267-7377 in Canada

Limited warranty

What does this limited warranty cover?

The manufacturer of this VTech Product warrants to the holder of a valid proof of purchase ("Consumer" or "you") that the Product and all accessories provided in the sales package ("Product") are free from defects in materialand workmanship, pursuant to the following terms and conditions, when installed and used normally and in accordance with the Product operating instructions. This limited warranty extends only to the Consumer for Products purchased and used in the United States of America and Canada.

What willVTech do if the Product is not free from defects in materials and workmanship during the limited warranty period ("Materially Defective Product")?

During the limited warranty period, VTech's authorized service representative will replace at VTech's option, without charge, a Materially Defective Product. If we choose to replace the Product, we may replace it with a new or refurbished Product of the same or similar design. We will retain defective parts, modules, or equipment. Replacement of the Product, at VTech's option, is your exclusive remedy. VTech will return the replacement Products to you in working condition. You should expect the replacement to take approximately 30 days.

How long is the limited warranty period?

The limited warranty period for the Product extends for ONE (1) YEAR from the date of purchase (90 days on products purchased as Refurbished*). This limited warranty also applies to the replacement Product for a period of either (a) 90 days from the date the replacement Product is shipped to you or (b) the time remaining on the original one-year warranty (90-day limited warranty on products that are purchased as Refurbished*); whichever is longer.

• Refurbished products purchased from our online store carry a 90-day replacement warranty.

What is not covered by this limited warranty?

This limited warranty does not cover:

- 1. Product that has been subjected to misuse, accident, shipping or other physical damage, improper installation, abnormal operation or handling, neglect, inundation, fire, water or other liquid intrusion; or
- 2. Product that has been damaged due to repair, alteration or modification by anyone other than an authorized service representative of VTech; or

- 3. Product to the extent that the problem experienced is caused by signal conditions, network reliability, or cable or antenna systems; or
- 4. Product to the extent that the problem is caused by use with non-VTech accessories; or
- 5. roduct whose warranty/quality stickers, product serial number plates or electronic serial numbers have been removed, altered or rendered illegible; or
- 6. Product purchased, used, serviced, or shipped for repair from outside the United States of America or Canada, or used for commercial or institutional purposes (including but not limited to Products used for rental purposes); or
- 7. Product returned without a valid proof of purchase (see item 2 below); or
- 8. Charges for installation or set up, adjustment of customer controls, and installation or repair of systems outside the unit.

How do you get warranty service?

To obtain warranty service in the USA, please visit our website at <u>www.vtechphones.com</u> or call 1 (800) 595-9511. In Canada, go to <u>www.vtechcanada.com</u> or call 1 (800) 267-7377.

NOTE: Before calling for service, please review the user's manual – a check of the Product's controls and features may save you a service call.

Except as provided by applicable law, you assume the risk of loss or damage during transit and transportation and are responsible for delivery or handling charges incurred in the transport of the Product(s) to the service location. VTech will return replaced Product under this limited warranty. Transportation, delivery or handling charges are prepaid. VTech assumes no risk for damage or loss of the Product in transit.

What must you return with the Product to get warranty service?

- 1. Return the entire original package and contents including the Product to the VTech service location along with a description of the malfunction or difficulty; and
- 2. Include a "valid proof of purchase" (sales receipt) identifying the Product purchased (Product model) and the date of purchase or receipt; and
- 3. Provide your name, complete and correct mailing address, and telephone number.

Other limitations

This warranty is the complete and exclusive agreement between you and VTech. It supersedes all other written or oral communications related to this Product. VTech provides no other warranties for this Product. The warranty exclusively describes all of VTech's responsibilities regarding the Product. There are no other express warranties. No one is authorized to make modifications to this limited warranty and you should not rely on any such modification. State/Provincial Law Rights: This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state or province to province. Limitations: Implied warranties, including those of fitness for a particular purpose and merchantability (an unwritten warranty that the Product is fit for ordinary use) are limited to one year from the date of purchase. Some states/ provinces do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. In no event shall VTech be liable for any indirect, special, incidental, consequential, or similar damages (including, but not limited to lost profits or revenue, inability to use the Product or other associated equipment, the cost of substitute equipment, and claims by third parties) resultingfrom the use of this Product. Some states/provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

Please retain your original sales receipt as proof of purchase.

Specifications are subject to change without notice. © 2022 VTech Communications, Inc. All rights reserved.

Documents / Resources



vtech DM221-2 Digital Audio Monitor [pdf] User Manual

80-8180-00A, 80818000A, EW780-8180-00A, EW780818000A, DM221, DM221-2, Digital Audio Monitor, DM221-2 Digital Audio Monitor, Audio Monitor, Monitor

References

- V VTech Canada Official Site | Best Home Office & Business Phones
- V_VTech Cordless Phones Official Site | Best Home Office & Business Phones

Manuals+,