



# WavesRx PW CSOFTLOOPCLEATS 3 Soft Loops Jet Ski Cleats Installation Guide

[Home](#) » [WavesRx](#) » WavesRx PW CSOFTLOOPCLEATS 3 Soft Loops Jet Ski Cleats Installation Guide 

## Contents

- [1 WavesRx PW CSOFTLOOPCLEATS 3 Soft Loops Jet Ski Cleats](#)
- [2 INSTALLATION AND USE](#)
- [3 Customer Support](#)
- [4 Documents / Resources](#)
  - [4.1 References](#)

**WavesRx PW CSOFTLOOPCLEATS 3 Soft Loops Jet Ski Cleats**



## INSTALLATION AND USE

The Waves Rx PWC Soft Loop Cleats streamline the process of Jet Ski mooring and docking. Designed for maximum flexibility and convenience, they add reliable connection points to any PWC.

### 1. Locate Suitable Bolts

Begin by identifying existing bolts in the areas where you'd like to attach the Soft Loop Cleats. These bolts might be found under the seat, near the mirror, or beneath the front compartment cover. For optimal results, we suggest installing three loops-front, center, and rear-on each side of the ski.



## 2. Select the Appropriate Loop Size

Given the variation in trim and bolt placement across different PWC models, we've provided three soft loop sizes for enhanced compatibility: 3", 5", and 7". When choosing a size for each placement, ensure that at least 2" of the loop protrudes from beneath the seat, trim, or cover.



## 3. Install Under Trim or Use Washer

If the bolt is affixed to a plastic trim, it's advisable to place the loop underneath the trim. If that is not an option, then you **MUST USE** a stainless steel washer (not included). Position the washer on top of the soft loop. This adds an extra layer of protection and reinforcement, ensuring the loop remains securely in place.





#### 4. Use Orange Loop to Organize Storage

The orange loop is designed for the inside of your PWC's front storage compartment. It provides a quick and convenient way to attach and store your ropes and bungees, ensuring they're easily accessible during docking and anchoring.



### CONNECTING YOUR BUMPERS AND DOCKING BUNGEEES

After installing the loops, use them to securely attach docking fenders or bungee lines which will greatly simplify the PWC docking process. We recommend using hooks equipped with safety clips to minimize the risk of accidental detachment.

### Customer Support

@WavesRx




[www.WavesRx.com](http://www.WavesRx.com)

[info@wavesrx.com](mailto:info@wavesrx.com)



## Documents / Resources

|   |   |
|---|---|
|  | <p><a href="#">WavesRx PW CSOFTLOOPCLEATS 3 Soft Loops Jet Ski Cleats</a> [pdf] Installation Guide<br/>PW CSOFTLOOPCLEATS 3 Soft Loops Jet Ski Cleats, PW CSOFTLOOPCLEATS, 3 Soft Loop<br/>s Jet Ski Cleats, Loops Jet Ski Cleats, Jet Ski Cleats, Ski Cleats</p> |
|---|---|

## References

- [User Manual](#)

### Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.