

Whitecroft lighting SOLO64 Wired Controls Part Code Logic



Whitecroft lighting SOLO64 Wired Controls Part Code Logic Instructions

[Home](#) » [Whitecroft lighting](#) » Whitecroft lighting SOLO64 Wired Controls Part Code Logic Instructions 

Contents

- [1 Whitecroft lighting SOLO64 Wired Controls Part Code Logic](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 Wired Controls Part Code Logic – Summary](#)
- [5 Part Code Logic – Whitecroft SOLO & SOLO64](#)
- [6 Accessories & Others](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)
- [8 Related Posts](#)



Whitecroft lighting SOLO64 Wired Controls Part Code Logic



Product Information

Specifications

- **Family:** CN CONNECT
- **Technology:** Daylight Sensing
- **Control Method:** H – Switch On/Off, Y – Dali
- **Mounting Type:** Recessed
- **Mounting Height/IP Rating:** >= IP55

Product Usage Instructions

Part Codes Guide

Part codes are designed to be consistent where possible. This page can be used as a guide for most part codes; however, subsequent slides explain the main families more closely.

Families

- **CN CONNECT:** Connect (CN), Microwave (M), Tilting (T), Recessed (R)
- **Sensors Only:** SOLO (SL), PIR (P), Photocell (PC), Switching (H), Recessed (R)

Technology

The product utilizes Daylight Sensing technology for efficient control.

Control Method

The product supports two control methods: H – Switch On/Off and Y – Dali.

Mounting Type and Height/IP Rating

The product is designed for recessed mounting with a Mounting Height/IP Rating of >= IP55 for durability and protection.

FAQ

- **Q: Is this product suitable for outdoor use?**

A: Yes, the product is suitable for outdoor use with its IP55 rating for protection against dust and water.

Wired Controls Part Code Logic – Summary

Part codes are designed to be consistent where possible. This page can be used as a guide for most part codes however subsequent slides explain the main families more closely.

Family	Technology	Daylight Sensing	Control Method	Mounting Type	Mounting Height/IP Rating	Product Type or Feature
SL – SOLO LK – LINK CN – CONNECT	<ul style="list-style-type: none"> P – PIR M – Microwave 	PC – Photocell	<ul style="list-style-type: none"> H – Switch On/Off Y – Dali 	<ul style="list-style-type: none"> SM – Surface R – Recessed 	<ul style="list-style-type: none"> MB – Mid Bay HB – High Bay # – IP rating if > = IP55 	<ul style="list-style-type: none"> RU – Relay Unit SIU – Switch Input Unit CM – LCM/LCM connection IPS – Power Supply

e.g. COMDRE → CNMTR → Connect (CN), Microwave (M) Tilting (T), Recessed (R) EVH → SLPPCHR → SOLO (SL), PIR (P), Photocell (PC), Switching (H), Recessed (R)

This document is for internal purposes only.

Part Code Logic – Whitecroft SOLO & SOLO64

Sensors Only

Family	Technology	Daylight	Control Method	Mounting Type	Mounting Height/IP Rating	Connection
<ul style="list-style-type: none"> SL – Whitecroft SOLO SL64 – Whitecroft SOLO64 	<ul style="list-style-type: none"> P – PIR M – Microwave 	<ul style="list-style-type: none"> PC – Photocell 	<ul style="list-style-type: none"> H – On/Off Y – Dali 	<ul style="list-style-type: none"> SM – Surface R – Recessed 	<ul style="list-style-type: none"> MB – Mid Bay HB – High Bay # – IP rating if > = IP55 	<ul style="list-style-type: none"> CM – connected to LCM IPS – Power Supply PD – connected to product in Power Distribution stack

Accessories & Others


Family	Accessories
<ul style="list-style-type: none"> SL – Whitecroft SOLO SL64 – Whitecroft SOLO64 	<ul style="list-style-type: none"> Abbreviated accordingly e.g ARNG – Anti ligature ring W MK – Wall mount kit SRK – Semi recessed kit HC – Handheld controller SIU – Switch Input Unit

Examples

- Old EVH → SLPPCHR → SOLO (SL), PIR (P), Photocell (PC), Switching (H), Recessed (R)
- Old COMRETHETA → SLMPCHSMDPD → SOLO (SL), Microwave (M), Photocell (PC), Switching (H), Surface mount (SM), Directional (D), Power Distribution Connection (PD)
- SL64PYRIPS → SOLO64 (SL), PIR (P), Dali (Y), Recessed (R), Integrated Power Supply (IPS)
- SLSIU → SOLO64 (SL), Switch Input Unit (SIU)

U.N July 2021, Rev 1

Documents / Resources



[Whitecroft lighting SOLO64 Wired Controls Part Code Logic](#) [pdf] Instructions
 SOLO64 Wired Controls Part Code Logic, SOLO64, Wired Controls Part Code Logic, Controls Part Code Logic, Part Code Logic, Code Logic

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.