



WIMIUS P63 Smart Projector User Manual

[Home](#) » [Wimius](#) » WIMIUS P63 Smart Projector User Manual 

WIMIUS

P63 PROJECTOR
USER MANUAL



Contents

1	WiMiUS LIFETIME PROFESSIONAL SUPPORT
2	TIPS
3	PACKAGE LIST
4	PROJECTOR SPECIFICATIONS
5	PROJECTOR OVERVIEW
6	REMOTE CONTROL
7	INSTALLATION
8	USE THE PROJECTOR
9	SETTING UP THE PROJECTOR
10	WIRELESS PROJECTION
11	LANGUAGE SETTINGS
12	BLUETOOTH SETTING
13	HOME PAGE
14	APPS
15	SYSTEM UPDATE
16	SIGNAL LINES CONNECTION
17	WARRANTY
18	FAQ
19	Documents / Resources
19.1	References
20	Related Posts

WiMiUS LIFETIME PROFESSIONAL SUPPORT

Dear customer,

Thank you very much for supporting WiMiUS.

Please read this manual thoroughly before using the projector. If you have any issues, email your order number and the problem to support01@wimius.com. We will provide a fast solution in 24 hours.

Actually, many problems can be easily solved by setting, such as no signal, no sound, Bluetooth connection failed, WiFi connection failed, choppy animation etc. We promise all the projectors have been 100% carefully checked and packaged before shipping.

If you have any questions, could you please contact us so that the problem can be solved. And give us an opportunity to improve. We guarantee we will provide you a satisfactory solution.

Thanks for your understanding!

Best regards










WiMiUS Service Team

TIPS

1. Do not place projector in too warm or too cold room, because the high temperature or low temperature will shorten lifespan of the device. The working environment would be 5°C~35°C better.
2. The ventilation is equipped for the projector to work stably. Don't cover the vent with cloth, blanket or other things.
Don't insert anything into the slit of the projector, or it may produce a short circuit or an electric shock to your device and cause damage.
3. The projector shall be strictly protected from strong impact, extrusion and vibration. Do not try to move and on strong impact, extrusion and vibration. Do not try to move and the internal circuit faults. Projector x 1
4. Lens, as the core component of the projector, is directly related to the picture definition and effect. The excessive dust thereon will affect image quality. The dirty lens shall be wiped with soft cotton cloth for the glass lens surface.

Hard cloth or abrasives shall not be used.


PACKAGE LIST

 Projector x 1			
 Remote Control x 1	 Power Cable x 1	 AV Cable x 1	 HDMI Cable x 1
 Lens Cover x 1	 Cleaning Kit x 1	 User Manual x 1	 Desktop bracket x 1


PROJECTOR SPECIFICATIONS

Model No. P63			
Native Resolution	1920x1080	Aspect Ratio	4:3/16:9
Display Tech	LCD	Light Source	LED
Color Gamut	16.7M Full	Size	24.9•20.4•11.15cm
Weight	2kg	Power Voltage	AC100-240V – 50/60Hz
Processor type	Hi352	System	Android
Projection Method	Front/Rear on Desk, Front/ Rear on Ceiling		
Operation Mode	Remote control		
Video Format	AVI / MP4 / MKV / FLV / WMV / MOV / RMVB / MPEG1 / MPEG2 / MPEG-4 / H.264 / XVID / H.263/ JPEG		
Audio Format	AAC / MP2 / MP3 / PCM / FLAC / WMA		
Image Format	JPG / JPEG / BMP / PNG		
Document Format	TXT / WORD / EXCEL / PPTX		

PROJECTOR OVERVIEW



REMOTE CONTROL




Note:

1. Install 2 pieces of AAA batteries into the remote before using it. Do not combine new batteries with old ones in remote controller, which can cause operation failure due to insufficient power supply.
2. When using the remote controller, please make sure that the signal transmitter of the remote controller aims at infrared signal receiver of the projector.
3. If you are not using the remote controller for an extended period, please take out batteries to prevent batteries leakage.

INSTALLATION

1. Installation Method

The projector can be hanged on the ceiling with special hanger frame, and placed on the stable desk to project the image according to the operating environment and requirements. The installation method is as follows:




2. Projection Distance and Size

Aspect Ratio: 16:9	
Distance (m)	Screen Size
1.03	30"
1.7	50"
2.1	60"
2.8	80"
3.5	100"
4.2	120"


The recommended projection distance is about 1-3.5m.

The image size depends on the distance between projector and screen, there may be 3% deviation among above listed data. Different settings cause various distances.

3. Install on the Ceiling



Note: Please purchase an universal projector ceiling mount, attach the projector with M4*10 screws.



Note: Install the desktop bracket that comes with the product to the screw hole in the middle of the bottom of the projector (the screw hole is 1/4 inch), and tighten the screws to fix it.


USE THE PROJECTOR

1. Turn on/off the projector

Connect the projector to the power supply, the projector will enter the standby state, and the signal indicator light on the cover will be red.

Power on: Press the power button on the body, or the power button on the remote control, and the indicator light turns blue to enter the working state.


Shutdown: In the working state, press the power button on the body, or the power button on the remote control, the indicator light will change from blue to red, and the projector will be turned off. (The remote control needs to be pressed twice to confirm it shutdown)



2. Electric Focus Adjustment

Place the projector lens perpendicularly to the projection screen or curtain wall, and press the F+/F- key on the remote control or the projector panel, until the image is clear, that means the image focusing is finished.

Note: If it is still blurry, please try to adjust the projection distance.




SETTING UP THE PROJECTOR

1. Select the Insert Signal Source

Select the desired insert signal source (AV/HDMI1/HDMI2/USB) on the setting – input source page.


Note: If you connect the external device (Such as TV box, Fire TV Stick, DVD Player, USB flash disk, Computer etc.), please must select the corresponding signal source. If you choose wrong, the projector will show no signal.



2. USB Disk Input Mode


Play Video/Music/Photo in the File Manager

1. Insert the USB Disk, the [USB] icon of the homepage will turn white.
2. Select the [USB] icon, or File Manager.
3. Select the desired file (or folder to enter the subfolder) in the USB disk, then press the [OK] button to play.



3. Network Setting

Enter the setting menu, select [Network], Load and find the network you need to connect to, and connect.




4. Projector Setting

4.1 Play Interface

Enter the setting menu, select [Projector], you can set the keystone correction, There are several correction methods [Four Trapezoid].

4.2 Projection Method

Press the “OK” button on the remote controller to enter the submenu [Projection Method] You can select the desired projection method.



WIRELESS PROJECTION

1. EShare (for iOS Devices)

1. Go to APPS page – In [MY APPS] line, Press the right button – Select the [EShare] menu – to enter the EShare menu.
2. Select the [Settings] menu on your iOS device – Turn on the [Wi-Fi] function – Connect your iOS device to the same home network as the projector.

3. Open the [Control Center] on your iOS device – Select the [Screen Mirroring] function Select and connect the iOS Cast receiver named [Eshare_XXXX] – your iOS device screen will be displayed on the projection screen after 3 seconds.

2. Miracast (for Android Devices)

1. Make sure WiMiUS P63 projector and your Android device are connected in the same Wi-Fi
2. Go to APPS page – Select the [Miracast] – Press the OK button to enter the Miracast menu.
3. Select the [Settings] menu on your Android device – Select the [Screen mirroring] function – Select your Miracast receiver named [P63] – your Android device screen will be displayed on the projection screen after 3 seconds.

Note: 1. Different brands of Android phones have different operations for select Screen Mirroring Display, please refer to your phones manual. [Multiscreen/Wireless display/WLAN display/Screen mirroring/Wireless projection/Smart view etc.] 2. Not all Android phones support this function. Please make sure it is supported before use.


3. The fluency of screen mirroring with wireless connection will be affected by the network environment. A bandwidth of 100Mbit or more is recommended when using screen mirroring.

4. Make sure your mobile device is close to the projector when using wireless connection. A distance within 1 meter is recommended.

5. Any questions, please feel free to contact us via support01@wimius.com


LANGUAGE SETTINGS

Go to home page – Select the [Setting] menu – Select the [Lanuage] Option – [OK] Enter the language setting, select the language you need.



BLUETOOTH SETTING

Go to home page – Select the [Setting] menu – Select the [Bluetooth] Option – Open the Bluetooth function and your Bluetooth device – Scan the Bluetooth devices nearby automatically – Choose the Bluetooth device desired – it will be paired and connected automatically.



Note:

1. The WiMiUS P63 projector is compatible with the Bluetooth headsets, Bluetooth speakers and Air Pods, but not the Bluetooth keyboards or Bluetooth phones.
2. If you have any question, please feel free to contact us via support01@wimius.com

HOME PAGE

The P63 projector has a built-in Android system, you can choose your favorite APP and video at will, and you can enjoy a large number of wonderful film and television works without using an additional TV stick.




APPS

The P63 projector has a large number of built-in apps, and you can also search and download the apps you need in the App Store as needed.



SYSTEM UPDATE

Go to home page – Select the [Setting] menu – Select the [Software] Option – Select the [System Upgrade]




Notice:

If the software currently is the latest, you do not need to upgrade the software. During the upgrade process, if you have any question, please feel free to contact us via support01@wimius.com

SIGNAL LINES CONNECTION

WiMiUS P63 projector has 6 interfaces, HDMI port*2 / USB port*2 / AV port*1 / Headphone port*1, please select the correct port to connect your device (PC, DVD Player, Fire TV stick, TV box, Sound bar, USB disk, PS4 etc.)




1. Connect the Devices via the HDMI port

1. Connect your Fire TV stick (or PC, TV box, PS4 etc.) to the HDMI port of the projector;
2. Enter the home page to select the corresponding HDMI as the signal source.

2. Connect to the DVD Player

1. Turn on your DVD player and the projector;
2. Connect to the DVD Player and the projector with the HDMI cable
3. Enter the home page to select the corresponding HDMI as the signal source.

Note: When the projector is connected to the DVD player via the HDMI cable, if there is no sound, it may be that the output signal of the HDMI port of the DVD player is not compatible with HDCP, please try to connect your Sound bar/ Speaker.



3. Connect to the Sound bar/Speaker

If your speaker has AUX port, please use your 3.5mm audio cable connect the projector and your speaker as the picture shows.



4. Connect to the Computer

1. Connect to the computer and P63 projector with the HDMI cable (Included).
2. Select the HDMI source to project any files on your computer;
3. On your laptop, hold down the key “Win+P” board keys to change your display mode.



Computer only: it is the default option – only displays on the main monitor.


Duplicate: makes all of the monitors display the same thing duplicating the desktop on each monitor.

Extend: makes all of your monitors act like one big monitor extending the desktop across all of them.

Projector only: Displays only on the secondary monitor like a projector.

You can change the screen resolution on the Projector Only Mode:

Step: Start > Control Panel > Appearance and Personalization > Adjust Screen Resolution



WARRANTY

Thank you so much for your purchase and support. We provide 3-year warranty for P63 projector. If you have any questions, please feel free to contact us via support01@wimius.com

Note: We have prepared a gift for you. You can choose one of the gifts below. If you want it, please contact us via support01@wimius.com

FAQ

1. The remote control does not communicate with the projector.
 - 1) The power switch at the back of the projector is turned on or off?
 - 2) The remote control's batteries are depleted?
 - 3) Something obstructing the signal between the remote and IR
 - 4) Strong light on IR directly.
2. No image on the screen.
 - 1) Is the channel set up correct?
 - 2) Is there an input signal ?
 - 3) Is the input cable plugged well ?
 - 4) Under PC mode, is the refresh rate > 75KHz ?
3. Blue screen, no picture, no sound. Input cables are connected right?
4. Picture right, no sound.
 - 1) Input cables connected right?
 - 2) Volume at min or on Mute.
 - 3) Turn off the AC3/Dolby sound and set it to stereo sound.
5. Can't play the movies.
 - 1) The format of the video is right?
 - 2) Files are broken?
 - 3) Device is broken?
6. Can't find devices when connected with hard drive or flash drive.

Check if the device is broken.
7. Auto-off after working for a while
 - 1) The projector ventilation is blocked or the voltage is not stable.
 - 2) Send a video to support01@wimius.com to check for you.
8. Not compatible with your Bluetooth speaker?

- 1)The projector may not compatible with some versions Bluetooth speakers of JBL.
 - 2)Contact our after-sales email at support01@wimius.com immediately and tell us the brand and model of your Bluetooth speaker.
9. WiFi connection is not stable?
- 1)Please check whether the network of your phone is well.
 - 2)Make the distance between the phone and the projector within 1 meter.

FCC Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body. This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

1. This device may not cause interference.
2. This device must accept any interference, including interference that may cause undesired operation of the device.

This equipment complies with IC exposure limits set forth for an uncontrolled environment. This equipment shall be installed and operated with minimum distance 20cm between the radiator & body.

Correct Disposal of this product

This marking indicates that this product should not be disposed with other household wastes throughout the EU. To prevent possible harm to the environment or human health from uncontrolled waste disposal, recycle it responsibly to promote the sustainable reuse of material resources. To return your used device, please use the return and collection systems or contact the retailer where the product was purchased. They can take this product for environmental safe recycling.

Declaration of Conformity

Declaration of Conformity

We (Manufacturer is responsible for this declaration)

YABER TECHNOLOGIES CO., LIMITED

(Company name)

Room 406, 4 Floor, B Building, BanTian International Center, HuanCheng South Road, BanTian Street, LongGang District, Shenzhen

(Company address)

declare under our sole responsibility that the product

Trade name: WIMIUS

Equipment: Entertainment Projector

Model No. : P63

to which this declaration relates is in conformity with the essential requirement set out in the Council Directive on the Approximation of the laws of the Member States relating to RED Directive(2014/53/EU) & RoHS(2011/65/EU) product is responsible to affix CE marking, the following standards were applied:

EN 62368-1:2014+A11:2017

EN IEC 62311:2020

ETSI EN 301 489-1 V2.2.3(2019-11)

ETSI EN 301 489-17 V3.2.4(2020-09)

EN 55032:2015

EN 55035:2017

EN 61000-3-2:2019

EN 61000-3-3:2013+A1:2019


ETSI EN 300 328 V2.2.2(2019-07)IEC62321-3-1:2013

IEC62321-4:2013

IEC62321-5:2013

IEC62321-6:2015
IEC62321-7-1:2015
IEC62321-7-2:2017
IEC62321-8:2017

Full Name: George.wang Position: Approbation Manager

Signature:  Place/Date: Shenzhen,China/Jul.10-2023

Enjoy Every Moment



<https://store.wimius.com/>



support01@wimius.com

WIMIUS

Documents / Resources



[WIMIUS P63 Smart Projector](#) [pdf] User Manual
P63 Smart Projector, P63, Smart Projector, Projector

References

- [User Manual](#)

[Manuals±](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.