



Contents [[hide](#)]

- [1 WINKHAUS 2024-12-11 Multi Point Locking Systems](#)
- [2 Specifications](#)
- [3 General Information](#)
- [4 Safety instructions](#)
- [5 Operation](#)
- [6 FAQ](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)



WINKHAUS 2024-12-11 Multi Point Locking Systems



Specifications

- **Model:** Door locking system 2024/12/11
- **Lock Type:** TT/Handle-operated
- **Product Groups:** hookLock, solidLock, easyLock

General Information

Lock actuation

Describes locking and unlocking of the security door lock.

TT/Handle-operated

Product group

- The Winkhaus product range includes a wide range of multi-point locking systems for fast and powerful locking of external doors.
- The specified lock actuation can be found in the following product group:



hookLock



solidLock



easyLock

About these instructions

These instructions ensure safe handling of the product. Observing the information in these instructions can help to prevent accidents and material damage.

You can download these instructions in other languages as a PDF file via the following QR code:



Operating instructions for end users

<https://www.winkhaus.com/bedienungshinweise-fuer-endanwender-stv>

Safety instructions

1. Advice on specialised staff

Installing or repairing a locking system requires specialist knowledge, which is why

this work should only be carried out by specialists or instructed persons.

2. General instructions for use

The following instructions and markings, as well as the associated warnings, apply to the safe operation of doors.

- Risk of severe injuries through trapping of body parts in the opening gap between sash and frame.
 - When closing doors, never reach between sash and frame, and always proceed with care.
 - Keep children and people who cannot estimate the dangers away from the point of danger.



- Risk of minor injuries and material damage due to additional load on the door sash.
 - Do not place any additional load on the door sash.




- Risk of minor injuries and material damage from inserting obstructions into the opening gap between sash and frame.
 - Do not insert obstructions into the opening gap between sash and frame.




- Risk of minor injuries and material damage due to uncontrolled closing and opening of

the door sash.

- Make sure that the door sash is guided slowly by hand over the entire movement range to the complete closing or opening position.
- Prevent wind from acting on the open door sash.
- Close doors in case of wind and draft.



- Risk of minor injuries and material damage due to the door sash pressing against the opening edge or the wall reveal.
 - Do not press the door sash against the opening edge or the wall reveal.




Operation

Lock actuation: TT/Handle-operated

- **Closing**


Pull the handle up (max. 45°), the locking elements are disengaged.



- **Locking**

After the door has been correctly closed, a single turn of the key (approx. 1 x 360°) locks the door. The clicking of the handle latch while turning the key can be felt due to a slight resistance that must be overcome. The handle can no longer be pushed downwards. The locking elements are securely fixed. It is no longer possible to push

back the locking elements from outside.




- **Release**

Rotate the key once (approx. 1 x 360°), pull back. The release of the handle or key blockage is perceptible. The handle can now be pushed downwards. The locking elements are no longer blocked and can be pulled back using the handle.



- **Opening**

Push the door handle downwards (max. 45°); the locking components are pulled back and the latch is retracted.



Manufactured and distributed by:

Aug. Winkhaus SE & Co. KG August-Winkhaus-Straße 31 48291 Telgte Germany

Contact:

- T +49 3693 950-0
- F +49 3693 950-134
- tuerverriegelung@winkhaus.de

For UK imported by:

Winkhaus UK Ltd. 2950 Kettering Parkway NN15 6XZ Kettering Great Britain

Contact:

- T +44 1536 316 000
- F +44 1536 416 516
- enquiries@winkhaus.co.uk
- winkhaus.com

STV PH December 2024 · SAP-No.. 5121641 · v1.0 · EN · All rights and modifications are reserved.

- winkhaus.com
- partnerportal.winkhaus.com

All rights and modifications are reserved.

FAQ


Q: Can I install the door locking system myself?

A: It is recommended that installation and repair be done by specialists or instructed persons due to the specialized knowledge required.

Q: How can I prevent injuries while operating the door locking system?

A: Follow all safety instructions provided in the manual, avoid inserting obstructions, and ensure careful handling to prevent injuries.

Documents / Resources

	WINKHAUS 2024-12-11 Multi Point Locking Systems [pdf] Instruction Manual 2024-12-11, 2024-12-11 Multi Point Locking Systems, 2024-12-11, Multi Point Locking Systems, Point Locking Systems, Locking Systems
---	---

References

- [W Partnerportal - Login | Winkhaus B2B Portal](#)
- [W Produktkataloge & Bedienungsanleitungen von Winkhaus | Winkhaus](#)
- [User Manual](#)

WINKHAUS

2024-12-11, 2024-12-11 Multi Point Locking Systems, Locking Systems, Multi Point Locking Systems, Point Locking Systems, WINKHAUS

—Previous Post

WINKHAUS 5043467 BMO Key Operated Instruction Manual

Next Post—

Winkhaus TTP/Handle Operated plus Split Follower Instruction Manual

Leave a comment

Your email address will not be published. Required fields are marked *

Comment *

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

Search:

e.g. whirlpool wrf535swhz

Search

[Manuals+](#) | [Upload](#) | [Deep Search](#) | [Privacy Policy](#) | [@manuals.plus](#) | [YouTube](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.