

# **Wise CFexpress Type B Memory Card Specifications**

Home » Wise » Wise CFexpress Type B Memory Card Specifications



#### **Contents**

- 1 Wise CFexpress Type B Memory Card
- 2 How to Use Wise CFexpress Type B Memory
  - 2.1 Components
  - 2.2 How to connect
- 3 Tech Specs
- 4 Caution
- **5 Documents / Resources** 
  - **5.1 References**
- **6 Related Posts**



# **Wise CFexpress Type B Memory Card**



# **How to Use Wise CFexpress Type B Memory Card**

Before operating this media, please read this manual thoroughly, and retain it for future reference.

## Components

- Wise CFexpress Type B Memory Card
- Quick Start Guide

## How to connect

Select the device compatible with the Wise CFexpress Card Reader.

Connect one end of the cable to the device and the other end to the reader with the card insert.

# **Tech Specs**


| Model                 | CFX-B128                      | CFX-B256  | CFX-B512  | CFX-B1024 | CFX-B2048 |
|-----------------------|-------------------------------|-----------|-----------|-----------|-----------|
| Capacity1             | 128GB                         | 256GB     | 512GB     | 1TB       | 2TB       |
| Interface             | PCIe Gen 3 x2                 |           |           |           |           |
| Maximum read2         | 1700 MB/s                     | 1700 MB/s | 1700 MB/s | 1700 MB/s | 1700 MB/s |
| Maximum write2        | 1050 MB/s                     | 1550 MB/s | 1550 MB/s | 1550 MB/s | 1550 MB/s |
| Minimum write2        | 140 MB/s                      | 230 MB/s  | 400 MB/s  | 400 MB/s  | 400 MB/s  |
| Size                  | 29.6 x 38.5 x 3.8 mm          |           |           |           |           |
| Weight                | 10 g                          |           |           |           |           |
| Operating voltage     | 3.3 V                         |           |           |           |           |
| Operating temperature | 14°F to 158°F (-10°C to 70°C) |           |           |           |           |
| Storage temperature   | -4°F to 185°F (-20°C to 85°C) |           |           |           |           |

#### Caution

- · Wise shall not be responsible for any damage to or loss of recorded data.
- Recorded data may be damaged or lost in the following situations.
  - If you remove this media or turn off the power while formatting, reading or writing data.
  - If you use this media in locations subject to static electricity or electrical noise.
- When this media is not recognized with your product, turn the power off and on again or restart the product after removing this media.
- Connecting the Wise CFexpress cards to non-compatible devices may result in unexpected interference or malfunction of both products.
- · Copyright law prohibits unauthorized use of recording.
- Do not strike, bend, drop or wet this media.
- Do not touch the terminal with your hand or any metal object.
- Do not expose the unit to rain or moisture.
- All Wise memory cards have a 2-year warranty. If you register your product here online, you can extend it to 3 years at no additional charge: www.wise-advanced.com.tw/we.html
- Any damage caused by customers through neglect or incorrect operation may result in the warranty being void.
- For more information, please visit www.wise-advanced.com.tw

Wise Advanced is an authorized licensee of the CFexpress™ trademark, which may be registered in various jurisdictions. Information, products, and/or specifications are subject to change without notice. The Wise logo is a trademark of Wise Advanced Co., Ltd.

### **Documents / Resources**



## References

- W Wise Advanced
- W Wise Advanced

Manuals+,