



# WISEASY P5L Smart Payment Terminal User Guide

[Home](#) » [Wiseasy](#) » WISEASY P5L Smart Payment Terminal User Guide 

## Contents


- [1 WISEASY P5L Smart Payment Terminal](#)
- [2 Product Details](#)
- [3 Main Specifications](#)
- [4 Safety Alert](#)
- [5 Certificate Warning](#)
- [6 Documents / Resources](#)
- [7 Related Posts](#)



**WISEASY P5L Smart Payment Terminal**



## Product Details



1. NFC Recognition Area NFC: to recognize NFC card
2. Indicators: indicating terminal working status
3. Screen: display and touch operation
4. Power: long press to power on/off; short press to activate or shut down the screen
5. IC Card Slot IC: to swipe IC card
6. Magnetic Card Reader: to swipe magnetic Card

7. Charging Interface: to insert a micro USB 5-pin plug into the charger
8. Speaker: to play sound
9. Camera: scanning and photography
10. Charging Base Connector: to connect with the charging base
11. Battery Cabin: to place and protect the battery

## Main Specifications

Operation System	Android OS
CPU	Qualcomm Quad-Core
Communications	TDD/FDD/WCDMA/HSPA/ GSM/EDGE/WIFI2.4+5G/
Memory	2GB RAM,16GB ROM
Screen	5.5"LCD
Camera	Front camera 2 Mega Fixed Focus(Optional) Rear camera 5 Mega Auto Focus
BT	BT5.0, Dual Mode
Wi-Fi	WLAN802.11a/b/g/n/ac
NFC	13.56MHz
Magnetic Card Reader	Track 1/2/3
IC Card Reader	ISO7816,Encrypted Head
PSAM Card Slot	2 Slots
SIM Card Slot	2 Slot, 3V/1.8V
Battery	3.85V,3420mAh, Li-polymer
Input	5V ■ 2A

## Safety Alert

- Do not place the terminal in extremely hot or cold conditions.
- Do not place the terminal together with a computer disc, credit card, travel card or any other magnetic items; otherwise, the information stored in magnetic cards will be affected.
- Do not place the terminal on the fire.
- Do not disassemble the terminal or any accessories by yourself.
- Please use a moist and anti-static cloth to clean the terminal screen.
- Warning: Please replace the batteries with the same type and rating to avoid battery explosion.
- Do not expose the battery in strong direct sunlight, near heat sources or any similar conditions.
- Please recycle or dispose of old, weak, or worn batteries in accordance with local, regional, or national law or regulation.
- Do not use detergent with chemical or scrub particles that may damage the terminal body or screen.
- Please keep the terminal in a safe place and avoid crushing or squeezing that may cause damage to the screen or camera.
- When the user use the third party's root tool or update with an unauthorized operation system, it will bring risk to the normal operating system.
- The maximum operating temperature of the product should not exceed 40°C.
- The product batteries should not be placed in an overheated environment (over 60°C).

## Certificate Warning

### FCC Statement

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: This device may not cause harmful interference, and This device must accept any interference received, including interference that may cause undesired operation.

**Note:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and the receiver.
- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device has been tested and meets the FCC SAR limit demand

### ISED compliance statement

This device contains license-exempt transmitter(s)/receiver(s) that comply with Innovation, Science, and Economic Development Canada's license-exempt RSS(s). Operation is subject to the following two conditions:

1. This device may not cause interference.
2. This device must accept any interference, including interference that may cause undesired operation of the device.

### SAR statement


This equipment complies with FCC/ISED radiation exposure limits set forth for an uncontrolled environment. The end user must follow the specific operating instructions for satisfying RF exposure compliance. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter. The portable device is designed to meet the requirements for exposure to radio waves established by the ISED. These requirements set a SAR limit of 1.6 W/kg averaged over one gram of tissue. The highest SAR value reported under this standard during product certification for use when properly worn on the body.

### CAUTION

Risk of explosion if the battery is replaced by an incorrect type; disposal of a battery into fire or a hot oven, or mechanically crushing or cutting of a battery, that can result in an explosion; leaving a battery in an extremely high temperature surrounding environment that can result in an explosion or the leakage of flammable liquid or gas; a battery subjected to the extremely low air pressure that may result in an explosion or the leakage of flammable liquid or gas. Non-compliance with the above restrictions may result in a violation of RF exposure guidelines. Use Restriction: This device is restricted to indoor use when operating in the 5150 to 5250 MHz frequency range.

This equipment complies with Directive 2014/53/EU radiation exposure limits set forth for an uncontrolled environment. The end user must follow the specific operating instructions for satisfying RF exposure compliance. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter. The portable device is designed to meet the requirements for exposure to radio waves established by the European Union market (France).

Documents / Resources

	<p><a href="#">WISEASY P5L Smart Payment Terminal</a> [pdf] User Guide P5L, 2AXOJ-P5L, 2AXOJP5L, P5L Smart Payment Terminal, Smart Payment Terminal, Payment Terminal, Terminal</p>
---	---

[Manuals+](#).