



WISEASY T2 EMV Android Tablet User Guide

[Home](#) » [Wiseasy](#) » WISEASY T2 EMV Android Tablet User Guide 



T2 EMV Android Tablet User Guide

Contents

- 1 T2 EMV Android Tablet
- 2 Safety Alert
- 3 Product Details
- 4 Main Specifications
- 5 Documents / Resources

T2 EMV Android Tablet

| Interface | |
|----------------|-----------------------------------|
| USB Port | Type C, USB2 0, High Speed, OTG |
| Pogo Pin | Charging and Communication |
| SIM Card Slot | 1 Micro Slot |
| PSAM Card Slot | 1 Slot, support SIM card function |
| Audio | 1 Speaker |
| Accessory | |
| Adaptor | QC3.0 quick charge |
| USB Cable | 1m |



Important Notes

If the device has been left unused for over 6 months, it needs to be fully charged before using




Safety Alert

- Do not contact the terminal and accessories with liquid or be put in moist environment.
- Do not put the terminal in overheating or super cooling environment.
- Do not put the terminal together with computer disc, credit card, travel card and other magnetic stuff, otherwise, the information stored in the magnetic cards will be affected.
- Do not throw the terminal into fire.
- Do not try to disassemble the terminal and any accessories by yourself.
- Please use slightly wet and anti-static cloth to clean the terminal screen.
- Do not use detergent with chemicals or scrub component which may damage the terminal body and screen.
- Keep the terminal with care and avoid of impact and squeezing, because the LCD screen and camera are fragile components.
- Using the third Party's root tool or update with unauthorized operation system may result to risk to the normal operation system.
- To prevent potential electrical damage, please be recommended to use the power adapter provided with the packaging only.



Product Details

1. PAD Register Terminal



1. IC Card Slot: to insert IC card
2. Front Camera: scanning and photography
3. Indicator Indicating terminal working status
4. Power: long press to power on /off, short press to activate or shut down the screen
5. Fingerprint: to unlock screen and App login
6. Sound Volume+- Key: adjust the sound
7. USB-C: to insert the 5 pins charger plug
8. Screen: display and touch operation
9. NFC Recognition Area: to read NFC card
10. Speaker to play sound
11. SIM/PSAM Card support 1 micro SIM card and 1 PSAMcard
12. Rear Camera: scanning and photography

13. Torch LED

14. Pogo Pin for Bracket to connect the PAD with bracket

Main Specifications

| Basic Platform | |
|------------------|---|
| Operation System | Security OS, Android 12 |
| CPU | Octa-core, 2.0GHz |
| Memory | 2GB LPDDR4 + 32GB eMMC |
| Display | 10.1 inch , Resolution 1920*1200 |
| Camera | Front camera: 5MP FF(optional) Rear camera: 8MP AF |
| Communications | |
| Network | TDD/FDDNICDMA/HSPA/GSM/EDGE |
| WiFi | 2.4G/5G, 802.11 a/b/g/n/ac |
| Bluetooth | BT5.0, BLE |
| GPS | BDS(B1I)/Galileo (E1)/GPS(L1C/A) |
| POS functions | |
| NFC | 13.56MHz ISO/IEC 14443 Type A&B, Milare, Felica |
| IC Card Reader | ISO/IEC 7816, Conform to EMV L1/L2 |
| PSAM | ISO/IEC 7816 |

ISED compliance statement

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

1. This device may not cause interference.
2. This device must accept any interference, including interference that may cause undesired operation of the device.

SAR statement

This equipment complies with FCC/ISED radiation exposure limits set forth for an uncontrolled environment. End user must follow the specific operating instructions for satisfying RF exposure compliance. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

The portable device is designed to meet the requirements for exposure to radio waves established by the ISED. These requirements set a SAR limit of 1.6 W/kg averaged over one gram of tissue. The highest SAR value reported under this standard during product certification for use when properly worn on the body.

CAUTION

Risk of explosion if the battery is replaced by an incorrect type; disposal of a battery into fire or a hot oven, or mechanically crushing or cutting of a battery, that can result in an explosion; leaving a battery in an extremely high temperature surrounding environment that can result in an explosion or the leakage of flammable liquid or gas; a battery subjected to extremely low air pressure that may result in an explosion or the leakage of flammable liquid

or gas.
Non-compliance with the above restrictions may result in violation of RF exposure guidelines.
Use Restriction: This device is restricted to indoor use when operating in the 5150 to 5250 MHz frequency range.

FCC Statement

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user’s authority to operate the equipment.
This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:



- 1. This device may not cause harmful interference, and
- 2. This device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates,uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interfer-ence to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.

C31107000134

Documents / Resources

| | |
|---|--|
|  | WISEASY T2 EMV Android Tablet [pdf] User Guide T2, 2AXOJ-T2, 2AXOJT2, T2 EMV Android Tablet, EMV Android Tablet, Android Tablet, Tablet |
|  | WISEASY T2 EMV Android Tablet [pdf] User Guide 2AXOJ-T2, 2AXOJT2, T2 EMV Android Tablet, EMV Android Tablet, Android Tablet, Tablet |