wizarpos Q3V UPT Android Mobile POS User Manual

wizarpos Q3V UPT Android Mobile POS User Manual

Contents

1 Packing List
2 Front View
3 Left/ Right View
4 Top/Bottom View
5 Back View
6 Punch template sticker
7 Thank you for using the product of Wizard POS
8 Open Battery Compartment Cover
8.1 Before use
8.2 Power on and off
8.3 System setup
8.4 Payment operation
8.5 Bank card operation
9 Installation Guide
10 Specification
11 Safety Precaution for Use
12 WizarPOS Warranty Regulations
12.1 Product warranty policy
12.2 Warranty limitation clause
13 Description of Environmental Protection
14 Trouble Shooting &W1zarPOS Repair Records
15 FCC Warning
16 Documents / Resources
17 Related Posts

Packing List



1. Unattended POS
2. Data Cable

Front View



1. Power Indicator
2. 4 LED Indicators
3. 4.0″Capacitive Touch Screen
4. Return Button
5. Menu Button
6. Home Button
7. IC Card Reader
8. Camera

Left/ Right View



1. Magnetic Card Reader
2. Speaker

Top/Bottom View



1. 12-24V DC Jack
2. IC Card Reader

Back View



1. USB Type A (optional)
2. Type-C
3. MDB Master/ RS232
4. Ethernet (optional)
5. 12-24V DC Jack
6. MDB Slave/ RS232

Punch template sticker



1. Punch template sticker

Thank you for using the product of Wizard POS

Intelligent + Security

Open Battery Compartment Cover

Before use

- Please check if the configuration is consistent with the requirements;
- Please check whether the accessories are complete, including data cables and punch templates;

Power on and off

- This product supports 12-24V DC or MDB power supply;
- After the product is powered on, it will automatically turn on and is always running;
- When the product needs to be restarted, please cut off the power first and then power on again;

System setup

Click the ”setup” icon on the desktop to setup the system.
You can set up the POS as needed.

Payment operation

Please follow the instructions of your payment App provider.

Bank card operation

- Please insert the IC card face up into the IC card reader.
- Swipe the magnetic stripe card with magnetic stripe facing to screen, you can bi-directionally swipe the card.
- Tap the contactless card close to the contactless quickly area to read the card.

Installation Guide

- Attach the template with mounting holes of the surface of the vending machine and mark the holes.

- Punch holes according to the marks.

- Fix the Q3Vwith screws and connect the MDB cable to the control board of the vending machine.

- Power on and run after installation.

Specification

Specification	Detailed Description
Software Platform	Secure Android, Based on Android 7.1
Processor	Qualcomm+ Secure Chip
Memory	1GB RAM, 8GB Flash or2GB RAM ,16GB Flash
Display	4″ multi-touch color LCD panel (480 x 800 mm)
Scanner	1D & 2D barcode scanning
Security Certification	PCI PTS5.x

Contactless Card	IS014443 Type A& B, Mifare, Contactless EMV Levell, Master card Pay pass, Pay wave, express pay and D-PAS.
IC Card	1507816, EMV Level 1 & Level 2 (optional)
MSR	1507811, Track 1/2/3, Bi-direction
Communication	GSM, WCDMA, FDD-LTE, TDD-LTE, Wi-Fi, BT4.0
Audio	Built-in microphone, speaker
USB	USB Type-C OTG, USB 2.0 HS compliant
Power	24V DC in/ MOB power supply
Dimensions	157x 102 x 38 mm (61.8 x40 x 15 inches)
Weight	400 g (0.88 lb)

All features and specifications are subject to change without notice.
Contact wizarPOS website for more details.
www.wizarpos.com

Safety Precaution for Use

Operating Temperature
O C 45 C (32 F to 113F)

Operating Humidity
10%-93% No condensation

Storage Temperature
-20°C~60°C (-4°F to 140°F)

Storage Humidity
10%-93% No condensation

Attention

- Do NOT refit the POS, that is illegal to privately refit financial POS and the warranty is also invalid.
- User shall bear all the risks of installation and usage of third party Apps.
- The system will became slow due to too many APPs installed.
- Pleases use dry cloth to clean the POS, Do NOT use chemical.
- Do NOT use sharp and hard objects to touch the screen.
- Do NOT throw the POS, as common household garbage.
  Please support recycle according to local environment rules.

WizarPOS Warranty Regulations

Product warranty policy

WizarPOS provide after-sales service according to relative laws.
Please read the following warranty terms.

1. Warranty period: one year for POS.
2. In warranty period, wizarPOS provide free repair/replace service, if the product has non artificial product failures.
3. Welcome to contact WizarPOS or the its authorized distributors for supports.
4. Please show product warranty card with true information.

Warranty limitation clause

Situations due to following reasons are not covered under warranty policies. A charge service will be applied.

1. The POS is maintained/repaired by unauthorized partywithoutWizarPOS permission.
2. The OS of POS is unauthorized changed by user.
3. The trouble is caused by the third party APP which is installed by user.
4. Damage due to improper use which like falling, squeeze, hit, soaking, burning …
5. No warranty card, or cannot provide true information in card.
6. Expiry of guarantee period.
7. Other conditions which is forbidden by laws.

Description of Environmental Protection

List of harmful substances in the product and logo of environment-friendly use period.

Part	Harmful substances					
	Pb	Hg	Cd	Cr(YI)	PBB	PBDE
LCD and TP Module	0	0	0	0	0	0
Housing and keypad	0	0	0	0	0	0
PCBA and components	**X**	0	0	0	0	0
Accessories	**X**	0	0	0	0	0

This table is made according to requirement of SJ/T 11364.

0 means the harmful substance concentration in the parts is under the limits in GB/T 26572.

x means the harmful substance concentration of one or more homogeneous materials in the parts is exceeded the limits in GB/T 26S72.

NOTE: Parts which marked x are compliant to China RoHS Regulation and EURoHS Directive.

This is environment-friendly use period logo of the product. This logo m eans that in this period the product will not leak harmful substances in n ormal usage.

Trouble Shooting &W1zarPOS Repair Records

Trouble	**Troubleshooting**
Cannot connect the mobile n etwork	• Check whether the function of “data” is open. • Check whether the APN is correct. • Check whether the data service of SIM is active.
No response	• Restart the APP or operation system.
Operation very slow	• Please stop active APPs which are not necessary.

Repair date	Repair content

Welcome to contact WizarPOS, or the local distributors for quickly support.
For more information, please log on to the company's official website
http://www.wizarpos.com

FCC Warning

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and
2. This device must accept any interference received, including interference that may cause

Changes or modifications not expressly approved by the party responsible for compliance could avoid the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is nonguaranteed that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Radiation Exposure Statement
This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cmbetween the radiator and your body.

Documents / Resources

	wizarpos Q3V UPT Android Mobile POS [pdf] User Manual WIZARPOSUPT, 2AG97-WIZARPOSUPT, 2AG97WIZARPOSUPT, Q3V UPT Android Mobile POS, Q3V UPT, Android Mobile POS, Mobile POS, Android POS, POS

Manuals+.