Manuals+ — User Manuals Simplified.

WOOLLEY SA-036 Wi-Fi Smart Lamp Holde User Manual

SA-036 Wi-Fi Smart Lamp Holed
User Manual

Contents

SA-036 Wi-Fi Smart Lamp Holde

SA-036
**Wi-Fi Smart Lamp Holde**

Operating Instruction

1. Install tamp base

OFF

⚠ To avoid electric shock, please turn off the power before installing the lamp base.

2. Download the weblink App

http://app.coolkit.cc/dl.html

3. Power on

After powering on, the device will enter the Blue tooth Pairing Mode during the first use. The WL-Fi LED indicator changes in a cycle of two short and one long flash and release.

ⓘ The device will exit the Bluetooth pairing mode if not paired within 3mins If you want to enter this mode please long press the Pairing button for about 5s until the Wi.Fi LED indicator changes in a cycle of two short and one long flash and release

4. Add the device

Tap +and select Bluetooth Pairing, then operate following the prompt on the App

Compatible Pairing Mode

If you fail to enter Bluetooth Pairing Mode, please try Compatible Pairing Mode to pair

1. Long press Pairing button for ss until the w+-Fr LED indicator changes in a cycle of two short flashes and one long flash and release. Long press Pairing button for Ss again until the Wi-Fi LED indicator flashes quickly. Then, the device enters Compatible Pairing Mode.
2. Tap+and select compatible Pairing Mode on App Select Wi Fi S5ID with ITEADee and enter the password 12345678, and then go back to eWeLink APP and tap Next". Be patient until pairing completes.

Pairing with eWeLink-Remote control

Supported pairing eWeLink-Remote control models

RM2.4G
SA-025-RM2.4G-1€
SA-025-RM2.4G-2C
SA-025-RM2.4G-3C

1. Open the added device and click the settings icon in the upper right corner.

2. Select eWeLink Remote.

Device Settings	
Basic info	
Name	bed room >
Current Version: 1.0.0	Latest Version >
Shortcuts	
Assign location	>
Share	>
Create group	>
WeChat control	>
LAN control	⬤
Device Settings	
eWeLink Remote Scene	>
eWeLink Remote	0/32 >

3. Follow the prompts for the next step. The LED indicator "lashes once again" means the pairing is successful.

Note: If you need to delete the RM2.4G remote control, enter the added interface and delete it.

Specifications

Model	SA-036
Input	100-240V — 50/60Hz
Output	100-240V — 50/60Hz
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Interface type	0.00E+00
App operating systems	Android & iOS
Shell material	PC VO
Dimension	66x66x92mm

Product Introduction

Pairing button
Manual switch

Wi-Fi LED indicator

Wi-Fi LED indicator status instruction

LED indicator status	Status instruction
Flashes (one long and two short)	Bluetooth Pairing Mode
Keeps on	Device is online
Flashes quickly once	Fail to connect to router
Flashes quickly twice	Connected to router but fail to connect to server
Flashes quickly three times	Firmware Updating

Factory Reset

Deleting the device on the eWetink app indicates you restore it to factory setting.

Common Problems

Fail to pair Wi-Fi devices to eWeLink APP

1. Make sure the device is in pairing mode. After three minutes of unsuccessful pairing, the device will automatically exit pairing mode.
2. Please turn on location services and allow location permission. Before choosing the Wi-Fi network, location services should be turned on and location permission should be allowed. Location information permission is used to obtain Wi-Fi list information. If you click Disable, you will not be able to add devices.
3. Make sure your Wi-Fi network runs on the 2.4GHz band.
4. Make sure you entered a correct Wi-Fi SSID and password, no special characters contained. Wrong password is a very common reason for pairing failure.
5. The device shall get close to the router for a good transmission signal condition while pairing.

Wi-Fi devices "Offline" issue, Please check the following problems by the Wi-Fi LED indicator status:

The LED indicator blinks once every 2s means you fail to connect to the router.

1. Maybe you entered the wrong SSID and password.
2. Make sure that your Wi-Fi SSID and password don't contain special characters, for example, the Hebrew, Arabic characters, our system can't recognize these characters and then fail to connect to the Wi-Fi.
3. Maybe your router has a lower carrying capacity.
4. Maybe the Wi-Fi strength is weak. Your router is too far away from your device, or there may be some obstacle

between the router and device which blocks the signal transmission.

5. Be sure that the MAC of the device is not on the blacklist of your MAC management.

The LED indicator flashes twice on repeated means you fail to connect to the server.

1. Make sure the Internet connection is working. You can use your phone or PC to connect to the Internet, and if it fails to access, please check the availability of the Internet connection.

2. Maybe your router has a low carrying capacity. The number of devices connected to the router exceeds its maximum value. Please confirm the maximum number of devices that your router can carry. If it exceeds, please delete some devices or get a lager router and try again.

3. Please contact your ISP and confirm our server address is not shielded:

   cn-disp.coolkit.cc (China Mainland)

   as-disp.coolkit.cc (in Asia except China)

   eu-disp.coolkit.cc (in EU)

   us-disp.coolkit.cc (in US)

If none of the above methods solved this problem, please submit your request via help feedback on the eWeLink App.
eWeLink has integrated with mainstream AI platforms. To ensure users can know quickly which platforms/smart speakers are compatible with products, manufacturers can print the poster version with "Works with AI" of eWeLink logo and attach it in the package with the user manual.

Smart products supporting eWeLink APP need get the certification of the corresponding platform before using the logo of AI voice platforms. Please refer to the product certification to make a deletion if manufacturers use the version on the package.

FCC Warning
Changes or modifications not expressly approved by the party responsible for compliance could avoid the user's authority to operate the equipment.
This device complies with part 15 of the FCC Rules.
Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
FCC Radiation Exposure Statement:
This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.
Note:
This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off

Andon, the user is encouraged to try to correct the interference by one or more of the following measures:
— Reorient or relocate the receiving antenna.
— Increase the separation between the equipment and receiver.
— Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
— Consult the dealer or an experienced radio/TV technician for help.

Woolley

Documents / Resources

	WOOLLEY SA-036 Wi-Fi Smart Lamp Holde [pdf] User Manual SA-036 Wi-Fi Smart Lamp Holde, SA-036, Wi-Fi Smart Lamp Holde, Smart Lamp Holde, Lamp Holde, Holde

References

- **User Manual**