



XCELLON U6-1VPD-2 6-in-1 USB Type-CHub User Manual

[Home](#) » [XCELLON](#) » XCELLON U6-1VPD-2 6-in-1 USB Type-CHub User Manual 

Contents

- [1 XCELLON U6-1VPD-2 6-in-1 USB Type-CHub](#)
- [2 Specifications](#)
- [3 Notes](#)
- [4 One-Year Limited Warranty](#)
- [5 Documents / Resources](#)
- [6 Related Posts](#)



XCELLON U6-1VPD-2 6-in-1 USB Type-CHub



Specifications



- **Integrated Connector** USB Type-C
- **USB Type-C** Upstream 100 W PD 3.0 pass-through charging to host device
- **HDMI** Up to 4K @ 30 Hz (Requires host device support for DP Alt Mode)
- **USB Standard-A** USB 3.2 Gen 1 up to 5 Gbps
- **SD/microSD** SD/SDHC/SDXC/microSD/microSDXC UHS-I up to 2 TB, 104 MB/s
- **Compatibility** Windows, macOS, iPadOS, ChromeOS, Linux, and Android
- **Material** Aluminum
- **Dimensions** 0.48 × 4.61 × 1.57 in. (1.2 × 11.7 × 4 cm)
- **Weight:** 2.26 oz. (64 g)

Notes

- An Apple® SuperDrive® must be connected directly to the laptop ports.
- For stable performance when connecting multiple hard drives, please connect an external power source to the USB-C port.

Warning: Do not connect or disconnect a power source to/from the USB-C port while transferring data.

Due to its Power Delivery 3.0 capabilities, the U6-1VPD-2 recognizes when a power source is connected or disconnected, and it seamlessly switches between PD and bus-power. However, in order to completely avoid the risk of data loss or corruption, it is always safest to stop any file transfers before connecting or disconnecting a power source from the hub's USB-C port.

One-Year Limited Warranty

This Xcellon product is warranted to the original purchaser to be free from defects in materials and workmanship under normal consumer use for a period of one (1) year from the original purchase date or thirty (30) days after replacement, whichever occurs later. The warranty provider's responsibility with respect to this limited warranty shall be limited solely to repair or replacement, at the provider's discretion, of any product that fails during normal use of this product in its intended manner and in its intended environment. The Inoperability of the product or part(s) shall be determined by the warranty provider. If the product has been discontinued, the warranty provider reserves the right to replace it with a model of equivalent quality and function.

To obtain warranty coverage, contact the Xcellon Customer Service Department to obtain a return merchandise authorization ("RMA") number, and return the defective product to Xcellon along with the RMA number and proof of purchase. Shipment of the defective product is at the purchaser's own risk and expense.

Product warranty provided by the Gradus Group.

Documents / Resources

