



XCHENG TECH T5 Mobile Phone User Guide


[Home](#) » [XCHENG TECH](#) » XCHENG TECH T5 Mobile Phone User Guide 

T5 Quick Guide

Contents

- [1 PRODUCT INTRODUCTION](#)
- [2 TECHNICAL INDICATORS OF PRODUCTS](#)
- [3 ATTENTION](#)
- [4 Documents / Resources](#)
- [5 Related Posts](#)

PRODUCT INTRODUCTION



Power Button

Short Press: Light the screen, lock the screen.

Long press: In shutdown state, long press 2-3 seconds to turn on; When in use, press 2-3 seconds for a long time, and you can choose to Power off, Restart, or Screenshot.

In the crash state, long press 10 seconds to restart automatically.

Left and right scan button

Open the scan code app, short press the scan button to achieve the scan code function.

Scanner

Scanning recognition of Barcode and QRcode can be carried out by using scanning dock when scanning function is turned on.

Extend pins

To connect to dock. (Need to buy dock separately)

Type-C USB

Used For device charging, and you can also plug in OTG.

Headphone

Insert a wired headset, and the sound will be switched from the speaker to the headset.

MIC

Used to make phone calls, video, and voice conversations.

Speaker

Used For listening to music or sound amplification.

Receiver

Used to make calls to receive sound.

Indicator Light

Android Charging and Notification Indicator Lamp (Breathing Lamp) (Red, Green).

SD card slot and two Nano SIM card slot

Used for inserting the SIM Card and SD Card slot.

Rear camera and Front camera

Supports photographing and 1D/2D code quick scanning.

TECHNICAL INDICATORS OF PRODUCTS

- Android 10
- Quad core 1.8GHz
- LTE/UMTS/GSM/WIFI 2.4&5G/Bluetooth
- 2GB RAM, 16GB ROM
- LCD/CTP 4.0WVGA
- Scanner: E3
- Bluetooth 5.0
- Rear camera 8M AF Front camera 2M FF
- Wi-Fi 802.11a/b/g/n 2.4G/5G
- USB Type-C
- Battery 3.85V/4500mAh

ATTENTION

PRODUCT SAFETY WARNINGS

Use responsibly. Read all instructions and safety information before use to avoid injury. The limit operating ambient temperature of the equipment declared by the manufacturers-15~55°C.

Battery Safety

Charge battery only at ambient temperatures ranging from 40°C.

1. **CAUTION:** Danger of explosion if the battery is incorrectly replaced. Replace only with the same or equivalent type of battery recommended by the manufacturer. Dispose of used batteries according to the battery manufacturer's instructions.
2. **CAUTION:** RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE. DISPOSE OF USED BATTERIES ACCORDING TO THE INSTRUCTIONS.
3. **CAUTION:** Battery charging temperature upper limit is 40°C.

Adapter Safety

When charging, please place the device in an environment that has a normal room temperature and good ventilation. It is recommended to charge the device in an environment with a temperature that ranges from 0°C~40°C. For altitude 2km below use only.

Wi-Fi Safety

Turn Wi-Fi off in areas where Wi-Fi use is prohibited or when it may cause interference or danger, such as in airplanes while flying.

SAR compliance for body-worn operation is based on a separation distance of 15 mm between the unit and the human body. Carry this device at least 15 mm away from your body to ensure RF exposure level compliant or lower than the reported level.

To support body-worn operation, choose the belt clips or holsters, which do not contain metallic components, to maintain a separation of 15 mm between this device and your body.

To support body-worn operation, choose the belt clips or holsters, which do not contain metallic components, to maintain a separation of 15 mm between this device and your body.

Caution: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

FCC Regulations:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part

15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/ TV technician for help.

Radio Frequency (RF) Energy


This device is designed and manufactured not to exceed the emission limits for exposure to radio frequency (RF) energy set by ` the Federal Communications Commission of the United States.

The exposure standard for wireless devices employing a unit of measurement is known as the Specific Absorption Rate, or SAR. The SAR limit recommended by the general public is 1.6W/kg. Averaged over one gram of tissue by IEEE Std 1528.

While there may be differences between the SAR levels of various product and at various positions, they all meet the government requirements.

Development size 140*110mm
Folding size 70*110mm
The tolerance +/-1mm

Documents / Resources

| | |
|---|--|
|  | XCHENG TECH T5 Mobile Phone [pdf] User Guide T0511-T5, T0511T5, 2AZ4F-T0511-T5, 2AZ4FT0511T5, T5 Mobile Phone, T5, Mobile Phone |
|---|--|