



Xerox VersaLink C500/C600 Color Printer User Guide

[Home](#) » [Xerox](#) » Xerox VersaLink C500/C600 Color Printer User Guide 



Contents

- [1 Xerox VersaLink C500/C600 Color Printer User Guide](#)
- [2 Product Overview](#)
- [3 Detailed Specifications and Product Brochures](#)
- [4 Maintenance and Support](#)
- [5 Installation Preparation](#)
- [6 Appendix](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)
- [8 Related Posts](#)

Xerox VersaLink C500/C600 Color Printer User Guide



© 2017 Xerox Corporation. All rights reserved. Unpublished rights reserved under the copyright laws of the United States. Contents of this publication may not be reproduced in any form without permission of Xerox Corporation.

Copyright protection claimed includes all forms of matters of copyrightable materials and information now allowed by statutory or judicial law or hereinafter granted, including without limitation, material generated from the software programs which are displayed on the screen such as styles, templates, icons, screen displays, looks, and so on.

Xerox® and Xerox and Design®, Phaser®, PhaserSMART®, PhaserMatch®, PhaserCal®, PhaserMeter™, ®, PagePack®, eClick®, PrintingScout®, Walk-Up®, WorkCentre®, FreeFlow®, SMARTsend®, Scan to PC Desktop®, MeterAssistant®, SuppliesAssistant®, Xerox Secure Access Unified ID System®, Xerox Extensible Interface Platform®, ColourQube®, ConnectKey®, Global Print Driver®, VersaLink™, AltaLink™, and Mobile Express Driver® are trademarks of Xerox Corporation in the United States and/or other countries.

Adobe® Reader®, Adobe® Type Manager®, ATM™, Flash®, Macromedia®, Photoshop®, and PostScript® are trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Apple®, Bonjour®, EtherTalk™, TrueType®, iPad®, iPhone®, iPod®, iPod touch®, Mac® and Mac OS® are trademarks of Apple Inc., registered in the U.S. and other countries. AirPrint® and the AirPrint Logo® are trademarks of Apple Inc.

Google Cloud Print™ web printing service, Gmail™ webmail service, and Android™ mobile technology platform are trademarks of Google, Inc. HP-GL®, HP-UX®, and PCL® are trademarks of Hewlett-Packard Corporation in the United States and/or other countries

IBM® and AIX® are trademarks of International Business Machines Corporation in the United States and/or other countries.

Microsoft®, Windows Vista®, Windows®, and Windows Server® are trademarks of Microsoft Corporation in the United States and other countries. McAfee®, ePolicy Orchestrator®, and McAfee ePO™ are trademarks or registered trademarks of McAfee, Inc. in the United States and other countries. Novell®, NetWare®, NDPS®, NDS®, IPX™, and Novell Distributed Print Services™ are trademarks of Novell, Inc. in the United States and

other countries.

PANTONE® and other Pantone, Inc. trademarks are the property of Pantone, Inc.

SGL® and IRIX® are trademarks of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

Sun, Sun Microsystems, and Solaris are trademarks or registered trademarks of Oracle and/or its affiliates in the United States and other countries. UNIX® is a trademark in the United States and other countries, licensed exclusively through X/ Open Company Limited.

Wi-Fi CERTIFIED Wi-Fi Direct® is a trademark of the Wi-Fi Alliance.

Product Overview

Introduction

This document is intended to help you understand the performance and capabilities of the Xerox® C500/C600 and Xerox® C505/C605, including information on optional accessories. Installation planning information is provided later in this document and it contains specifications and guidelines for installing your device. Specifications and data in this document include Xerox and customer proprietary information. The customer will use all reasonable efforts to safeguard the document, will not disclose its contents to third parties, and should only circulate it within the organization on a need-to-know basis.

Product Highlights

The compact C500/C600/C505/C605 excels in small office environments as well as large enterprise accounts where high- impact speed, and ease of use are important.

Convenience

- Compact designs fit in tight busy spaces
- Wi-Fi Direct
- NFC tap-to-pair
- Apple® AirPrint 1.5
- Mopria 1.2

Performance

- Up to 53ppm
- Dual head single pass scanner (MFP only)
- Large 550 Sheet Paper Tray
- Hefty processing power with generous amount of standard memory
- Outstanding output image quality

Ease

- Large 5.0" colour capacitive touchscreen (swipe) interface for Printer version, and large 7.0" colour capacitive touchscreen for Multi-Function Printer version.
- Scan to email (MFP only)
- Scan to and print from USB at the device (Scan to MFP only)

- App Gallery inbox App for easy access to downloadable Apps
- Optional 2000 Sheet High Capacity Feeder
- Optional Finisher and mailbox accessories for C600/C605 (L config only)

System / Product Configuration

Each version of the product will be available in the following configurations. The C500/C600 will be available in the Printer only configuration at 43/53 ppm. The C505/C605 will be available in 43/53ppm Multi-Function Printer configurations. Both configurations will also be available in duplex and non-duplex versions.

C500/C600 Printer



C505/C605 Multi-Function Printer



Detailed Specifications and Product Brochures

Xerox® VersaLink® C500 Color Printer and C505 Color Multifunction Printer Brochure

Xerox VersaLink C500 Color Printer and Xerox VersaLink C505 Color Multifunction Printer Brochure

Xerox® VersaLink® C600 Color Printer Brochure

Xerox VersaLink C600 Color Printer Brochure

Xerox® VersaLink® C605 Color Multifunction Printer Product Brochure

Xerox VersaLink C605 Color Multifunction Printer Brochure

VersaLink C500 Color Printer – Detailed Specification Sheet

Xerox® VersaLink® C500 Color Printer

VersaLink C600 Color Printer – Detailed Specification Sheet

Xerox® VersaLink® C600 Color Printer

Versalink C505 Color Multifunction Printer – Detailed Specification Sheet

Xerox® VersaLink® C505 Color Multifunction Printer

Versalink C605 Color Multifunction Printer – Detailed Specification Sheet

Xerox® VersaLink C605 Color Multifunction Printer

Maintenance and Support

This section helps define the support and services that Xerox will supply and what is expected of the customer.

Customer/Operator Maintenance

Support Services

The majority of service related issues can be resolved by the customer using the Xerox Online Support tools from the device driver resident on the computer, or through the device Embedded Web Server page. To supplement the Xerox Online Support experience, knowledgeable support resources will be available via the phone. The phone support resources typically resolve issues on the first call. For issues that cannot be resolved over the phone, customers will typically receive onsite field service the following day from a combination of Xerox Employees and Xerox Authorized National Service Providers. In addition to onboard, driver based customer tools, telephone and on-site service, customers will also have access to web technical support:

www.xerox.com/officeprinting/support/.

Call Procedure

Contact your local sales and service team for details:

Product Sustainability

Packaging Take-Back Service for Xerox Branded Products: (US only) Whenever possible, Xerox encourages you to recycle packaging locally as it reduces greenhouse gas emissions associated with transportation. However, if unable to recycle locally, we offer a packaging take-back and recycling service to our customers for Xerox branded products, where customers pay for the return shipping and Xerox pays for the recycling. If interested in this service, please send your packaging to: Xerox Corporation, ESSO – Scrap, 6500 State Route 63, Middletown, OH 45044 , ATTN: EPEAT Packaging Returns.

Consumables for this product are part of the Xerox Green World Alliance Supplies Recycling Program. For more information, please visit the Green World Alliance website at www.xerox.com/gwa.

Supplies and Consumables

Xerox supplies for your machine, including paper and CRUs, can be ordered from Xerox by going to www.xerox.com and clicking on either the Contact Us link for specific contact information/ telephone numbers in your area or by clicking on the Supplies and entering/ selecting your specific machine information (product family and model type).

Note: Always refer to www.xerox.com for the latest Customer Replaceable Units (CRUs) part numbers

Recommended Toner Supplies

C500/C505

Item Description/Yield	Xerox Order#
CYAN DRUM CARTRIDGE - VL C500/C505 (40K PAGES)	100R01481
MAGENTA DRUM CARTRIDGE - VL C500/C505 (40K PAGES)	100R01482
YELLOW DRUM CARTRIDGE - VL C500/C505 (40K PAGES)	100R01483
BLACK DRUM CARTRIDGE - VL C500/C505 (40K PAGES)	100R01484
CYAN TONER CART, STARTER - VL C500/C505 (2,400 PAGES)	100R01851
MAGENTA TONER CART, STARTER - VL C500/C505 (2,400 PAGES)	100R01852
YELLOW TONER CART, STARTER - VL C500/C505 (2,400 PAGES)	100R01853
BLACK TONER CART, STARTER - VL C500/C505 (3,000 PAGES)	100R01854
CYAN TONER CART, METERED - VL C500/C505 (9,000 PAGES)	100R01855
MAGENTA TONER CART, METERED - VL C500/C505 (9,000 PAGES)	100R01856

YELLOW TONER CART, METERED - VL C580/C585 (2,600 PAGES)	104R01857
BLACK TONER CART, METERED - VL C580/C585 (19,200 PAGES)	104R01858
CYAN TONER CART, STD NA/RE - VL C580/C585 (2,400 PAGES)	104R01859
MAGENTA TONER CART, STD NA/RE - VL C580/C585 (2,400 PAGES)	104R01860
YELLOW TONER CART, STD NA/RE - VL C580/C585 (2,400 PAGES)	104R01861
BLACK TONER CART, STD NA/RE - VL C580/C585 (5,000 PAGES)	104R01862
CYAN TONER CART, HI RE - VL C580/C585 (5,200 PAGES)	104R01870
MAGENTA TONER CART, HI RE - VL C580/C585 (5,200 PAGES)	104R01871
YELLOW TONER CART, HI RE - VL C580/C585 (5,200 PAGES)	104R01872
CYAN TONER CART, XHI RE - VL C580/C585 (8,000 PAGES)	104R01873
MAGENTA TONER CART, XHI RE - VL C580/C585 (8,000 PAGES)	104R01874
YELLOW TONER CART, XHI RE - VL C580/C585 (8,000 PAGES)	104R01875
BLACK TONER CART, HI RE - VL C580/C585 (12,100 PAGES)	104R01876

C600/C605

Item Description/Yield	Canon Order#
CYAN DRUM CARTRIDGE - VL C600/C605 (40K PAGES)	104R01483
MAGENTA DRUM CARTRIDGE - VL C600/C605 (40K PAGES)	104R01485
YELLOW DRUM CARTRIDGE - VL C600/C605 (40K PAGES)	104R01487
BLACK DRUM CARTRIDGE - VL C600/C605 (40K PAGES)	104R01488
CYAN TONER CART, STARTER - VL C600/C605 (6,000 PAGES)	104R01888
MAGENTA TONER CART, STARTER - VL C600/C605 (6,000 PAGES)	104R01889
YELLOW TONER CART, STARTER - VL C600/C605 (6,000 PAGES)	104R01890
BLACK TONER CART, STARTER - VL C600/C605 (10,000 PAGES)	104R01891
CYAN TONER CART, METERED - VL C600/C605 (15,800 PAGES)	104R01892
MAGENTA TONER CART, METERED - VL C600/C605 (15,800 PAGES)	104R01893
YELLOW TONER CART, METERED - VL C600/C605 (15,800 PAGES)	104R01894
BLACK TONER CART, METERED - VL C600/C605 (21,000 PAGES)	104R01895
CYAN TONER CART, STD NA/RE - VL C600/C605 (6,000 PAGES)	104R01896
MAGENTA TONER CART, STD NA/RE - VL C600/C605 (6,000 PAGES)	104R01897
YELLOW TONER CART, STD NA/RE - VL C600/C605 (6,000 PAGES)	104R01898
BLACK TONER CART, STD NA/RE - VL C600/C605 (6,000 PAGES)	104R01899

CYAN TONER CART, HI RE - VL C600/C605 (10,100 PAGES)	104R01904
MAGENTA TONER CART, HI RE - VL C600/C605 (10,100 PAGES)	104R01905
YELLOW TONER CART, HI RE - VL C600/C605 (10,100 PAGES)	104R01906
BLACK TONER CART, HI RE - VL C600/C605 (12,300 PAGES)	104R01907
CYAN TONER CART, XHI RE - VL C600 (16,800 PAGES)	104R01928
MAGENTA TONER CART, XHI RE - VL C600 (16,800 PAGES)	104R01929
YELLOW TONER CART, XHI RE - VL C600 (16,800 PAGES)	104R01930
BLACK TONER CART, XHI RE - VL C600 (16,800 PAGES)	104R01931
CYAN TONER CART, XHI RE - VL C605 (16,800 PAGES)	104R01932
MAGENTA TONER CART, XHI RE - VL C605 (16,800 PAGES)	104R01933
YELLOW TONER CART, XHI RE - VL C605 (16,800 PAGES)	104R01934

BLACK TONER CART, XHI RE - VL C605 (16,800 PAGES)	104R01935
---	-----------

*Average standard pages. Declared Yield in accordance with ISO/IEC 11798. Yield will vary based on image, area coverage and print mode.

Frequency of supplies replenishment for printing and periodic maintenance will vary depending on monthly print volume, type of maintenance contract, and applications. Check with your supplies help desk for details.

Installation Preparation

Roles and Responsibilities

This section is key to clearly state Xerox/Partner and the customer roles and responsibilities and necessary actions. Responsibility Matrix

Action	Customer	Xerox/Partner
Ensure adequate space and power to install system	X	
Ensure Site survey is completed and the site requirements are communicated to the customer		X
Unpack system / components	X	
Install system/hardware	X	
Connect all System Components prior to powering up the system	X	
Ensure network configuration	X	
Confirm network integrity	X	
Acquire and install client software including print drivers	X	
Run initial software diagnostics when directed	X	
Monitor and adjust as required	X	
Load any additional fonts	X	
Order and replace Customer Replaceable Units as needed	X	
Provide Hot Line support		X
Provide spare parts		X

Installation Planning

C500

Dimensions and Weights (Unpackaged)				
Configuration	Width	Depth	Height	Weight
VersaLink C5800H	16.8 in / 427.4 mm	18.3 in / 465.5 mm	17.5 in / 443.5 mm	60.8 lbs / 27.6 kg
VersaLink C5800M	16.8 in / 427.4 mm	18.3 in / 465.5 mm	17.5 in / 443.5 mm	60.8 lbs / 27.6 kg
ISO-sheet Paper Tray	16.5 in / 420 mm	18.3 in / 465 mm	4.8 in / 123 mm	14.6 lbs / 6.6 kg
High Capacity Feeder	26.5 in / 724 mm	30.6 in / 778 mm	18.1 in / 458 mm	43.4 lbs / 19.7 kg

C500

Dimensions and Weights (Packaged)				
Configuration	Width	Depth	Height	Weight
VersaLink C5800H	22.8 in / 580 mm	25 in / 634 mm	23.9 in / 607 mm	75 lbs / 34 kg
VersaLink C5800M	22.8 in / 580 mm	25 in / 634 mm	23.9 in / 607 mm	75 lbs / 34 kg
ISO-sheet Paper Tray	21.1 in / 535 mm	23 in / 584 mm	18.1 in / 458 mm	18.7 lbs / 8.5 kg
High Capacity Feeder	22.4 in / 569 mm	26.1 in / 663 mm	28 in / 711 mm	83.8 lbs / 38 kg

C300

Dimensions and Weights (Unpackaged)				
Configuration	Width	Depth	Height	Weight
VersaLink C3850S	18.5 in / 470 mm	18.9 in / 506 mm	25.4 in / 644 mm	77.2 lbs / 35 kg
VersaLink C3850K	18.5 in / 470 mm	18.9 in / 506 mm	25.4 in / 644 mm	77.2 lbs / 35 kg
ISO-sheet Paper Tray	16.5 in / 420 mm	18.3 in / 465 mm	4.8 in / 123 mm	14.6 lbs / 6.6 kg
High Capacity Feeder	26.5 in / 724 mm	30.6 in / 778 mm	18.1 in / 458 mm	43.4 lbs / 19.7 kg

C505

Dimensions and Weights (Packaged)				
Configuration	Width	Depth	Height	Weight
VersaLink C505/US	21.4 in / 546 mm	25.8 in / 655 mm	21.5 in / 549 mm	94.8 lbs / 43 kg
VersaLink C505/UK	21.4 in / 546 mm	25.8 in / 655 mm	21.5 in / 549 mm	94.8 lbs / 43 kg
550-sheet Paper Tray	21.1 in / 535 mm	23 in / 584 mm	18.5 in / 469 mm	18.7 lbs / 8.5 kg
High Capacity Feeder	22.4 in / 568 mm	26.7 in / 675 mm	26 in / 711 mm	83.8 lbs / 38 kg

C600

Dimensions and Weights (Unpackaged)				
Configuration	Width	Depth	Height	Weight
VersaLink C600/US	16.8 in / 427.6 mm	18.3 in / 465.5 mm	17.5 in / 443.5 mm	64.8 lbs / 29.4 kg
VersaLink C600/UK	16.8 in / 427.6 mm	18.3 in / 465.5 mm	17.5 in / 443.5 mm	64.8 lbs / 29.4 kg
550-sheet Paper Tray	16.5 in / 420 mm	18.3 in / 465 mm	4.8 in / 123 mm	14.8 lbs / 6.6 kg
High Capacity Feeder	28.5 in / 726 mm	30.8 in / 778 mm	18.5 in / 469 mm	63.4 lbs / 28.7 kg

C605

Dimensions and Weights (Packaged)				
Configuration	Width	Depth	Height	Weight
VersaLink C605/US	22.8 in / 580 mm	25 in / 634 mm	25.9 in / 657 mm	77.2 lbs / 35 kg
VersaLink C605/UK	22.8 in / 580 mm	25 in / 634 mm	25.9 in / 657 mm	77.2 lbs / 35 kg
550-sheet Paper Tray	21.1 in / 535 mm	23 in / 584 mm	18.5 in / 469 mm	18.7 lbs / 8.5 kg
High Capacity Feeder	22.4 in / 568 mm	26.7 in / 675 mm	26 in / 711 mm	83.8 lbs / 38 kg


C605

Dimensions and Weights (Unpackaged)				
Configuration	Width	Depth	Height	Weight
VersaLink C605/US/UK	18.5 in / 470 mm	19.8 in / 503.5 mm	25.3 in / 643.7 mm	70.8 lbs / 32.1 kg
550-sheet Paper Tray	16.5 in / 420 mm	18.3 in / 465 mm	4.8 in / 123 mm	14.8 lbs / 6.6 kg
High Capacity Feeder	28.5 in / 726 mm	30.8 in / 778 mm	18.5 in / 469 mm	63.4 lbs / 28.7 kg


C605

Dimensions and Weights (Packaged)				
Configuration	Width	Depth	Height	Weight
VersaLink C605/US/UK	23.4 in / 594 mm	25.8 in / 655 mm	21.5 in / 549 mm	87 lbs / 40 kg
550-sheet Paper Tray	21.1 in / 535 mm	23 in / 584 mm	18.5 in / 469 mm	18.7 lbs / 8.5 kg
High Capacity Feeder	22.4 in / 568 mm	26.7 in / 675 mm	26 in / 711 mm	83.8 lbs / 38 kg


C500/C600 Install Space:




C505/C605 Install Space:



C500/C600 Install Space:



C505/C605 Install Space



Appendix

Customer Expectations Agreement

I have reviewed and understand the product expectations and installation preparation requirements, as referenced in this CEIG document: (Signatures Required)

Customer _____

Xerox/Partner Sales Representative _____

Xerox/Partner Analyst Representative _____

Xerox/Partner Service Representative _____



Read More About This Manual & Download PDF:

Documents / Resources

	<p>Xerox VersaLink C500/C600 Color Printer [pdf] User Guide Xerox, VersaLink, C500, C600, Color Printer</p>
--	---

References

- [Workplace and Digital Printing Solutions | Xerox](#)

-  [Recycling Toner and Cartridges Program - Xerox](#)
-  [Product Support and Drivers – Xerox](#)

Manuals+.