

Xerox C505 Color Multifunction Printer Specification and **Datasheet**

Home » Xerox » Xerox C505 Color Multifunction Printer Specification and Datasheet



Contents

- 1 Xerox C505 Color Multifunction
- **Printer**
- **2 SYSTEM SPECIFICATION**
- **3 DEVICE SPECIFICATIONS**
- **4 PRINT**
- 5 SCAN
- **6 Features**
- 7 FAQ's
- **8 Related Posts**



Xerox C505 Color Multifunction Printer



SYSTEM SPECIFICATION

SYSTEM SPECIFICATIONS VERSALINK® C505		
One-sided Speed1		
8.5 x 11 in. A4/210 x 297 mm 8.5 x 14 in./216 x 356 mm	Up to 45 ppm color and black-and-white Up to 43 ppm color and black-and-white Up to 37 ppm color and black-and-white	
Two-sided Speed1		
8.5 x 11 in. A4/210 x 297 mm 8.5 x 14 in./216 x 356 mm	Up to 44 ppm color and black-and-white Up to 42 ppm color and black-and-white Up to 22 ppm color and black-and-white	
Monthly Duty Cycle2	Up to 120,000 pages/month	
Recommended Average Monthly Print Volume3	Up to 10,000 pages	
Hard Drive	320 GB HDD	
Processor	1.05 GHz ARM Dual-Core	
Memory	4 GB	
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Dire ct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	
Controller Features	Unified Address Book, Configuration Cloning, Scan Preview, Xerox Extensible Int erface Platform®, Xerox® App Gallery App, Xerox® Standard Accounting Tool, Ne twork Accounting Enabled, Role Based Permissions, Convenience Authentication Enabled, Online Support	
User Interface Language s	English, French, Italian, German, Spanish, Brazilian Portuguese, Russian, Dutch, Swedish, Danish, Finnish, Norwegian, Greek, Turkish, Polish, Czech, Hungarian, Romanian, Catalan, Ukrainian, Croatian	

DEVICE SPECIFICATIONS

DEVICE SPECIFICATIONS		
ELECTRICAL REQUIREMENTS		
North America	Voltage: 110-127V +/-10% Frequency: 50/60 Hz +/-3%, 12A	
Europe and Other Geographies	Voltage: 220-240V +/- 10% Frequency: 50/60 Hz +/-3%, 8A	
POWER CONSUMPTION		
Continuous Printing4	730 watts or less	

Ready/Standby Mode4	89 watts or less			
	69 Walls Of less			
Energy Saver/Sleep Mod e4	.9 watts or less			
OPERATING ENVIRONME	NT			
Required Temperature R ange (Storage)	32° to 95° F (0° to 3	32° to 95° F (0° to 35° C)		
Required Temperature R ange (Operating)	50° to 90° F (10° to	32° C)		
Required Relative Humid ity	15% to 85%			
Sound Power Levels				
	7.17 B(A) or less			
Operating Standby	4.9 B(A) or less			
Sound Pressure Levels				
	56.2 dB(A) or less,			
Operating Standby	33.6 dB(A) or less			
Boot Time				
	As fast as 65 secon	ds		
(from Off to UI Ready)				
Warm-up Time				
	As fast as 11 secon	ds		
(from Sleep to UI Ready)				
DIMENSIONS AND WEIG HT (UNPACKAGED)	WIDTH	DEPTH	HEIGHT	WEIGHT
VersaLink® C505	18.5 in./470 mm	19.9 in./502.8 mm	25.3 in./643.7 mm	77.2 lb./35 kg
550-sheet Paper Tray	16.5 in./420 mm	18.3 in./464.5 mm	4.8 in./123 mm	4.1 lb./6.6 kg
High-Capacity Feeder (in cludes Caster Base)	28.5 in./724.2 mm	30.4 in./772.1 mm	18.1 in./459 mm	43.4 lb./19.7 kg
Cabinet (includes Caster Base)	28.5 in./724.2 mm	30.4 in./772.1 mm	13.2 in./336 mm	37 lb./16.6 kg
Caster Base	28.5 in./724.2 mm	30.4 in./772.1 mm	3.5 in./90 mm	18.7 lb./8.5 kg
DIMENSIONS AND WEIG HT (PACKAGED)	WIDTH	DEPTH	HEIGHT	WEIGHT

VersaLink® C505	23.4 in./594 mm	25.8 in./655 mm	31.1 in./789 mm	94.8 lb./43 kg
550-sheet Paper Tray	21.1 in./535 mm	23 in./584 mm	9.8 in./248 mm	18.7 lb./8.5 kg
High-Capacity Feeder (in cludes Caster Base)	22.4 in./568 mm	26.1 in./663 mm	28 in./711 mm	83.8 lb./38 kg
Cabinet (includes Caster Base)	23 in./584 mm	24.8 in./629 mm	23.5 in/597 mm	57.3 lb./28 kg
Caster Base	23 in./585 mm	24.4 in./619 mm	13 in./330 mm	39.7 lb./18 kg
CERTIFICATIONS				
	To view the latest lis	st of certifications, go	to www.xerox.com/	OfficeCertifications
	=			

PRINT

PRINT		
First-Print-Out Time	As fast as 5.6 seconds color/5.1 seconds black-and-white	
Print Resolution	Up to 1200 x 2400 dpi	
Page Description Languages	PCL® 5e, 6 PDF XPS TIFF JPEG HP-GL Adobe® PostScript® 3™	
Maximum Print Area	4 mm from edge of paper	

	Application Defaults
Print Features	Banner Pages Enable/Disable Bi-directional Real-time Status Booklet Layout Color Correction Color Adjustments (lightness, contrast, saturation, color balance) Draft Mode Fit to New Paper Size Job Identification (Print ID or Banner, Print ID in margins on first page only or all p ages) Job Monitoring (Client or Local User Interface) LAN Fax (requires Fax Kit) N-up Page Layout (up to 16 pages per sheet) Paper Selection by Attribute Personal Print Print Around Enable/Disable Print from USB Sample Set Saved Job Scaling Secure Print Skip Blank Pages Special Pages (exception page programming covers, inserts, exceptions pages) S tore and Recall Driver Settings Stored Jobs Deletion Two-sided Printing (as default) Watermark (predefined and custom) Xerox® Earth
	Smart Driver Settings
Drint from UCD	Allows walk-up printing from Type A USB port
Print from USB	Supports direct printing from computer via Type B USB port Supported file formats : PDF, JPEG, TIFF, XPS, PDF/A

	Windows® 7, 8, 8.1, 10
Operating Systems	Windows Server 2008 SP2, Server 2008 R2 SP1, Server 2012, Server 2012 R2, Server 2016 macOS® 10.11, 10.12, 10.13 Citrix® Redhat® Enterprise Linux® Fedora Core IBM® AIX® HP-UX® Oracle® Solaris SUSE® SAP® Note: For information about supported versions for the above operating systems, please visit our Drivers & Downloads page and specify your device at www.support.xerox.com .
Fonts	PostScript fonts: 136 PCL fonts: 83

Xerox® Global Print Driv er®	A truly universal print driver that lets IT administrators install, upgrade and manag e Xerox® and non-Xerox devices from a single driver. It provides a consistent, eas y-to-use interface for end-users, reducing the number of support calls, and simplif ying print services management.		
	Makes it easy for IT managers to qualify, deploy and manage all print devices usin g a single driver		
Xerox® Pull Print Driver	in a Pull Print environment. Uses a single queue and single driver. The Xerox® Pu II Print Driver extends convenience across a broad range of printing assets. IT ad ministrators no longer need to manage and configure multiple drivers. Used in con junction with Equitrac Office®, Ysoft® SafeQ®, Pharos® and others.		
СОРУ			
Document Scanner	100-sheet Single-Pass Duplex Automatic Document Feeder (DADF)		
Document Scanner Size	Platen: Up to 8.5 x 14 in./216 x 356 mm DADF: Up to 8.5 x 14 in./216 x 356 mm		
Simplex Copy Speed	Up to 45 cpm (copies per minute) 8.5 x 11 in. Up to 43 cpm A4/210 x 297 mm		
Duplex Copy Speed	Up to 45 cpm (copies per minute) 8.5 x 11 in. Up to 43 cpm A4 (210 x 297 mm)		
First-Copy-Out Time	As fast as 6.6 seconds color/4.9 seconds black-and-white		
Sides (input: output)	1:1, 1:2, 2:2 and 2:1		
Quantity	1 to 999		

Resolution (max.)	Up to 600 x 600 dpi	
Reduction/Enlargement	Variable zoom from 25% to 400% in 1% increments	
Concurrency	Concurrent scanning and printing	
	Annotation (Page Numbers, Comments, Date Stamp, Bates Stamping) including f ont format, color and style options*	
	Auto-color Sensing	
	Automatic Background Suppression Book Copying with Center Erase Booklet Copying*	
	Collation Color Balance Color Effects	
	Darkness Control Edge Erase	
Copy Features	Front Cover ID Card Copy	
	Image Enhancement Image Shift Lighten/Darken	
	N-up	
	Original Orientation Original Size Original Type	
	Page Layout	
	Reduce/Enlarge 25% to 400% Sample Copy	
	Saturation Sharpness	
	*Requires HDD/Productivity Kit	

SCAN

SCAN	
Capability	Black-and-white and color scanning
Concurrency	Scan while the system is printing copy or network print jobs, or while it is transferring scan to network or fax jobs
Simplex Input Speed	Black-and-white: Scan up to 43 ipm 8.5 x 11 in./40 ipm A4 Color: Scan up to 42 ip m 8.5 x 11 in./40 ipm A4
Duplex Input Speed	Black-and-white: Scan up to 73 ipm 8.5 x 11 in./69 ipm A4 Color: Scan up to 55 ip m 8.5 x 11 in./52 ipm A4
Resolution	Optical – 600 x 600 dpi
Bit Depth	24-bit color/8-bit grayscale
Maximum Scan Area	Platen: Up to 8.5 x 14 in./216 x 356 mm Document Feeder: Up to 8.5 x 14 in./216 x 356 mm

Network Filing Protocols	FTP SMTP SMB sFTP	
	JPG	
File Formats	TIFF (single and multi-page) XPS (single and multi-page) PDF (single and multi-page)	
	Searchable PDF via Optical Character Recognition (OCR) Password-protected PD F	
	Linearized PDF (set via embedded web server) and PDF/A	
Scan Driver Compatibilit y	WIA TWAIN	
	Scan to Home Scan to USB Scan to Email	
Supported Scan Destinat ions		
	Scan to Network (Browse FTP or Browse SMB)	
NETWORK SCANNING - S	SOFTWARE SOLUTIONS	
Xerox® ConnectKey App s (Found at the Xerox Ap p Gallery)	Increase user productivity by simplifying and shortening everyday tasks. Unlike traditional software, ConnectKey® Apps do not require a dedicated server, PC or IT resource. Instead, simply download these lightweight, serverless ConnectKey® Apps to the ConnectKey® Technology-enabled device.	
FAX5		
Fax Speed	33.6 Kbps	
Memory	4 MB	
Resolution	Standard 200 x 100 dpi, Fine 200 x 200 dpi, Super Fine 300 x 300, 400 x 400, 600 x 600 dpi	
Compression	MH, MR, MMR, JBIG	
Fax Features	Walk-up Fax, LAN Fax, Direct Fax, Server Fax Enablement, Fax Forward to Email Fax dialing via Unified Address Book (up to 2,000 contacts)	
MOBILE SOLUTIONS AND	MOBILE DEVICE APPS	
Apple® AirPrint®	Print email, photos and important office documents directly from an Apple iPhone ® or iPad® with no drivers to install and no cables to connect. With AirPrint, an iPh one or iPad automatically locates and connects to the AirPrint-enabled device over the office Wi-Fi network.	
Mopria® Certified	ConnectKey® Technology-enabled print devices are Mopria certified. Mopria certification ensures you can print wirelessly from your Mopria supported (Android) smart phone, tablet and other mobile devices instantly and easily.	

Xerox® @printbyXerox App	@PrintbyXerox App is a free service that allows secure printing from any email-en abled device (computer, phone, tablet, iOS, Android™, Google® Chromebook™ a nd more) to a Xerox® Printer or MFP using a single email address with no IT inter vention. No training is needed. End-users simply send attachments to the email a ddress and release them at the MFP panel.
-----------------------------	--

Print Service Plug-in for Android™ (Free at Googl e Play™ Store)	The Xerox® Print Services plug-in for Android KitKat (4.4 or greater) devices strea mline mobile printing without third-party apps or additional print drivers. You can e asily print photos, web pages and documents when your mobile device is connected to printers or multifunction printers using a wireless network.
	A robust print option set includes two-sided printing, stapling and secure code rele ase. A free download is available from the Google Play™ store.
Xerox® Easy Assist App	The Xerox® Easy Assist app simplifies installation, monitoring and management of your printer or MFP right from your mobile phone. It provides easy access to self-support services and real-time monitoring of printer performance. And, Xerox® S mart Start Software takes the guess work out of setup by automating the installation of the latest software for your printer or MFP on your computer – all without IT support – allowing you to be up and running quickly.
Xerox® Workplace Suite is a modular set of workflows designed to save of stime and money by providing effective control over their print fleet, while worker productivity and mobility through a set of robust workflows. Xerox expectation (Workplace Suite) and with a cloud based-version (Workplace Suite) of	
and Xerox® Workplace C loud	this solution.
SECURITY	

	Access Controls	
	AES 256-bit Encryption Audit Log	
	Certificate Path Validation	
	Certificate Revocation List (CRL)/Status Protocol (OCSP) Cisco® Identity Services Engine (ISE) Integration Detection of External Program Falsification (XC P Plug-in) Domain Filtering	
	FIPS 140-2	
	Firmware Verification Immediate Disk Overwrite* IP Address Filtering	
Security Features	IPsec	
	Network Authentication Port Filtering	
	Pre-installed Self-Signed Certificates Role Based Permissions	
	Secure Email Secure Fax Secure Print	
	Secure Scanning via SFTP Security Certificate Management	
	Smart Card Enablement (CAC/PIV/.NET) SNMPv3	
	TLS 1.3/SSL	
	Trusted Platform Module (TPM)	
	*Requires HDD/Productivity Kit	
ACCOUNTING		
XEROX® STANDARD A	CCOUNTING/NETWORK ACCOUNTING (STANDARD)	
Tracking	Copy, Print, Fax, Scan and Email usage	
	Xerox® Standard Accounting Tool	
Accounting	Up to 1,000 User Accounts without HDD Up to 9,999 User Accounts with HDD Up to 500 General Accounts	
	Network Accounting (Job Based Accounting)	
	Up to 1,000 User IDs; Up to 1,000 Account IDs without HDD Up to 60,000 User IDs; Up to 60,000 Account IDs with HDD Up to 14,000 Accounting Records (transactions)	

Features

Features	Administrator can manage the feature via the Embedded Web Server.	
ACCOUNTING OPTIONS – CCOUNTING)	ACCOUNTING OPTIONS – NETWORK ACCOUNTING (ALLOWS CENTRAL SERVER TO MANAGE ALL A CCOUNTING)	

 Enhanced network accounting with up to the minute data on how the system is being used · Comprehensive management and enterprise scale tracking and reporting of de viceusage · Numerous solutions are available through Xerox Alliance Partners. For details vi sit www.xerox.com · Security enhancements include simultaneous support for HTTP/HTTPS protocol s · Device requests account authentication from third party server enabling larger d atabases of users and accounts · Accept Authentication Login at control panel and pass to third party Networking Account **PAPER HANDLING DOCUMENT FEEDER** Capacity6 Single-Pass Duplex Automatic Document Feeder (DADF): 100 sheets **Sizes** Custom sizes: 5.5 x 5.5 in. to 8.5 x 14 in./140 x 140 mm to 216 x 356 mm Weights One-sided: Two-s ided: 16 to 32 lb. bond/60 to 128 gsm 16 to 32 lb. bond/60 to 128 gsm **BYPASS TRAY** Capacity6 150 sheets **Sizes** Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm Weights One-sided: Two-s ided: 16 lb. bond to 80 lb. cover/60 to 220 gsm 16 lb. bond to 65 lb. cover/60 to 176 gsm **Bond** Plain Paper Cardstock Custom Envelopes Hole Punched Labels Letterhead **Types** Lightweight Cardstock Pre-Printed Recycled TRAY 1 Capacity6 550 sheets

Sizes	Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm		
Weights One-sided: Two-s ided: 16 lb. bond to 80 lb. cover/60 to 220 gsm 16 lb. bond to 65 lb. cover gsm			
Types	Plain Paper Cardstock Custom Hole Punched Labels Letterhead Lightweight Cardstock Heavyweight Cardstock Pre-Printed Recycled Envelope		

UP TO FOUR ADDITIONAL TRAYS (OPTIONAL)				
Capacity6	550 sheets			
Sizes	Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm			
Weights One-sided: Two-s ided:	16 lb. bond to 80 lb. cover/60 to 220 gsm 16 lb. bond to 65 lb. cover/60 to 176 gsm			
Types	Plain Paper Cardstock Custom Hole Punched Labels Letterhead Lightweight Cardstock Heavyweight Cardstock Pre-Printed Recycled			
HIGH-CAPACITY FEEDER (OPTIONAL)				

(ONLY ONE ADDITIONAL 550-SHEET TRAY CAN BE ADDED TO HIGH-CAPACITY FEEDER)

Capacity6	2,000 sheets
Sizes	Letter/A4

Weights One-sided: Two-s ided:	16 lb. bond to 65 lb. cover/60 to 176 gsm 16 lb. bond to 65 lb. cover/60 to 176 gsm		
Types	Bond Plain Paper Hole Punched Letterhead Lightweight Cardstock Pre-Printed Recycled		
TOTAL CAPACITY			
Standard Device Capacit y6	700 sheets		
Total Device Capacity6	3,250 sheets		
PAPER OUTPUT			
Output Capacity6	400 sheets		
Automatic Two-sided Printing	Standard		
DEVICE MANAGEMENT			
Network Protocols	TCP/IP: HTTP/HTTPS, Internet Printing Protocol, LPR/LPD, Raw Socket Printing/Port 9100, IPv4/IPv6, WSD LDAP		
	Bonjour®/AirPrint™ FTP		
	Most protocols not in use can be disabled		
Administrative Protocols	DHCP, SNMP, WINS, HTTP, HTTPS, TLS 1.3, SNTP, MDNS		
REMOTE CONTROL PANE	iL		
	Enables faster, more convenient technical support and user training		
	IT administrators and other authorized users can control the device remotely from a web page on any device		
	Remote user experience is identical to performing tasks directly at the device		

XEROX® CENTREWARE® WEB SOFTWARE

	A web-based server application for network administrators that permits web bro wser-based device management from any workstation, whether running Windows or UNIX or any other operating system Works with any SNMP-managed printer from any manufacturer Provides help with device discovery and installations, health checks and trouble shooting, and device upgrades, as well as basic accounting and asset management	
XEROX® EMBEDDED WE	B SERVER – INTEGRATED DEVICE WEB PAGE	
	· Tray Status/Contents	
	· Consumables Status	
Device Status	· Billing/Usage	
	· Quick Links	
	· Online Support	
Print Queue Viewing	Job print queue management — view and delete	
Job Submission	Print-ready files (PS, PCL, PDF, XPS, JPEG)	
Device Administration	Allows simple, remote installation setting of configuration options and managemen t of the device	
	Microsoft® Internet Explorer® Microsoft Edge™	
Browsers	Mozilla™ Firefox® Apple® Safari® Google Chrome™	
REMOTE SERVICES		
Automated Meter Readin gs (AMR)	Automates the process of collecting and submitting meter reads for tracking and b illing of Xerox® device usage. Eliminates the need for time-consuming end-user in volvement and ensures that meter reads are submitted to Xerox on time.	
Automatic Supplies Repl enishment (ASR)	Automatically orders supplies for Xerox® output devices based on actual usage, e liminating the need to manually manage supplies inventory.	
WHAT'S IN THE BOX		

VersaLink® C505 Color Multifunction Printer

Starter Capacity Print Cartridge: One of each (Cyan, Magenta, Yellow): 2,400 print capacity7, Black: 5,000 print capacity7

Software and Documentation CD (Safety, Regulatory, Recycling and Disposal Guides, Print Drivers, and Warranty Statement)

Installation Guide Quick Use Guides Power Cord

Fax Cord

SUPPLIES AND ACC ESSORIES	QUANTITY	PART NUMBER	
SUPPLIES			
Standard Capacity	Black: 5,000 standard pages7	106R03880	
Toner Cartridges	Cyan: 2,400 standard pages7		
	Magenta: 2,400 standard pages7	106R03877	
	Yellow: 2,400 standard pages7	106R03878 106R03879	
High Capacity	Black: 12,100 standard pages7	106R03887	
	Cyan: 5,200 standard pages7	106R03881	
Toner Cartridges	Magenta: 5,200 standard pages7	106R03882	
	Yellow: 5,200 standard pages7	106R03883	
Extra-High Capacity	Cyan: 9,000 standard pages7	106R03884	
Toner Cartridges	Magenta: 9,000 standard pages7	106R03885	
	Yellow: 9,000 standard pages7	106R03886	
ROUTINE MAINTENAN	NCE ITEMS		
	Cyan: 40,000 pages8	108R01481	
Drum Cartridges	Magenta: 40,000 pages8	108R01482	
	Yellow: 40,000 pages8	108R01483	
	Black: 40,000 pages8	108R01484	
Waste Cartridge	30,000 pages8	108R01416	
ACCESSORIES			
550-sheet Feeder		097S04949	
2,000-sheet High-Capa	acity Feeder (includes Caster Base)	097S04948	
Cabinet (includes stat	Cabinet (includes stabilisers)		
Caster Base		097S04954	
Productivity Kit with 320 GB HDD		497K18360	
Wireless Network Adapter (Wi-Fi Kit)		497K16750	

- 2. Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.
- 3. Recommended average throughput is not a minimum but is intended to cover a range of volumes for different environments.
- 4. Power states defined per ENERGY STAR® Program requirements for Imaging Equipment.
- 5. Requires analog phone line.
- 6. Paper capacities are based on 20 lb./75 gsm stock; capacities will vary with different weight stocks
- 7. Average standard pages. Declared Yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print mode.
- 8. Approximate pages. Declared yield will vary depending on job run length, media size/orientation and machine speed. For more information visit: https://www.office.xerox.com/latest/SUPGL-01.pdf.

Return spent imaging supplies through the Xerox Green World Alliance collection/reuse/recycling program. For more information, visit www.xerox.com/About-Xerox/Recycling. For more information, visit us at www.xerox.com/Office

2022 Xerox Corporation. All rights reserved. Xerox®, CentreWare®, ConnectKey®, Global Print Driver®, VersaLink®, and Xerox Extensible Interface Platform® are trademarks of Xerox Corporation in the United States and/or other countries. The information in this brochure is subject to change without notice. 06/22 TSK-3319 BR32105 VC5SS-022M

FAQ's

Why is the Xerox c505 printer, not printing?

Check there is paper in the tray (and it's the right type of paper). Turn the printer off, wait 20 seconds, and turn it back on again. Both USB and Wi-Fi-connected printers require the correct and current printer driver to be installed on the computer you're printing from.

How long do XeroxC505 printers last?

In taking into account all of the variables that impact commercial copier lifespans, a good average to use when estimating the performance life of a modern copier is five years. That is to say, with moderate use and with reasonable printing demands, most copiers can be expected to perform well for five years.

How does a Xerox C505 printer work?

In a photocopier, the light-induced conductivity of the drum is exploited to create a latent image in the form of electrical charges on the surface of the drum. This image is made visible and transferred to paper using a special, charged toner.

How do I clean my Xerox C505 printer?

Use a soft, lint-free cloth, lightly dampened with water. Wipe clean the entire area of the control panel, including the display. Wipe clean the automatic document feeder, output tray, paper tray, and other outside areas of your printer. Remove any residue with a clean cloth or paper towel.

Does the Xerox C505 printer print in color?

Xerox offers color laser printers in a variety of models to support the demand for quality color prints. If your office needs a printer that is fast, can meet large demands, and help you save money, shop from our collection of color laser printers.

Can Xerox C505 print white?

Whether you need to print materials for a business or personal project, you get rich, saturated colors, top-quality resolution, and crisp, evocative white. Explore all the ways you can work with white for contrast against black and

vibrant colors with innovative white toner and ink from Xerox.

What is printing color mode?

CMYK. CMYK was the color mode most commonly used for professional color printing. This means that the colors in the image are presented using a combination of Cyan (medium blue) Magenta (hot pink)

What is the difference between a scanned copy and Xerox?

While scanners and copiers operate in much the same manner, their output is different. A copier transfers documents directly onto the paper. It can copy large volumes at once without having to go through a computer, whereas a scanner creates digital versions of the documents that live on your computer.

What is the difference between Scan and Xerox?

If the machine is a photocopier, it simply prints the digital image onto one or more blank sheets of paper. If the machine is a scanner, it stores a digital copy of the image and transmits it to a computer (via email or network), or stores it on a USB or memory card.

What is the best size for scanning?

Usually, the best dpi for scanning documents – balancing readability and file size – is **300 dpi**. It makes the document easy to read and share. Also, font size can affect the dpi you choose. Standard font sizes, 10-point and up, are fine at 300 dpi.

What are the benefits of the Xerox C505 printer?

Not only are they fast and efficient, but they are cost-effective as well. Both large and small businesses rely heavily on what a Xerox printer can do, especially during busy work hours. Their ability to print, scan, copy, and fax all in one makes them a crucial asset to any office.

What's the difference between Xerox C505 and a printer?

A photocopy machine makes duplicate copies of a physical document without being connected to a computer network. A printer, on the other hand, allows a user to send documents from a computer network to be printed on the device.

Click here and Download the PDF Link: Xerox C505 Color Multifunction Printer Specification and Datasheet

Manuals+.