


Xiamen Bomi Technology ST1 Smart Switch Instruction Manual

[Home](#) » [Xiamen Bomi Technology](#) » Xiamen Bomi Technology ST1 Smart Switch Instruction Manual 


Contents

- [1 ST1 Smart Switch](#)
- [2 PACKING LIST](#)
- [3 INSTALLATION](#)
- [4 GUIDE FOR USE](#)
- [5 PARAMETERS](#)
- [6 WARNING](#)
- [7 FCC Statement](#)
- [8 Documents / Resources](#)
- [9 Related Posts](#)


ST1 Smart Switch



PACKING LIST



①



②



③



④

①Main body*1

②Magnetic plate*1

③Adhesive tape A*1

④Adhesive tape B*1


INSTALLATION

1. Install SwitchX


1.1 Attach the magnetic plate to the switch.




1.2 Attach the SwitchX to the magnetic plate.



1.3 Stick the SwitchX to the switch.



1.4 For button switches, please remove the magnetic plate.



2. Add the SwitchX to the APP

2.1 Download the APP by scanning the QR code, or search “ Smart Life” on App Store / Google Play. Create a new account or log in with an existing account.



2.2 Start the APP, Select“ Add Device”.

2.3 Select“ Auto Scan”, after you find the device, then click “ Next”.

2.4 After the device is added, click“ Done”.

3. Add SwitchX to gateway(Additional Accessory)

3.1 Select gateway in the APP, then click“ Add device by list”.

3.2 Select the SwitchX, and then click“ OK”. When the pop-up box is displayed, select“ Immediately to join”.

3.3 The SwitchX is added to the gateway.

GUIDE FOR USE

SwitchX		
1	Unbind device	Hold down the switch button for 8 seconds, the blue light flashes and the device is unbound.
2	Rotation Direction	In Settings, you can select switch reverse to shift the on-off direction.
3	Adjust Rotation Degree	You can stop the SwitchX by hand when you select “calibrate” in “Set”, SwitchX will learn it.

PARAMETERS

- Product Dimensions : 44mm*40.5mm*20.5mm
- Body Material : PC
- Color : White
- Net Weight : 36g
- Communication Mode : Bluetooth 5.0 and above
- Battery : CR2 Battery*2
- Endurance : 300 Days

WARNING

The battery may overheat if the following conditions occur, which may cause a fire or explosion hazard.



- Battery dismantling, impacting, squeezing or putting into fire, soaking.
- Contact metal or electrode short.

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.


Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

RF Exposure Information

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

Documents / Resources

	Xiamen Bomi Technology ST1 Smart Switch [pdf] Instruction Manual ST1, 2AUD7-ST1, 2AUD7ST1, ST1 Smart Switch, ST1, Smart Switch
---	---