

Xiaomi T001QW Multi Function Flashlight User Manual

Home » Xiaomi » Xiaomi T001QW Multi Function Flashlight User Manual



Xiaomi T001QW Multi Function Flashlight

Contents

- 1 ZAMAN
 - 1.1 Safety Instructions
 - **1.2 Product Overview**
 - 1.3 How to Use
 - 1.4 Troubleshooting
 - 1.5 Specifications
 - 1.6 Regulatory Compliance Information
 - 1.7 Customer Support
 - 1.8 Documents / Resources
 - 1.8.1 References
 - 1.9 Related Posts

ZAMAN

Safety Instructions

Please use the flashlight correctly as described in this manual.

WARNINGS

- Do not let children use the seat belt cutter and window breaker.
- Do not leave the flashlight in a car or in direct sunlight for a long time in hot weather, as it may overheat and cause burns.
- Do not charge outdoors on rainy days.

Precautions

• The flashlight's light bulb is irreplaceable. When the light bulb reaches the end of its service life, the entire flashlight needs to be replaced.

Battery safety

- Do not open or cut the battery.
- Do not expose the battery to heat or flames. Keep the battery away from direct sunlight.
- Do not subject the battery to mechanical shock.
- In case of accidental battery leakage, do not get the leaked liquid on your skin or eyes. In case of contact, rinse with plenty of water and seek medical attention in time.
- Charge the flashlight before using for the first time.
- After long-term storage, the battery needs to be charged and discharged several times for optimal performance.
- The battery is at its best performance when used at room temperature (20°C ± 5°C).
- If the flashlight needs to be disposed of, the battery must be removed.
- The flashlight must be turned off before the battery is removed.
- Please recycle and dispose of the battery in a proper and environmentally friendly manner.

Usage

- The flashlight emits a strong light. Avoid shining the light directly into the eyes of people or animals, or into the lenses of optical equipment.
- To reduce the risk of injury, children should be supervised by an adult when using the flashlight.
- To reduce the risk of electric shock, do not place the flashlight in water or any other liquids.
- Do not place or store the flashlight anywhere near a bathtub or sink.
- When the high light (in the main light mode) or the strobe mode are used for a long time, the surface of the flashlight may start to warm up.
- This is normal. To reduce the risk of burns, do not touch it if this happens.
- The IP54 dust-tight and water-resistance fuction of the flashlight will be ineffective without the tail tap.

Charging

- Please use a charger that meets the flashlight's specifications.
- If the flashlight has not been used for a long period of time and the battery level indicator does not work
 properly when charged again, continue charging for 30 minutes and then check whether the battery level
 indicator works normally.
- If you use a charger that does not meet the flashlight's specifications, any damage to the flashlight caused by

this will not be covered by the warranty, and it may lead to other risks.

• If the flashlight's battery reaches 45°C, the charging protection function will be triggered and the charging will be stopped. The recommended ambient temperature for charging is room temperature.

Maintenance

• This flashlight cannot be disassembled, and should only be repaired by technicians authorized by Xiaomi. Do not attempt to repair it by yourself to avoid injury


Note: Illustrations of product, accessories, and user interface in the user manual are for reference purposes only. Actual product and functions may vary due to product enhancements.

Read this manual carefully before use, and retain it for future reference.

Product Overview

Thank you for using the Xiaomi Multi-function Flashlight.

- 1. Strike Bezel
- 2. Beam Adjuster
- 3. Type-C Charging Port
- 4. Mode Adjuster
- 5. Battery Level Indicator
- 6. On/Off Button
- 7. Side Light
- 8. Magnetic Base
- 9. Tailcup
- 10. Seat Belt Cutter
- 11. Window Breaker
- 12. Hand Strap Hole



How to Use

Charging

- The flashlight must be fully charged before its first use.
- Slide the beam adjuster upwards to expose the Type-C charging port and insert the charging cable to charge.

Note: The flashlight comes with a Type-C charging cable.

• When the flashlight is charging: Main light: Only low light can be enabled. Side light: You can cycle through low light, blinking red light and blinking fog light.

Mode adjuster

Turn the mode adjuster to change between the two different modes:

Main light mode



Side light mode



On/Off button

• Using the button: Press and hold the on/off button for 0.5 seconds to turn the flashlight on or off.

• In main light mode:

Press and hold the on/off button for 0.5 seconds to turn on the low light, then press again to cycle through: medium light – high light – low light. Press and hold the on/off button again for 0.5 seconds to turn the flashlight off.

In side light mode:

Press and hold the on/off button for 0.5 seconds to enable the low light, then press again to cycle through: high light – blinking red light – blinking fog light – low light. Press and hold the on/off button again for 0.5 seconds to turn the flashlight off.

• Strobe mode/SOS mode:

Press and hold the on/off button for 3 seconds at any time to turn on the strobe mode, then press again to cycle through: SOS mode – strobe mode. Press and hold the on/off button again for 0.5 seconds to turn the flash light off.

Beam adjuster

Slide the beam adjuster up and down to adjust between spotlight and floodlight.


Battery level indicator

• If the battery level is above 20% while the flashlight is turned on, the battery level indicator will remain white. If the battery level is 20% or below, the battery level indicator will remain red until the battery runs out and the flashlight turns off.

Seat belt cutter

Unscrew the tail cap first and then use the seat belt cutter according to the following steps.

- **Step 1:** Pull the seat belt across your chest tight with your hand to keep it straight.
- **Step 2:** Hold the flashlight and slot the taut seat belt into the cutter.
- **Step 3:** Keep the flashlight level and quickly pull it horizontally to cut the seat belt.






The cutter and the seat belt should be at a 45° angle to make cutting easier.

Window breaker

Unscrew the tailcup, place the end of the window breaker perpendicular to the window and press hard. The window breaker nail will pop out and break the glass. Once you let go, the window breaker nail will go back inside the flashlight.



Magnetic base

The magnetic base can be attached to any magnetic surface containing iron, nickel, etc. The magnetic base's sliding rail allows for 107° rotation of the flashlight.



Troubleshooting

Issues	Possible Causes	Solutions
The battery level indicator remains red when you turn on the flashlight.	Low battery power	Charge the flashlight.
The battery level indicator does not light up when charging.	 The Type-C charging cable isn't plugged in or the charging cable provided isn't being used. The ambient charging temperature is below 0°C or above 45°C. 	1. Use the charging cable provided, and make sure a 5 V power adapter is being used. 2. Charge at room temperature.
The flashlight changes modes automatically when in use.	There are magnetic interferences near the mode adjuster.	Do not place the flashlight near a magnet or use in a strong magnetic environment.
The window breaker nail doesn't come out	The window breaker is neither perpendicular to the surface nor being pressed hard enough.	Make sure the window breaker is perpendicular to the surface and is pressed down to the end

Note: The flashlight's light bulb is irreplaceable. When the light bulb reaches the end of its service life, the entire flashlight needs to be replaced.

Specifications

Model: MJSDT001QW

Item Dimensions: $188 \times 40.5 \times 36 \text{ mm}$

Net Weight: Approx. 240 g

Input: 5 V === 1.5 A

IP Rating: IP54

Battery Type: Lithium-ion Battery **Battery Rated Capacity:** 3100 mAh

Battery Rated Voltage: 3.6 V Charging Time: Approx. 180 min

Main Light Specifications

	High Light	Medium Light	Low Light
Brightness	1000 lm	240 lm	50 lm
Battery Life	3 h	5 h	24 h
Beam Distance	240 m	120 m	50 m

Side Light Specifications

	Low Light	High Light	Blinking Red Light	Blinking Fog Light
Brightness	30 lm	200 lm		
Battery Life	36 h	5.5 h	90 h	90 h

Regulatory Compliance Information

Europe — EU declaration of conformity

We, Shanghai HOTO Technology Co., Ltd., hereby, declare that this equipment is in compliance with the applicable Directives and European Norms, and amendments. The full text of the EU declaration of conformity is available at the following internet address: http://www.mi.com/global/- service/support/declaration.html

UK declaration of conformity

We Shanghai HOTO Technology Co., Ltd., hereby, declares that this equipment is in compliance with the applicable Legislation. The full text of the UK declaration of conformity is available at the following internet address: https://www.mi.com/uk/service/support/declaration.html

Disposal and recycling information

All products bearing this symbol are waste electrical and electronic equipment (WEEE as in directive 2012/19/EU) which should not be mixed with unsorted household waste. Instead, you should protect human health and the environment by handing over your waste equipment to a designated collection point for the recycling of waste electrical and electronic equipment, appointed by the government or local authorities. Correct disposal and recycling will help prevent potential negative consequences to the environment and human health. Please contact the installer or local authorities for more information about the location as well as terms and conditions of such collection points.

Federal Communications Commission Supplier's Declaration of Conformity

This supplier's declaration of conformity is hereby for

Product: Xiaomi Multi-function Flashlight Model Number(s): MJSDT001QW Brand/Trade: Xiaomi

We declare that the above mentioned device has been tested and found in compliance with CFR 47 Part 15 Regulation

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in are side entail installation. This equipment generates, uses and can radiate radio frequency energy and, into installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna. Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.

Responsible Party – U.S. Contact Information

Company: TEKMOVIL LLC

Address: 601 BRICKELL KEY DR #723 Miami, FL 33131

Country: U.S.A.

Telephone No.: +1(312)282-5246

Internet contact information: kim.peterson@tekmovil.com

Representative of Responsible Party for SDoC Company: Shanghai HOTO Technology Co., Ltd. Address: Building 45, No.50 Moganshan Road,

Shanghai, China Country: China

Telephone No.: 400-021-8696

Importer:
Beryko s.r.o.
Pod Vinicemi 931/2, 301 00 Plzeň
www.beryko.cz

Customer Support

Manufactured for:

Xiaomi Communications Co., Ltd.

Manufactured by:

Shanghai HOTO Technology Co., Ltd. (a Mi Ecosystem company)

Address:

Building 45, No.50 Moganshan Road, Shanghai, China For further information, please go to www.mi.com

User Manual Version: V1.0



Documents / Resources

Xiaomi T001QW Multi Function Flashlight [pdf] User Manual
T001QW Multi Function Flashlight, T001QW, Multi Function Flashlight, Function Flashlight, Flashlight

References

- Movil Incorporated
- **b** Beryko.cz
- Mi United States
- User Manual