Home » Xtremtec » XTREMTEC XT-K102 Wireless Keyboard and Mouse User Manual



XTREMTEC XT-K102 Wireless Keyboard and Mouse User Manual

XTREMTEC XT-K102 Wireless Keyboard and Mouse

Contents

- 1 Thank you
- **2 Package Contents**
- 3 Specification (Keyboard)
- 4 Specification (Mouse)
- **5 Product Layout**
- **6 Keys and Functions**
- **7 System Requirements**
- **8 Connection Steps**
- 9 Troubleshooting Steps
- 10 Features
- 11 Safety Instructions
- 12 Federal Communications Commission (FCC)

- 13 Documents / Resources
 - 13.1 References
- **14 Related Posts**

Thank you

Thank you very much for purchasing K101A Keyboard & Mouse Combo. Please read this user manual carefully to ensure it function correctly.

Package Contents

- 1 x Wireless Keyboard
- 1 x Wireless Mouse
- 1 x 2.4G use Receiver
- 1 x User Manual


Specification (Keyboard)

Battery requirement	AAA batteries*2
Standby time	40 days
Battery life	300 hours of continuous use
Lifespan	3,000,000 keystrokes
Dimensions	432'130.2*19.4mm
Wireless range	:5 Sm
Weight	461.6g
Working current	:58mA
Working current (sleep mode)	:50.01mA


Specification (Mouse)

Dimensions	110'72*35mm
Wireless range	s8m
DPI	1000/1200(default)/1600
Weight	669
Working current	10-22rnA
Working voltage	1.9-3.3V
Battery requirement	AA battery*1
Battery life	100 hours
Standby time	60 days

Product Layout



(S) Battery Compartment (keyboard)



- 1. Caps Lock Indicator: Stays green when Caps Lock is activated.
- 2. Number Lock Indicator: Stays green when Num Lock is activated.
- 3. Power Indicator (keyboard): Turns red for 2 seconds and then off when the keyboard is turned on. Flashes red when the battery is low.
- 4. Power Switch (keyboard): Pull the switch to the RIGHT side to turn the keyboard on. Pull the switch to the LEFT side to turn the keyboard off.
- 5. Battery Compartment (keyboard): Open the lid and align AAA batteries*2 properly into the compartment according to their positive and negative terminals before use.
- 6. USB Receiver Slot (keyboard): An USB nano receiver is stored in the slot before your first time using.
- 7. Battery Compartment (mouse): Open the lid and align AA batteries*1 properly into the compartment according

to its positive and negative terminal before use.

- 8. Power Switch (mouse): Pull the switch to the 'ON' side to turn the mouse on.
- 9. USB Receiver Slot (mouse): The USB nano receiver can also be stored in th is slot.
- 10. DPI Button: Click once to cycle the DPI of the mouse through 3 sensitivity levels (1000/1200/1600). The DPI is 1200 by default.
- 11. DPI Indicator: This LED indicator will flash when you set the DPI. After you clicking the DPI button, the indicator will flash once for 1000 DPI, twice for 1200, and three times for 1600.
- 12. Side Button: Click to back to the last page when surfing the website.

Keys and Functions

Key	Functions	Key	Functions
Fn + 📾	FN lock	44	Prev ious track
DⅡ	Play& Pause		Next track
√√×	Mute	◁)	Volume-
4》	Volume+	æ	Browser
Q	Search		Email
Key	Functions	Key	Functions
	Favorites	8	Save
Q	Setting		Print
	Ca I culator	-:0:-	Brightness-
-;0;-	Brigh tness +	6	Lock screen

System Requirements

Available USB port, Microsoft Windows 7 and above.

Connection Steps

- 1. Align batteries properly into the compartment according to their positive and negative terminals before use.
- 2. Pull the power switch to turn the keyboard and mouse on.
- Plug the USB nano receiver into the USB port on your PC.Click your mouse once to activate your keyboard and mouse.

Troubleshooting Steps

The XT-K101A Keyboard & Mouse Combo comes with only one USB receiver, and it is pre-paired to enable plugand-play use. If you have problem with connecting the keyboard or mouse to your device, please try to reset the USB receiver by following these instructions.

The USB receiver need to pair to the keyboard and mouse separately.

Pair to the Keyboard

- 1. Turn on the keyboard, and long-press ESC and Q keys together to start pairing. The battery indicator on the keyboard will flash rapidly.
- 2. Insert the USB receiver into your device within 10 seconds. Place your keyboard close to the USB receiver.
- 3. Once paired, the battery indicator will flash slowly 3 times and go out.
- 4. If the connection is not successful, the battery indicator will go out after flashing rapidly for 10 seconds. Please unplug the receiver, turn off your keyboard, and try to pair again starting from step 1.

Pair to the Mouse

- 1. Press and hold the right button and middle button together. Do not release your fingers while switching the power switch to 'ON'. Wait for about 2 seconds and release. The DPI indicator on the mouse will flash rapidly.
- 2. Insert the USB receiver into your device within 10 seconds. Place your mouse close to the USB receiver.
- 3. Once paired, the DPI indicator will flash slowly 3 times and go out.
- 4. If the pairing is not successful, the DPI indicator will go out after flashing rapidly for 10 seconds. Please unplug the receiver, turn off your mouse, and try to pair again starting from step 1.

Features

- 1. The keyboard & mouse are both enabled with a plug-&-play USB nano receiver. The receiver is in the battery compartment of the keyboard. You can also store it in the USB receiver slot in the mouse.
- 2. Enhanced scissor switch.
- 3. Spill-resistant design.
- 4. The keyboard will enter into Sleep Mode automatically after not using for 5 seconds, while the mouse will auto sleep after not using for 10 seconds. Any press or click will wake it up immediately.

Safety Instructions

Warning: Fire, electric shock, damage to keyboard device could occur if the following instructions are not obeyed



Danger xwarning



Note x 1. Away from edge tool



2. Away from microwave radiation source

X3. Do not place heavy objects on this product

X4. No shocking and bending



5. Away from oil, chemical, or organic solvents



eVatmaster Consuling Gmbh Betti nastr.30 60325 Frankfurt am Main, Germany

contact@evatmaster.com



EVATOST CONSULTING LTD

Suite 11, First Floor, Moy Road Business Centre, Taffs Well, Cardiff, Wales, CF15 7QR contact@evatmaster.com

Federal Communications Commission (FCC) Statement

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- · Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Warning: Changes or modifications made to this device not expressly approved by the party responsible for compliance may void the FCC authorization to operate this device.

Note: The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.



XTREMTEC XT-K102 Wireless Keyboard and Mouse [pdf] User Manual

XT-K102 Wireless Keyboard and Mouse, XT-K102, Wireless Keyboard and Mouse, Keyboard a nd Mouse, Mouse

References

• User Manual

Manuals+,