

XUOLDER

XU14
REMOTE CONTROL
PICTURE LIGHT



Xuolder XU14 Remote Control Picture Light Instruction Manual

[Home](#) » [Xuolder](#) » Xuolder XU14 Remote Control Picture Light Instruction Manual 

Contents

- [1 Xuolder XU14 Remote Control Picture Light](#)
- [2 INTRODUCTION](#)
- [3 SPECIFICATIONS](#)
- [4 WHAT'S IN THE BOX](#)
- [5 FEATURES](#)
- [6 SETUP GUIDE](#)
- [7 CARE & MAINTENANCE](#)
- [8 TROUBLESHOOTING](#)
- [9 PROS & CONS](#)
- [10 WARRANTY](#)
- [11 FREQUENTLY ASKED QUESTIONS](#)
- [12 References](#)

XUOLDER

Xuolder XU14 Remote Control Picture Light



INTRODUCTION

The Xuolder XU14 Remote Control Picture Light is a chic and contemporary lighting solution made for ease and elegance that will enhance your artwork, portraits, and décor. Your photos and displays will be brilliantly illuminated thanks to this battery-operated light's 300 lumens of brightness and stylish, small form. You can easily adjust the illumination and brightness settings thanks to its touch controls and remote control. For displaying paintings, framed photographs, or ornamental items, the cool white 6000K color temperature offers a modern touch. The Xuolder XU14, which retails for \$20.99, is an affordable yet elegant lighting choice. This light, produced by Xuolder, a company renowned for its creative lighting solutions, will go on sale on August 3, 2023. This picture light is essential for art enthusiasts and home decorators due to its adjustable brightness, energy-efficient 2W power usage, and easy-to-use operation.

SPECIFICATIONS


Brand	Xuolder
Price	\$20.99
Power Source	Battery Powered
Control Method	Remote, Touch
Voltage	4.5 Volts (DC)
Warranty Type	1 Year
Wattage	2 Watts
Bulb Base	GU10
Switch Type	Push Button
Brightness	300 Lumen
Color Temperature	6000 Kelvin
Product Dimensions	2 x 3 x 1 inches
Weight	14.07 ounces
Item Model Number	xu14
Date First Available	August 3, 2023
Manufacturer	Xuolder

WHAT'S IN THE BOX


- Remote Control
- Picture Light
- Manual

FEATURES

- **Battery Operated:** It requires three AAA batteries, which are not supplied, and may be installed wirelessly and easily.



- **Wireless Remote Control:** Two remote controls are included for easy brightness, color, and timer setting adjustments.




- **Three Lighting Modes:** For varying ambiance requirements, select Warm White (3000K), Neutral White (4500K), or Cool White (6000K).



Brightness Adjustable



- **Adjustable Brightness:** This function lets you change the brightness to create mood lighting or to accentuate artwork.
- **Magnetic Attachment:** For easy adjustments or battery replacement, the light is magnetically attached to the mounting bracket.
- **Auto-Off Timer:** To assist in conserving battery life, set timers to turn off automatically.
- **Energy-Efficient LEDs:** Low-wattage (2W) LED bulbs produce brilliant, steady illumination without overheating.
- **High Lumen Output:** With 300 lumens of brightness, paintings and other artwork will be illuminated clearly and vibrantly.
- **Small and Lightweight:** It is perfect for both little and large artworks because it weighs only 14.07 ounces and measures 2 x 3 x 1 inches.



- **Push Button Control:** Manual control buttons enable speedy operation in addition to the remote.
- **Versatile Applications:** Suitable for cabinets, dartboards, picture frames, portraits, art lights, and more.
- **Stylish Gold Finish:** The sophisticated shade of gold gives any house or gallery a touch of luxury.
- **Simple Installation:** It is easy to put up thanks to the screw-mount bracket, which enables stable attachment to walls.
- **Sturdy Construction:** Longevity and resistance to normal wear are guaranteed by premium materials.



SETUP GUIDE

- **Unpack the Box:** Make sure everything is there, including the screws, light fixture, and remote control.
- **Insert Batteries:** Three AAA batteries (not included) should be inserted after opening the battery compartment.
- **Choose the Mounting Location:** Decide which location above the painting or piece of art needs the most lighting.
- **Mark the Installation Points:** Mark the locations where the bracket will be screwed onto the wall with a pencil.
- **Drill Pilot Holes:** If necessary, drill tiny holes for the screws in drywall or other hard surfaces.
- **Mounting Bracket Attachment:** Fasten the bracket to the wall with the included screws.
- **Attach the Light Magnetically:** The light can be readily snapped into the bracket thanks to its magnetic base.
- **Turn on the Light:** Press the unit's push button to make sure it works properly.
- **Pair the Remote Control:** Press the ON/OFF button to make sure the remote is working.
- **Adjust the Brightness:** To change the brightness, use the remote control.
- **Select Lighting Color:** Warm, neutral, or cold white options are available.
- **Set the Timer Function:** To set an automated shut-off time (such as 30 or 60 minutes), press the timer button on the remote control.
- **Try Various Angles:** To find the ideal illumination angle, slightly reposition the light.
- **Verify Secure Fit:** To avoid unintentional falls, make sure the light is securely fastened.
- **Complete Setup:** To get the ideal lighting effect, make last-minute changes to the position and brightness.

CARE & MAINTENANCE

- **Clean Frequently:** To get rid of dust and fingerprints, use a dry microfiber cloth to wipe the surface.
- **Steer Clear of Harsh Chemicals:** Avoid using solvents or cleaners that are abrasive as they might harm the finish.
- **Change Batteries When Necessary:** For best results, swap out the AAA batteries if the light becomes dim.
- **Use the Remote Control Correctly:** Keep it a fair distance away and avoid losing it.
- **Verify Mounting Stability:** To avoid loosening, make sure the bracket screws are snug on a regular basis.
- **Avoid Moisture:** To safeguard electrical components, avoid installing in locations with excessive humidity.
- **Steer Clear of Direct Sunlight:** This might gradually erode the gold finish.
- **Safely Store the Remote:** To avoid losing the remote, keep it in a specific location.
- **Turn Off When Not in Use:** To prolong battery life, turn off the light manually when not in use.
- **Carefully Adjust Light Position:** To prevent breaking the magnetic attachment, handle the light carefully when adjusting it.
- **Look for Loose Connections:** Make sure the batteries are firmly inserted if the light flickers.
- **Make Good Use of the Timer Function:** Auto-off prevents needless power use.
- **Avoid Overloading with Heavy Batteries:** To guarantee seamless operation, use premium AAA batteries.
- **Test Before Final Installation:** Verify that there is enough light coverage in the area before mounting permanently.

TROUBLESHOOTING

Issue	Possible Cause	Solution
Light not turning on	Batteries drained	Replace with new batteries
Remote not working	Low battery in the remote	Replace remote battery
Dim light output	Battery is running low	Recharge or replace batteries
Flickering light	Loose battery connection	Ensure batteries are inserted correctly
Remote signal delay	Interference from other devices	Use the remote closer to the light
Uneven lighting on artwork	Incorrect positioning	Adjust the light angle for even coverage
Short battery life	Overuse of high brightness	Reduce brightness setting
Light doesn't turn off	Remote malfunction	Try using the touch control instead
Mounting issues	Weak adhesive or improper installation	Use stronger mounting materials
LED not as bright as expected	Natural wear over time	Consider replacing the unit after long-term use

PROS & CONS

Pros	Cons
Remote & touch control for easy operation	Battery-powered, requiring frequent recharging
Adjustable brightness for different settings	Not suitable for large artwork due to limited brightness
Cool white 6000K color enhances display clarity	Limited beam angle, may not cover wide surfaces
Compact & lightweight design fits easily on frames	Plastic construction, not as durable as metal fixtures
Energy-efficient 2W LED extends battery life	Not dimmable via app or smart home systems

WARRANTY

The Xuolder XU14 Remote Control Picture Light comes with a **1-year warranty** covering manufacturing defects, faulty wiring, and performance issues. The warranty does not cover physical damage, improper installation, or battery replacements. For warranty claims, customers can contact Xuolder’s customer support with proof of purchase.

FREQUENTLY ASKED QUESTIONS

Why is my Xuolder XU14 Remote Control Picture Light not turning on?

Ensure the batteries are properly installed and have sufficient charge. If the issue persists, try replacing the batteries.

What should I do if the Xuolder XU14 Remote Control Picture Light is not responding to the remote?

Check if the remote’s battery is functional and ensure there is no obstruction between the remote and the light.

Why is my Xuolder XU14 Remote Control Picture Light flickering?

Flickering can occur due to low battery power. Replace the batteries and ensure they are properly inserted.

How can I fix the touch control if it stops working on the Xuolder XU14 Remote Control Picture Light?

Try resetting the light by removing and reinserting the batteries. If the touch function still does not work, contact Xuolder customer support.

Why is the Xuolder XU14 Remote Control Picture Light dimmer than expected?

The light may appear dim if the batteries are running low. Replace them to restore full brightness.

What are the available control methods for the Xuolder XU14 Remote Control Picture Light?

The Xuolder XU14 Remote Control Picture Light can be controlled via remote and touch, offering flexibility for users.

What type of switch does the Xuolder XU14 Remote Control Picture Light use?

The Xuolder XU14 Remote Control Picture Light features a push-button switch, allowing for easy manual operation.

What is the voltage requirement of the Xuolder XU14 Remote Control Picture Light?

The Xuolder XU14 Remote Control Picture Light operates on 4.5V DC, ensuring energy efficiency and safe operation.

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.