




Yalai Te Technology A-001 Remote Control User Manual

[Home](#) » [Yalai Te Technology](#) » Yalai Te Technology A-001 Remote Control User Manual 



Technology A-001 Remote Control
User Manual



FCC ID: 2A6JJ-A-001



ON/OFF LED
Power on/off of the light



Manual dimming
0-255, through the up and down keys to change the LED light The brighter the degree, the greater the numerical



colors
Level 1-64 change, through the up and down keys to select different color combinations



The gradient
1-16 levels change, select different operating speeds through the up and down keys



Pulse variable
1-16 levels change, select different operating speeds through the up and down keys



Jump
1-16 levels change, select different operating speeds through the up and down keys



save
Click this button, starting up for the current interface functions next time



Console mode
By means of numerical key to add and subtract the address or between numerical keys Select address code values; No access control table, d001 as from machine model



Sound
Along with the music rhythm changes



Up
Increase the numerical



Down
To reduce the numerical



Digital keys 0-9
By control table choose a different address

Contents

- 1 LCD Digital display function:
- 2 Operation Instructions
- 3 DMX Control Parameter Chart
- 4 FCC WARNING
- 5 Documents / Resources
- 6 Related Posts

LCD Digital display function:

Key -press	Mode	Description
[MENU)	Function	DMX control/colors selection/colors pulse/colors transition/sound control/annual set
[UP]	Up	Increase values
[DOWN]	Down	Decrease values
[ENTER]	Enter	Confirmation button.After pressing this button,all setting values will be saved

Operation Instructions

MENU	Description
D001-D512	DMX mode, change the numerical value by up and down
CCO1-CC64	Colors selection, select different colors up and down
RB01-121316	Colors shade, change speed by up and down, the bigger values, the faster
PL01-PLI6	Colors pulse transform, change speed by up and down, the bigger values, the faster
DOI-SD16	Colors transition, and change speed by up and down, the bigger values, the faster
FLO1-FL 16	Colors Strobe flash, change speed by up and down, the bigger values, the faster
Sound	Sound control mode
R000-R255	Manual set R, Red color brightness setting, change the brightness by up and down
G000-G255	Manual set G, Green color brightness setting, change the brightness by up and down
B000-B255	Manual set B, Blue color brightness setting, change the brightness by up and down

DMX Control Parameter Chart

Channels	Value	Function
(H I	0-255	Color brightness control(this change should use together with CH2, CH3 or CH4)
CH2	0	Red light off
	1-255	Red brightness from dark to bright
CH3	0	Green light off
	1-255	Green brightness from dark to bright
CH4	0	Blue light off
	1-255	Blue brightness from dark to bright
C1-15	0-7	No strobe flash
	8-255	Strobe flash(from slow to fast), the bigger values, the faster
CH6	0-10	Manual control(CH1-CH5)
	11-60	Colors selection(colors contorted by CH7)
	61-110	Colors shade(colors contorted by CH7), the bigger values, the faster
	111-160	Colors pulse transform(speed contorted by GH7)the bigger values, the faster
	161-210	Colors transition(speed contorted by CH7)the bigger values,the faster
	211-255	Sound control
CH7	0-255	Colors selection/colors shade(the bigger values,the faster)

FCC WARNING

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:


- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Note: The Grantee is not responsible for any changes or modifications not expressly approved by the party responsible for compliance. such modifications could void the user's authority to operate the equipment.

The device has been evaluated to meet general RF exposure requirements.

This equipment complies with FCC's RF radiation exposure limits set forth for an uncontrolled environment. This device and its antenna(s) must not be co-located or in conjunction with any other antenna or transmitter.

Documents / Resources

	<p>Yalai Te Technology A-001 Remote Control [pdf] User Manual A-001, A001, 2A6JJ-A-001, 2A6JJA001</p>
---	---