



MOD.QC360X18001 YAN 360 Degree External Camera User Manual

[Home](#) » [YAN](#) » MOD.QC360X18001 YAN 360 Degree External Camera User Manual 

Contents

- [1 MOD.QC360X18001 YAN 360 Degree External Camera](#)
- [2 App Download](#)
- [3 Add & Preview](#)
- [4 Function Introduction](#)
- [5 Reset](#)
- [6 Delet or Modify Device](#)
- [7 GUARANTEE POLICY](#)
- [8 EXCLUSIONS](#)
- [9 Documents / Resources](#)
- [10 Related Posts](#)

MOD

MOD.QC360X18001 YAN 360 Degree External Camera



App Download

-



Search “Qian YAN” in the AppStore install app.

- Search “Qian YAW in the Google play install app.

Add & Preview

Mode 1, AP Hotspot


1. Connect power to the camera and wait. You will hear “System is starting”» N
“System setup is completed » ‘:Access Point establishing” » NAccess Point established”.
2. Go to settings of your smartphone >> Open the WLAN, connect to the camera’s hotspot IMVand device ID number such as MV12345678) (Figure 1). Once it is connected, please go back to main screen.
3. Add a new device as figure 2, once the connection is successful, a screen will be shown (Figure 3). Now you can watch live video. * Some functions are not supported by AP mode. Please use Station mode forfull functions.



(Figure 1)



(Figure 2)



(Figure 3)

Mode 2 : Station mode/Internet Wifi Connection

Router is required. Make sure your router is working well.

1. Make sure you are on AP mode and can watch live video.
2. Select Device on top of the screenshot and choose a device [ID number of the camera] from the list (Figure 4).
3. Select Network settings. You will see AP mode was ticked. Change to tick on Station mode. Now you will see the list of local Wi-Fi devices (Figure 5).
4. Select the name of your router, enter Wi-Fi password of your router and press Confirm button.
5. You will see "Network Configuration is successful" message. Please press OK, then go to set the WiFi of your smartphone to connect same wifi with your device. now your smartphone and device all connected in a same WiFi (Figure 6).
6. You will hear "Wi-Fi connecting"» "Wi-Fi connected" from the device.
7. Once the connection is successful, a screen will be shown (Figure 3). Now you can watch live video.



(Figure 4)



(Figure 5)



(Figure 6)

Function Introduction

A. Preview real-time monitoring on Panoramic Camera

1. Screenshot: you can make a screenshot for Monitoring picture.
2. Audio: you can hear the voice which from monitor environment.
3. Hold to talk: you can talk with the people who is in monitor environment by holding this button.
4. Setup mode: rotation of monitor screen for 180 degrees.
5. Mode: you can watch the monitor picture via 5 modes. (Figure 7)




Mode 1



Mode 2



Mode 3



Mode 4



Mode 5

Mode 4


(Figure 7)

1. Screenshot

2. Voice
3. Hold to talk
4. Setup Mode
5. Mode

B) Playback


Choose the device ID and click “Search for file” (Figure 8) » Choose files to play or download (Figure 9, Figure 10).



(Figure 8)



(Figure 9)




(Figure 10)

C) Device information settings

1. Network.setting:AP mode and Sration mode can be switched.
2. Recording settings: Auto Record, Alarm video, Video resolution can be set up. SD card can be managed, including check saving status and format data.
3. Time settings: View and set the monitoring time for the device.
4. Alarm settings:Arrning and Disarming switch, motion alarm, alarm area, voice prompt language can be set up.
5. Static IP configuration: Automatic configure, manually configure can be setup.
6. Device Upgrade: View, test, update the device system version.

D) More functions




1. App notification: Notification settings of receiving alarm messages.
2. Photo: View, delete, share photos and record.
3. Software password: Open, close and modify the software password.
4. About: View the software version.

Reset

Make sure that power is connected. Press Reset button on the camera for than 5 seconds. You will hear “Restore factory’s default setting” » “Access Point establishing” » “Access Point established”.

Delet or Modify Device



1. Information: See, save the image of the alarm.
2. Delete: Delete the device in the list.
3. Alann
4. Edit: Edit the information on the device and set the access password.
5. Configuration: Configuration of the information of the device.

Disclaimer:

There are many factors related to unsatisfied perations of the camera such as different wired/wireless network environments, different network companies, different performance and reliability of connected network and Micro SD cards, etc. So this camera is subject to errors and omissions and does not guarantee the consistency or accuracy of videos, phothos and recordings acquired from the camera.

GUARANTEE POLICY

Qian.m1,will guarantee thisproduct in all its components and labor duringtheperiodof12 months,counling fromthe dateof acquisitionagainst anymanufacturing and operation defect during thenormaland domestic useof thisproduct.

Oian.mx guarantees the buyer the atisence of manufacturing and operation anomalies including parts and components of theproduct or in relationtornaterials

1. Thispolicycovers onlyproductsmarketediJyQian.m1,throughits authori1ed distritiutorswithin theMexicanRepublic.
2. To make the guarantee effective,itwillbe necessarytopresentthispolicyin originalwith the information required in the following table together with the product in physical form and with all the accessories that make it up:
3. Incase of lossof thepolicyitwillbenecessarytopresent the original invoicewith theserial number of theproduct.
4. Qian.mrmayuse newparts,restored or usedin goodconditionto repairor replace anyproduct,withoutadditionalcost tothe consumer,as longas theWllrrantyperiod stipulated in thispolicyhas nottieen complete(j .
5. Incase theproduct has no repair,the changewillbegeneratedbyasimilarproductorwith superiorcharacteristics.
6. The repair timewill notbe longer than30 calendar days from thedate of receipt of theproductbyOian.m1 or its AuthorizedSetviceCenters
7. Oian.mrwill coverthe shipping costsrequiredfor thepresentation of theproductwithin the network of authorized service centers.

PRODUCJO	
Modelo:	SellodelDistribuidor
Marca: Oian.mx	
NUmerodeSerie:	
NUmerode Factura:	
FechadeEntrega:	

EXCLUSIONS

Qian.mxwillnotVlllidatethis guaranteepolicyinthefollowingcases:


- When the product has been used in conditions other than normal.
- Cuando el producto no se ha sido operado de acuerdo al instructivo de uso que lo acompaña.
- When the product has been altered or repaired by an unauthorized person.

To make the warranty valid, as well as the purchase of components, consumable parts and accessories, you can request information at www.qian.mx or contact any Authorized Service Center Qian.mx.

Headquarters:

Calz. Jose Guadalupe Gallo #490-A. Col. Agua Blanca Industrial. Zapopan. Jalisco .Mexico. C.P.45235

Documents / Resources

	<p>YAN MOD.QC360X18001 YAN 360 Degree External Camera [pdf] User Manual MOD.QC360X18001, YAN 360 Degree External Camera, MOD.QC360X18001 YAN 360 Degree External Camera, 360 Degree External Camera, External Camera, Camera</p>
---	---

[Manuals+.](#)