



## YEELIGHT Sunset Lamp 11 version R2 User Manual

[Home](#) » [Yeelight](#) » YEELIGHT Sunset Lamp 11 version R2 User Manual 




### Contents

- [1 INTRODUCTION](#)
- [2 PLEASE READ THIS MANUAL CAREFULLY BEFORE USE.](#)
- [3 SPECIFICATIONS](#)
- [4 WARNING](#)
- [5 Documents / Resources](#)
  - [5.1 References](#)
- [6 Related Posts](#)


## INTRODUCTION

Please read this manual carefully before use and keep it properly.



Fixing screw for base


**Note:** The illustrations for the product, accessories and user interface in the manual are all schematic diagrams for reference only. Due to updates and upgrades of the product, the actual product may be slightly different from that shown in the schematic diagram, and the actual product shall govern.  
Press the button to turn on power and switch between modes.




In the initial OFF mode, press once to reach the maximum light level, press for the second time to reach the minimum light level, and press for the third time to turn off the light (normally closed mode). These operations can be performed in cycles.

#### Mount the lamp

## Method 1




Use a screwdriver to push out the two screw covers from the bottom.



Screw the fixing screw for the base into the mounting position, and then fasten the screw cover.

## Method 2

There is a nut (1/4 inch nut) at the bottom of the sunset light, which can be used with most tripods on the market (to be purchased separately).




**PLEASE READ THIS MANUAL CAREFULLY BEFORE USE.**

Manufacturer: QingdaoYeelink InformationTechnology Co., Ltd  
Address: 10F-B4, Building B, Qingdao International Innovation Park, No.1  
KeyuanWeiyi Road, Laoshan District, Qingdao City, Shandong Province, P.R.China  
Website: [www.yeelight.com](http://www.yeelight.com)  
Customer Service Email: [support@yeelight.com](mailto:support@yeelight.com)

## SPECIFICATIONS

Model: YLFWD-0006

Rated voltage: 5V  1A

Rated power: 3W  
Operating temperature: -10 to 40 °C  
Operating humidity: 0%-85%RH  
Dimensions: 82mm\*82mm\*95mm  
Net weight: About 300g

**WARNING**

1. Before use, please verify the voltage to use conforms to the operating voltage of this product.  
Using an improper voltage may cause damages to the product and safety problems.
2. If the lamp does not turn on the first time you use it, please charge it.
3. Install and use the product in a place that is far away from heat sources, such as heating vents and conditioner vents, and that is not exposed to direct sunlight.
4. Make sure that the sensing area of this product is not covered by other objects. When cleaning the surface of the product, wipe it with a soft cotton cloth without using any corrosive solvents.
5. This product is not tested for waterproofing. Do not spray water on it or soak it in water to avoid any safety risks.
6. Do not use this product as a children's toy to avoid accidents.
7. For indoor use only.
8. The light source contained in this luminaire shall only be replaced by the manufacturer or his service agent or a similar qualified person



**Class III Luminaire**



**EU Declaration of Conformity**

We QINGDAO YEELINK INFORMATION TECHNOLOGY CO., LTD., Hereby, declares that this equipment is in compliance with the applicable Directives and European Norms, and amendments.

**WEEE Disposal and Recycling**



All products bearing this symbol are waste electrical and electronic equipment (WEEE as in directive 2012/19/EU) which should not be mixed with unsorted household waste. Instead, you should protect human health and the environment by handing over your waste equipment to a designated collection point for the recycling of waste electrical and electronic equipment, appointed by the government or local authorities. Correct disposal and recycling will help prevent potential negative consequences to the environment and human health. Please contact the installer or local authorities for more information about the location as well as terms and conditions of such collection points.

**Supplier's Declaration of Conformity (SDoC)**

Equipment approved using SDoC is required to be tested, however, it is not necessary to use an FCC-recognized accredited testing laboratory. However, as minimum the testing laboratory used is required to maintain a record of the measurement facilities as specified in Section 2.948 and a record of the measurements made as specified in Section 2.938

**Documents / Resources**

	<a href="#">YEELIGHT Sunset Lamp 11 version R2</a> [pdf] User Manual Sunset Lamp 11 version R2, Sunset, Lamp 11 version R2, 11 version R2
---	--

## References

-  [Yeelight - Smart Lighting | Smart LED Bulbs | Gaming Lights](#)

Manuals+.