



YOLOLIV Yolobox Pro Portable Multi-Camera Switcher User Manual

[Home](#) » [YOLOLIV](#) » YOLOLIV Yolobox Pro Portable Multi-Camera Switcher User Manual 

YOLOLIV Yolobox Pro Portable Multi-Camera Switcher



Contents

- [1 IMPORTANT](#)
- [2 Attentions](#)
- [3 Product Description](#)
- [4 Product Description](#)
- [5 What's In the Box](#)
- [6 Specification](#)
- [7 Documents / Resources](#)
- [8 Related Posts](#)

IMPORTANT

Before using YoloBox Pro, please carefully read this handbook which includes warnings and attentions. We enable you to continuously use YoloBox Pro if guided by this handbook. However, it is not applicable to the following cases:

- * Unauthorized maintenance or replacement of parts;
- * Damages caused by accidents, including but not limited to lightning, fire or exposed to humidity; * Out-of-range use of permitted supply voltage;
- * Unauthorized modification of product label or unapproved removal of warranty label.

Attentions



Warning electric shock

Please return your YoloBox Pro to manufacturer for any repairment or replacement.

Product Description

Warnings







- Please ensure that no liquid will splash on the product and no container filled with liquid will be put on the product.
- Do not plug up the vent in case of electric shock. Do not uncover the product or insert anything to the vent.
- Please put the product on the flat surface.
- Keep the product ventilated and away from direct sunlight or any heat source.
- Do not expose the product to humidity or fire.
- Manufacturer will not take charge of any accident caused by using non-standard power adapter.
- Battery Caution
 1. It is forbidden to disassemble, hit, squeeze or throw it into fire
 2. If it is severely swollen and deformed, please do not continue to use it; 3. Do not place it in an environment with high temperature or sudden atmospheric pressure
 4. Do not replace the battery without permission.
- FCC Regulatory Conformance: This device complies with Part 15 of the FCC Rules. Operation is subject to the

following two conditions:(1) This device may not cause harmful interference.(2) This device must accept any interference received, including interference that may cause undesired operation.


- Symbol for “ENVIRONMENT PROTECTION”Wasto electrical products should not be disposed of with household waste. Please recycle where facilities exist.Check with your local Authority or retailer for recycling advico”




Product Description

YoloBox Pro	
USB Charge Cable	
Type-c Charge Cable	
Hotshoe Mount	
YoloBox Pro User Manual	
SIM Card Eject Pin	

What's In tha Box




1. Status Indicator
2. 1/4" Screw Hole
3. SIM Card
4. Ventilation
5. SD Card Holder
6. Power Button



7. HDMI IN 1
8. HDMI IN 2
9. HDMI IN 3
10. USB-A
11. Ethernet
12. HDMI OUT
13. USB- C /DP OUT
14. AUDIO OUT

- 15. MIC IN
- 16. LINE IN
- 17. USB-C



Interfaces	HDMI IN 1; HDMI IN 2; HDMI IN 3; USB-A2.0; HDMI OUT; Ethernet; LINE IN(3.5mm); MIC IN(3.5mm); USB-C; AUDIO OUT(3.5mm) Micro SIM Card Holder; 1/4" Screw Hole SD Card Holder; USB-C(For charging)			
USB Rated Output	USB-A:5V 1A;USB-C:5V 1A			
Rated Voltage	5V	3A;9V	2A;12V	1.5A
Power	18W			
Battery Capacity	10000mAh			
Net Weight	750g			
Dimensions	LxWxH 218x129x27mm			
Live Broadcast Resolution	480p/720p/1080p			
Audio Input Format	32KHZ/44.1KHZ/48KHZ :16bit			
Video Encoded Format	H.264			
Audio Encoded Format	(AAC)44.1K 2Ch 16Bit (Please note YoloBox Pro supports 3.5mm Audio In with Mono TRS that is intended for mixers and lavalier microphones.)			
Wi-Fi	2.4G/ 5G			
4G Network	4G Network Countries & Frequency Band For Users [NA Variant for North America US/Canada/Mexico B2/B4/B5/B7/B12/B13/B14/B17/B25/B26/B41/B66/B71 Notes Mexico B4 For Non-US/Canada/Mexico Users: EM Variant for EMEA/India/Korea/Taiwan/South Asia/Latin America/Australia/New Zealand Users:B1/B2/B3/B4/B5/B7/B8/B20/B28/B38/B39/B40/B41 Notes Thailand B1 B3 Please note that the certification of YoloBox Pro is in line with the mainstream open 4G band requirements of operators in this country or region. For details, please refer to the approval report of this country or region.			
SIM Card Size	Nano-SIM Card			
Operating Temperature	0°C-40°C			
Operating Humidity	15%-85%, No Condensation			
SDCard format	FAT32(Under 128G),NTFS,EX-FAT			

Specification

Important things to know:

The software-driven nature means YoloBox Pro will be continuously updated with additional features and new

interfaces.

We have provided a dynamic Google doc version of user manual that is more focused on software. Please see the digital YoloBox Pro user guide by scanning the QR code below: (Please open in the computer for a better reading experience)



Join the Official **YoloLiv User Group** on Facebook, to get a behind-the-scenes look at others' productions, ask questions, and more.



help@yololiv.com



YOLOLIV TECHNOLOGY INC.



www.yololiv.com



help@yololiv.com



3326 STACEY LYN DR, LAS VEGAS, NV, 89117

FOLLOW US



YololivTech



Yololiv Technology




yololivtech



YoloLiv Tech

Documents / Resources



[YOLOLIV Yolobox Pro Portable Multi-Camera Switcher](#) [pdf] User Manual
Yolobox Pro Portable Multi-Camera Switcher, Yolobox Pro, Portable Multi-Camera Switcher