


Contents [[hide](#)]

- [1 Yuan Yun 2BK2Z Wireless Audio Transmission System](#)
- [2 Product Feature](#)
- [3 Matters Need Attention](#)
- [4 Receiver Function Introduction](#)
- [5 Transmitter Function Introduction](#)
- [6 Usage Method](#)
- [7 Product Parameter](#)
- [8 FCC Requirement](#)
- [9 Documents / Resources](#)
 - [9.1 References](#)

Yuan

Yuan Yun 2BK2Z Wireless Audio Transmission System



Product Feature

1. 2.4G wireless transmission band.
2. Transmitter stereo /Mono, One-click switch to meet the needs of different devices for Caucasians.
3. Battery life up to 10 hours.
4. An unlimited number of receivers can be connected to 1 transmitter simultaneously.
5. HD sound quality, designed for monitoring scenarios
6. Support 6 sets of products used at the same time, one-second pairing,

Matters Need Attention

1. Power supply

This product has a built-in rechargeable Lithium battery, please ensure the device when charging. In not in use, please shut down, otherwise the power will be consumed. Low battery, red light Blinking: The red light is on during charging and off when the battery is fully charged.

2. Connect

This device is used together with a transmitter and receiver


3. Distractions

The actual operation of the wireless system will be affected by the following conditions

- The use of the equipment is necessary to receive electromagnetic wave signals. Many electromagnetic signals will have a certain effect on them, including: distance, sound quality, noise, delay
- If other electromagnetic interference, please shorten the transmitter and the Distance between receivers.

Receiver Function Introduction

- 1.




Headphone

2. Power
3. Clam.
4. Volume+
5. Volume –
6. Setup key: Double Click (match transmitter)
7. Charging port
8. LED Status
 - Sognat-. Indicator green The Working Status is steady on
 - Power: Power light (red Low power (Bashing)
 - Chugyng state lred), fully ehatged (off)
 - Peak: Sound peak light (ted), Sound input overload flashing
 - Mute Mute light 'blue)

Transmitter Function Introduction

1.




3.5mm plug

2. Charging port

3. Power

4. S _ Stereo M _MANA

LED STATUS

 Indicator green The working status is steady

 Power light ted

Usage Method

1. Connect the Transmitter to the sound of the mobile phone/sound card/reverberator with an audio cable Output device.
2. Add Receiver method: Turn on Transmitter/Receiver power. fast double-click the Receiver pairing key (P), A long green receiver light indicates successful pairing.
3. Sound mode: According to the input and instrument selection

Mono(M): Guitar, bass and other mono equipment- Fit for the stage

Stereo(S): Mobile phones, sound cards and other stereo devices are Suitable for listening to music.

(Illustration: Add Receiver – Quickly double-click the P key)



Product Parameter

- Wireless band: 2.4GHz
- Effective distance: S80 outdoors through the wall
- Delay: S8ms
- Lithium battery: 500mAh
- SNR :-98dB
- Dynamic range: 105dB
- Frequency response dB 3dB

FCC Requirement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:


1. This device may not cause harmful interference, and
2. This device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy, and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur

in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Documents / Resources

	Yuan Yun 2BK2Z Wireless Audio Transmission System [pdf] Instruction Manual 2BK2Z-M6S, 2BK2ZM6S, m6s, 2BK2Z Wireless Audio Transmission System, Wireless Audio Transmission System, Audio Transmission System, Transmission System
--	--

References

- [User Manual](#)

Yuan

Yun

2BK2Z Wireless Audio Transmission System, 2BK2Z-M6S, 2BK2ZM6S, Audio Transmission System, M6S, Transmission System, Wireless Audio Transmission System, Yuan Yun

Leave a comment

Your email address will not be published. Required fields are marked *

Comment *

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

Search:

e.g. whirlpool wrf535swhz

Search

[Manuals+](#) | [Upload](#) | [Deep Search](#) | [Privacy Policy](#) | [@manuals.plus](#) | [YouTube](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.