

zafferano CIRCE Wireless LED Rechargeable Table Lamp



zafferano CIRCE Wireless LED Rechargeable Table Lamp Instruction Manual

[Home](#) » [zafferano](#) » **zafferano CIRCE Wireless LED Rechargeable Table Lamp Instruction Manual** 

Contents

- [1 zafferano CIRCE Wireless LED Rechargeable Table Lamp](#)
- [2 INSTRUCTIONS FOR USE](#)
- [3 Indicator LEDs](#)
- [4 INCLUDED ACCESSORIES](#)
- [5 SPARE PARTS](#)
- [6 Documents / Resources](#)
 - [6.1 References](#)
- [7 Related Posts](#)

zafferano

zafferano CIRCE Wireless LED Rechargeable Table Lamp



Product Specifications

- **Brand:** CIRCE
- **Model:** LD1005 LED ROTATING DIMMER
- **Power:** 2.2W
- **Luminous Flux:** 201 – 198 lm
- **Color Temperature:** 2700 – 4000K
- **IP Rating:** IP65
- **CRI (Color Rendering Index):** >80
- **Input Voltage:** 5Vdc max. 1A

Charging Instructions

It is important to fully charge the battery before first use. To charge the lamp correctly:

1. Connect the USB cable to a charger.
2. Connect the plug to an electrical socket.
3. Place the lamp on the charging base.
4. Once recharging is complete, disconnect the plug from the mains socket and remove the USB cable.

Indicator LEDs

1. Permanent red LED: recharging in progress.
2. Permanent green LED: battery is 100% charged, disconnect from power charger recommended.

Frequently Asked Questions (FAQ):

How long does the battery last at full power?

The battery lasts about 9 hours at full power.


INSTRUCTIONS FOR USE

LD1005

LED ROTATING DIMMER | 2,2 W | 201 – 198 lm | 2700 – 4000K | IP65 | CRI>80 | 5Vdc max



Ø 11 cm
Ø 4,3 in



30 cm
11.8 in

- This product contains a Class F light source.

Lifespan/Recharging

- Battery lasts about 9 h at full power.
- Charging time at 1A: 6 h.

Accessories/Spare parts


- Included: contact charging base;

Not included: battery charger with USB input; multi-contact charging base (max. 6 pc); multi-socket USB charger (8xUSB); replacement battery pack; replacement LED board

Switching On / Switching Off / Dimmer function

Tap the quick touch sensor a few times to switch the device on and off.

When the lamp is switched on, rotate the switch to obtain the desired brightness. Every time you turn it on, the light intensity will correspond to the previously set intensity.




Colour temperature configuration

When the lamp is switched on, press and rotate at the same time the switch to change the color temperature of the lamp.



Indicator LEDs

1. Permanent red LED: recharging in progress.
2. Permanent green LED: the battery is 100% charged, disconnection from the power charger is recommended.



INCLUDED ACCESSORIES

LD1005RB

INPUT: 5Vdc max 1A

OUTPUT: 5Vdc max 1A



Single-contact charging station.

LD0870RP



45 W

INPUT: AC100-240V 50/60Hz**OUTPUT:** 9Vdc max 5A (6 pcs.)**LD0340RA**

40 W

INPUT: AC100-240V 50/60Hz**OUTPUT:** 5Vdc max 8A

- Multi-contact charging base (max. 6 pc).
- Multi-socket USB charger (8xUSB).

**SPARE PARTS****BAT04703706701900****KIT00009005500201****Replacement battery pack**

Scan the QR code to see how to replace the exhausted batteries of your lamp.

**Replacement LED board**

Scan the QR code to see how to replace the LED board of your lamp.

**LD0490UA****INPUT:** AC100-240V 50/60Hz**OUTPUT:** 5Vdc max 1A







Battery charger with USB input


WARNINGS

This product is exclusively for lighting purposes and:

A) It must not be exposed to heavy mechanical loads or severe contamination; B) It can only be installed and used after checking the condition of the product; check that it is not dirty and has not been damaged during storage; C) Installation and maintenance must be carried out when the appliance is switched off; D) Any alteration or tampering with the product and any non-compliance with the instructions given may make the device unsafe; E) When fully assembled, the lamp (top+structure, without the charging base), reaches an IP \geq 54 rating, making it ideal for outdoor use; The light fixture (top) alone and the assembled lamp placed on the charging base has an IP20 rating, making it unsuitable for outdoor use; F) To clean all metal and plastic surfaces, use a soft, dry cloth and a neutral detergent for more stubborn dirt; G) The company Zafferano accepts no liability for damage caused by its own product not being assembled in accordance with the instructions; H) The versions with a metal leaf finish, handmade and protected by a clear varnish, and those with a galvanic finish are more delicate. We recommend cleaning using only a soft, dry cloth. The use of aggressive cleaning agents or abrasive cloths, and any accidental knocks and rubbing may damage the delicate leaf finish. I) The supporting surface of the lamp must not tilt more than 15° or it may fall. J) We recommend using the original optional charger and cable; alternatively, you can use a certified max. 1A charger; K) The lamp works correctly also when connected to the mains power supply; L) The battery has an overload protection function; M) To preserve the integrity of the battery, we recommend keeping the charge between min. 20% and max. 80%. If the lamp is not used for long periods, it is advisable to regularly charge/discharge the product; N) Please refer to local legal regulations for the proper disposal and recycling of the battery.


LEGEND

- Declares that the product meets EU standards for health, safety, and environmental protection.
-  Apparatus based on a safety extra-low voltage supply, in which voltages above the same are not produced.
-  Appliance equipped with double insulation and/or insulation reinforced in each part and without grounding device.
-  Indicates that the light intensity of the lamp can be adjusted.
- **IP20**: equipment protected from the penetration of solids larger than 12mm and not protected from liquids.
- **IP54**: apparatus protected from dust and splashing water.
- **IP65**: luminaire strongly protected from dust and water jets.
-  Demonstrates that your products meet the Eurasian Economic Union (EAEU)'s regulations and standards for customs clearance and trading.
- User-replaceable LED source
- User-replaceable driver
- User-replaceable battery
-






LED source replaceable by qualified personnel



- Driver replaceable by qualified personnel
- Battery replaceable by qualified personnel



- Non-replaceable LED source
- Non-replaceable driver
- Non-replaceable battery



- User-replaceable source
- User replaceable light source



Zafferano Srl – Viale dell'Industria 26 31055 Quinto di Treviso (TV) Italy www.zafferanoitalia.com


P.I. 03305480273

C.F. 03420190260 REA 330102

Light Department

+39 0422 470 507 lighting@zafferanoitalia.com

Documents / Resources

 CIRCE <small>WIRELESS LED RECHARGEABLE TABLE LAMP</small>	zafferano CIRCE Wireless LED Rechargeable Table Lamp [pdf] Instruction Manual LD1005, LD0870, CIRCE Wireless LED Rechargeable Table Lamp, CIRCE, Wireless LED Rechargeable Table Lamp, LED Rechargeable Table Lamp, Rechargeable Table Lamp, Table Lamp
--	--

References

- [zaff Zafferano bicchieri, accessori per la tavola, illuminazione e lampade](#)
- [zaff Zafferano bicchieri, accessori per la tavola, illuminazione e lampade](#)
- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.