



# **ZEBRA ET60 Rugged Android Business Tablets User Guide**

Home » ZEBRA » ZEBRA ET60 Rugged Android Business Tablets User Guide 🖺

#### **Contents**

- 1 ZEBRA ET60 Rugged Android Business
- 2 Accessories that power devices
- 3 Accessories that power devices
- 4 Documents / Resources
  - 4.1 References
- **5 Related Posts**



# **ZEBRA ET60 Rugged Android Business Tablets**



# Accessories that power devices

# **Vehicle Docks**



Vehicle Dock Charging, 2 x USB Type A, 1 x RS232

SKU# CRD-ET6X-VEHDK-CON-01

- Small design, Quick release, VESA mount pattern
- IP66, Extreme shock, vibration and thermal shock testing built to survive constant pounding
- Heated pogo pins to avoid corrosion and loss of connection
- 2 USB Type A ports and one serial port to connect peripherals
- · All ports are securely covered in a compartment
- Allows locking the ET6x



## SKU# CRD-ET6X-VEHDK-PTA-01

- Small design, Quick release, VESA mount pattern
- IP66, Extreme shock, vibration and thermal shock testing built to survive constant pounding
- Heated pogo pins to avoid corrosion and loss of connection
- 3 antenna passthroughs for strong GPS and wireless signals
- 2 USB Type A ports and one serial port to connect peripherals
- · All ports are securely covered in a compartment
- Allows locking the ET6x



# Accessories that power devices

Vehicle Dock Power Supplies and Cables



# DC/DC Power Supplies SKU # PS1370

- To be installed between the vehicle dock and the vehicle battery
- 24 to 90 VDC input voltage, 90W
- 30 to +50 C Operating Temperature
- Isolated
- Must be used with the ET60 Touch Screen Heater configuration



• To connect the DC/DC Power Supply PS1370 with the ET6 Vehicle Dock



SKU# CA1210

**DC Power Extension Cable** 

• To connect the DC/DC power supply PS1370 with the vehicle battery

# AC/ DC Power Supply SKU# B450020

- 100 240 VAC in, 14 VDC out
- To power the vehicle dock from a regular 110/220 VAC outlet
- ET60 and ET65 Accessories Guide



## DC Power Adapter to VC70 DC Power Cable

## SKU# CB000416A01

- Replace a legacy Zebra VC70 and reuse the existing DC power cable
- To be installed between the existing DC power cable and the DC/DC power supply



# DC Power Adapter to VC50 DC Power Cable

## SKU# CB000417A01

- Replace a legacy Zebra VC50 and reuse the existing DC power cable
- To be installed between the existing DC power cable and the DC/DC power supply



AC/ DC Power Supply

#### SKU# 450020

- 100 240 VAC in, 14 VDC out
- To power the vehicle dock from a regular 110/220 VAC outlet

## Please order AC cable separate:

- 450040 (for US)
- 450047 (for Australia/New Zealand)
- 450042 (for EU)
- 450041 (for UK)
- ACC L10LINECORD TW (for Taiwan)
- ACC L10LINECORD JP (for Japan)
- ACC L10LINECORD CN (for China)

# Accessories that power devices

Vehicle Dock Alternative DC Power Supplies and Cables



# **DC/DC Power Supplies**

960 VDC: SKU # 450083 50150 VDC: SKU# 45008 4

- To be installed between the vehicle dock and the vehicle battery
- Can not be used with the ET60 Touch Screen Heater configuration
- · Check the voltage of the vehicle before selecting the variant



**Direct Wire Kit** 

#### SKU# 300039

• To connect the 450083 or 450084 DC/DC power supply with the Vehicle Dock and the vehicle battery



# DC Power Adapter to VC DC Power Cable with CPC Connector SKU CBL ET ADPA1 1

- Replace a legacy Zebra VC and reuse the existing DC power cable
- To be installed between the existing DC power cable and the 450083 or 450084 DC/DC power supply



**DC Power Adapter to legacy LXE VC DC Power Cable** 

## SKU# ACC PWRCBL01

- Replace a legacy LXE/Honeywell VC and reuse the existing DC power cable
- To be installed between the existing DC power cable and the 450083 or 450084 DC/DC power supply



Cigarette Lighter Adapter (CLA) to Vehicle Dock

SKU#450143

- Power the Vehicle Dock from a 12V cigarette lighter
- To be installed between the vehicle dock and the cigarette lighter

# Accessories that power devices Vehicle Mounts

The Vehicle Docks have the VESA

mount pattern and can be used with a range of 3rd party mounts.

MT4301	RAM mount, 4" arm	
MT4302	RAM MOUNT, 8.5" ARM (12" arm length with two plates attached)	1
MT3501	VESA plate (for 4" or 12" RAM arm)	•
MT3502	Round plate (for 4" or 12" RAM arm)	
MT3505	Clamp base (for 4" or 12" RAM arm), 2" max. width	
MT3507	Clamp base (for 4" or 12" RAM arm), 3" max. width	
RAM-D-247U-4	Mount, RAM, Square Post Clamp Base for Posts up to 4" Wide, D-size ball	
MT3509	Rail base (for 4" or 12" RAM arm), 1-1/4" to 1-7/8"	121
MT3510	Rail base (for 4" or 12" RAM arm), 2" to 2 1/2"	121
350025	MOUNT, L10/ET8X, RAM FORKLIFT MOUNTING KIT	7
STND-ET-DESK-01	Desk Stand for Vehicle Dock	M



# Warehouse Keyboard

- Alphanumeric
- 12 direct Function keys
- · Field replaceable elastomer and cable
- IP66, -30 to +50 C, condensing environments
- Dimmable backlight
- Controller chip with build-in temperature compensation
- Heated board and drainage system for condensing environments
- AMPS mounting holes pattern

ver a second and a second a second and a second a second and a second a second and a second and a second and		20
KYBD-QW-VC-01	VC USB Keyboard QWERTY	
KYBD-AZ-VC-01	VC USB Keyboard AZERTY	
KYBD-QW-ET-S-1	VC USB Keyboard QWERTY with USB Type A Cable	
CBL-ET-KBUSB1-01	USB Type A Cable for Warehouse Keyboard	
CBL-ET-KBUSB2-01	USB & RS232 Y-Cable for Warehouse Keyboard (to power keyboard heaters)	
KT-KYBDTRAY-ET6X-01	ET6x Keyboard Tray for Vehicle Dock, VESA & AMPS Mounting Hole Pattern	

# **AC/DC Power Supply**



- 100-240 VAC in, 14 VDC out
- To power the tablet from a regular 110/220 VAC outlet

## Please order AC cable separate:

- 450040 (for US)
- 450047 (for Australia/New Zealand)
- 450042 (for EU)
- 450041 (for UK)
- ACC-L10LINECORD-TW (for Taiwan)
- ACC-L10LINECORD-JP (for Japan)
- ACC-L10LINECORD-CN (for China)



**Standard Battery** 

#### SKU# BTRY-ET6XA-9AH-01

- ET6x Android Standard Battery, 9.3 Ah
- Zebra's PowerPrecision+ batteries provide the intelligence to better manage a battery pool.
- Obtain advanced battery state of health information including charge level and battery age based on usage patterns.



**Extended Battery** 

## SKU# BTRY-ET6XA-18AH-01

- ET6x Android Extended Battery, 18.7 Ah
- Zebra's PowerPrecision+ batteries provide the intelligence to better manage a battery pool.
- Obtain advanced battery state of health information including charge evel and battery age based on usage patterns.



**No Cells Battery** 

# SKU# BTRY-ET6X-0AH-01

- · Battery housing without cells
- · Cost saving and elimination of battery maintenance in fixed mount installations



• SKU# SAC-ET6X-2SCHG-01

To charge the standard as well as the extended battery in any combination

## 2 in 1 Keyboard



Add to any ET6x tablet for a true 2-in-1 laptop experience.

- Patented magnetic latching for positive audio feedback when latching to tablet.
- Friction hinge to set viewing angle to user preference.
- · Opens 180° for infinite viewing adjustment.
- · IP65 dust and water sealing
- · Screwless design for more rigid assembly



Can be combined with Zebra's ET60 / ET65 docking solutions, and other accessories.

- 78 full sized keys.
- Large touchpad with ergonomic mouse buttons and multi-finger gestures.
- · Scissor switch keys for quality notebook feel.
- Integrated handle for easy portability even with gloves.
- Primary backlight color choice. Can scroll through primary colors with function keys for quickly changing colors and backlight intensity.
- Kensington lock slot to secure keyboard and tablet.



Five layouts available (US English, UK English, French, Spanish, German).

## SKU


US English Layout: KYB-ET6X-2IN1-US1-01

UK English Layout: KYB-ET6X-2IN1-UK1-01

French Layout: KYB-ET6X-2IN1-FR1-01

Spanish Layout: KYB-ET6X-2IN1-ES1-01

German Layout: KYB-ET6X-2IN1-DE1-01



# Accessories that enable productivity solutions



- • Allows for a large range of pressure sensitivity, tilt detection and hover capability.
  - IP55 water and dust protected.
  - Two side buttons for easy erase and menu access.
  - Can be tethered to tablet with SG-ET5X-SLTETR-01 (sold separately).
  - Can be secured to tablet with Pen Loop Holder (SG-ET8X-PENLOOP1-01) or inserted into handle SG-ET8X-HANDLE1-01 (sold separately).
  - Uses one AAAA battery, included.



# Stylus Holder SKU# SG-ET8X-PENLOOP1-01

• Adhesive Loop attaches to rear of tablet

# Coiled Tether SKU# SG-ET5X-SLTETR-01

- Used to tether stylus to the tablet.
- · Can be attached to tether points on device corners



- Fiber tipped stylus pack of 3•
- eavy-duty and made from stainless steel / brass. No plastic parts real pen feel.
- Micro-knit, hybrid-mesh, fiber tip provides silent, smooth gliding use.
- Length of stylus is 5".
- Tether to device or hand strap using SKU# SG-TC5NGTC7NG-TETHR-03.

# Passive Stylus Tether SKU# SG-TC5NGTC7NG-TETHR-03

- Can be attached to tether points on device corners
- String type tether prevents loss of stylus.

Small Passive Stylus Kit With Tether SKU# SG-TC7X-STYLUS-03

# Pack of 3

- Conductive Carbon-filled plastic material w/ 5mm tip
- Length of stylus is 3.5".
- Rigid plastic stylus is optimized for enterprise durability.
- Clip & tether point to reduce loss.

• Tether to the ET6X using the attachment points on the top right or top left sides of tablet.

# Accessories that enable productivity solutions

# Straps and Stand



**Kickstand with Hand Strap** 

SKU# XBK-ET6X-KCKSTD-01

- · Easy to use while walking
- · Adjustable to hand size
- · Detents help lock desired rotation angle
- Kickstand provides great ergonomics for reading and touch screen interactions while the tablet is on flat surfaces
- User adjustable display angle



**Replacement Hand Strap for Kickstand** 

SKU# SG-ET5X-RHTP1-01

• Spare/Replacement hand strap



SKU# SG-ET8X-HANDLE1-01

- · Adjustable length
- Requires Attachment Clips (SG-ET6X-DCLIPS-01)



Shoulder Strap SKU# SG-ET8X-SHLDR1-01

- Adjustable length
- Requires Attachment Clips (SG-ET6X-DCLIPS-01)



· Attach to keyboard latch points on tablet

## **Documents / Resources**



ZEBRA ET60 Rugged Android Business Tablets [pdf] User Guide

CRD-ET6X-VEHDK-CON-01, CRD-ET6X-VEHDK-PTA-01, PS1370, CBL-ET6-ADPA2-1, CA121 0, CB000416A01, CB000417A01, 450020, 450083, 450084, 300039, CBL-ET-ADPA1-1, ACC-P WRCBL01, 450143, MT4301, MT4302, MT3501, MT3502, MT3505, MT3507, RAM-D-247U-4, MT3509, MT3510, 350025, STND-ET-DESK-01., ET60 Rugged Android Business Tablets, ET60, Rugged Android Business Tablets, Tablets

## References

User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.