

ZEBRA RS5100 Single Finger Bluetooth Ring Scanner User Guide

Home » ZEBRA » ZEBRA RS5100 Single Finger Bluetooth Ring Scanner User Guide 🖺



RS5100/RS6100 Accessories Guide



Increasing productivity through handsfree operation Revised November 2023

Contents

- 1 RS5100 Single Finger Bluetooth Ring Scanner
- 2 Accessories that power wearable scanners
- 3 Accessories that power devices
- 4 Accessories that enable productivity solutions
- **5 Documents / Resources**
 - **5.1 References**

RS5100 Single Finger Bluetooth Ring Scanner









Ring Scanner Cradles RS5100 Four Slot Ring Scanner Cradle

SKU# CRD-RS51-4SCHG-01



Four slot charge-only cradle, charges four RS5100 ring scanners. LEDs on the RS5100 indicate charge status of each ring scanner.

Sold separately: Power supply SKU# PWR-BGA12V50W0WW, DC cable SKU# CBL- DC-388A1-01, and Country-specific AC line cord SKU# 23844-00-00R

RS6100 Four Slot Ring Scanner Cradle

SKU# CRD-RS61-4SCHG-01



Four slot charge-only cradle, charges four RS6100 ring scanners. LEDs on the RS6100 indicate charge status of each ring scanner.

Sold separately: Power supply SKU# PWR-BGA12V50W0WW, DC cable SKU# CBL-DC-388A1-01, and Country-specific AC line cord SKU# 23844-00-00R

RS5100 20-Slot Ring Scanner Cradle

SKU# CRD-RS51-20SCHG-01



20 slot cradle, charges twenty RS5100 ring scanners. LEDs on the RS5100 indicate charge status of each ring scanner.

Sold separately: Power Supply SKU# PWR-BGA12V108W0WW, DC Line Cord SKU# CBL-DC-381A1-01, Country Specific 3 wire AC Line Cord SKU# 23844-00- 00R, and Rack/Wall Mounting bracket for multi-slot cradles SKU# BRKT-SCRD- SMRK-01.

RS6100 20-Slot Ring Scanner Cradle

SKU# CRD-RS61-20SCHG-01



20 slot cradle, charges twenty RS6100 ring scanners. LEDs on the RS5100 indicate charge status of each ring scanner.

Sold separately: Power Supply SKU# PWR-BGA12V108W0WW, DC Line Cord SKU# CBL-DC-381A1-01, Country Specific 3 wire AC Line Cord SKU# 23844-00- 00R, and Rack/Wall Mounting bracket for multi-slot cradles SKU# BRKT-SCRD- SMRK-01.

Battery Charger RS5100/RS6100 Eight Slot Battery Charger SKU# CRD-RS51-4SCHG-01



Eight slot spare battery charger, charges eight RS5100/RS6100 batteries. LEDs on the cradle indicate charge

status of each battery.

Sold separately: Power supply SKU# PWR-BGA12V50W0WW, DC cable SKU# CBL- DC-388A1-01, and Country-specific AC line cord SKU# 23844-00-00R

RS5100/RS6100 Forty Slot Battery Charger

SKU# SAC-RS51-40SCHG-01



40 slot spare battery charger, charges forty RS5100/RS6100 batteries. LEDs on the cradle indicate charge status of each battery.

Sold separately: Power supply SKU# PWR-BGA12V108W0WW, DC cable SKU#

CBL-DC-381A1-01, Country-specific AC line cord SKU# 23844-00-00R, and Rack/Wall Mounting bracket for multi-slot cradles SKU# BRKT-SCRD-SMRK-01.

Combined Scanner and Battery Charger New: RS5100/RS6100 Two Bay Charger SKU# CRD-RS5X6-2SCHG-01



RS5100/RS6100 2 Bay Charger.

Sold separately: Charging Cable SKU# CBL-TC5X-USBC2A-01, Country-specific Power Supply SKU# PWR-WUA5V12W0US, and optional Shim for battery charging (order 1 per battery) SKU# SHIM-CRD-R5X62B-01.

New: RS5100/RS6100 Two Bay Charger Kit

SKU# KT-RS5X6-2SCPWR-01



RS5100/RS6100 2 Bay Charger Kit.

Sold separately: Optional Shim for battery charging (order 1 per battery) SKU# SHIM-CRD-R5X62B-01. Includes: Charging Cable SKU# CBL-TC5X-USBC2A-01 and Country-specific Power Supply SKU# PWR-WUA5V12W0US.

New: RS5100/RS6100 Two Bay Charger Shim

SKU# SHIM-CRD-R5X62B-01



Shim for battery charging in RS5100/RS6100 2 Bay Charger. 1 Shim included.

Batteries

RS5100/RS6100 Lithium Ion, standard capacity battery SKU# BTRY-RS51-4MA-01

RS5100/RS6100 Single Standard Battery

Lithium-Ion battery, standard capacity 480 mAh. PowerPrecision+ advanced battery technology, provides higher level of intelligence on battery state of charge and state of health.

SKU# BTRY-RS51-4MA-10

RS5100/RS6100 10-Pack Standard Battery



Lithium-lon battery, standard capacity 480 mAh. PowerPrecision+ advanced battery technology, provides higher

level of intelligence on battery state of charge and state of health.

RS5100/RS6100 Lithium Ion, extended capacity battery

SKU# BTRY-RS51-7MA-01

RS5100/RS6100 Single Extended Battery

Lithium Ion battery, extended capacity 735 mAh. PowerPrecision+ advanced battery technology. Provides longer run time than standard battery and cold operation to -20oC.

SKU# BTRY-RS51-7MA-10

RS5100/RS6100 10-Pack Extended Battery



Lithium Ion battery, extended capacity 735 mAh. PowerPrecision+ advanced battery technology. Provides longer run time than standard battery and cold operation to -20oC.

SKU# BTRY-RS51-7MA-02

RS5100/RS6100 India/South Korea Extended Battery

Lithium Ion battery, extended capacity 735 mAh. PowerPrecision+ advanced battery technology. Provides longer run time than standard battery and cold operation to -20oC.

Power Supply, Cable, and Adapters

New: BT Adapter

SKU# BT-RS5X6-DNGL-01

BT Adapter



- BT Interface between RS5100/RS6100 wearable scanners and a non-mobile host.
- Sold separately: Cable SKU# CBA-U46-S07ZAR.

SKU# KT-RS5X6-2SCPWR-01 BT Adapter Kit

- BT Interface between RS5100/RS6100 wearable scanners and a non-mobile host.
- Includes: Cable SKU# CBA-U46-S07ZAR.

RS5100 / RS6100 Corded Adapter

SKU# CBL-RS5X6-ADPWT-01



RS5100 / RS6100 Corded Adapter for WT6x

- Terminal Supplies Power to Scanner, Communication via Bluetooth
- When the RS6100 is used with the corded adapter it can operate in freezer temperatures (-20C and -30C).

SKU# CBL-RS5X6-ADPWT-01

RS5100 / RS6100 Corded Adapter with USB-C connector for TC21, TC26, TC53 and TC58.



- Terminal Supplies Power to Scanner, Communication via Bluetooth
- When the RS6100 is used with the corded adapter it can operate in freezer temperatures (-20C and 30C).

Accessories that power devices

Power supply, cables, and adaptors Power supply and cable matrix

SKU#	Description	Note
CBL-TC5X-USBC2 A-01	USB C to USB A Communications and Charg ing Cable, 1M long. Charging cable for Two Bay Charger.	• KT-RS5X6-2SCPWR-01
PWR- WUA5V12W0US	USB Power Supply for Two Bay Charger.	
CBA-U46-S07ZAR	Cable – Shielded USB: Series A Connector, 7 ft. (2.1m), Straight, BC 1.2	

Sold separately. Use as:

• Power supply for Four Slot Ring Scanne r Cradle and Eight Slot Battery Charger S

PWR-BGA12V50W 0WW	Level VI AC/DC Power Supply (Brick, replace ment for PWRS-14000-148R) AC Input: 100-240V, 2.4A DC Output: 12V, 4.16A, 50W Requires: DC line cord and Country specific g rounded AC line cord. US AC line cord, 7.5 feet long, grounded, thre e wire for power supplies.	KU# CRD- RS51-4SCHG-01, CRD-RS61-4SCHG-01, SAC- RS51-8SCHG-01) • AC Line Cord between power supply and outlet • DC Line Cord between power supply and charger
23844-00-00R	DC Line Cord for running the single slot cradl es or battery chargers from a single Level VI power supply PWR-BG A12V50W0WW, Level VI replacement for PWRS-14000-148R.	
CBL-DC-388A1-01	Level VI AC/DC Power Supply (Brick, Replac ement for PWRS-14000- 241R) AC Input: 100-240V, 2.8A DC Output: 12V, 9A, 108W Requires: DC line cord and Country specific g rounded AC line cord.	
PWR-BGA12V108 W0WW	Level VI AC/DC Power Supply (Brick, Replac ement for PWRS-14000- 241R) AC Input: 100-240V, 2.8A DC Output: 12V, 9A, 108W Requires: DC line cord and Country specific g rounded AC line cord.	
CBL-DC-381A1-01	DC Line Cord for running multi-slot cradles fro m a single Level VI power supply PWR-BGA12V108W0WW, Lev el VI replacement for PWRS-14000-241R	
23844-00-00R	US AC line cord, 7.5 feet long, grounded, thre e wire for power supplies.	
BRKT-SCRD-SMR K-0	Rack/Wall Mounting bracket for multi-slot crad les.	AC Line Cord between power supply an d charge

Accessories that enable productivity solutions

Wearable Mounts RS5100/RS6100 Enterprise Hand Mount



SKU# SG-RS5X6-HNMT-01
Enterprise Hand mount for RS5100/RS6100
Includes mounting frame with trigger. Requires separate purchase of hand wrap.
RS5100/RS6100 Enterprise Hand Wrap



SKU# SG-WEAR-HNWPRS-02 Small, Right-Hand Wrap. SKU# SG-WEAR-HNWPRM-02 Medium, Right-Hand Wrap. SKU# SG-WEAR-HNWPRL-02

Large, Right-Hand Wrap.

SKU# SG-WEAR-HNWPLS-02

Small, Left-Hand Wrap.

SKU# SG-WEAR-HNWPLM-02

Medium, Left-Hand Wrap.

SKU# SG-WEAR-HNWPLL-02

Large, Left-Hand Wrap.

RS5100/RS6100 Back of Hand Mount

SKU# SG-RS5X6-BHMT-01



RS5100/RS6100 Back of Hand Mount.





RS5100/RS6100 Back of Hand Mount for Freezer Environments Includes hand strap and small finger strap



SKU# SG-RS51-BHSTP-01 Spare Hand Strap for RS5100/RS6100 Back of Hand Mount Trigger Options

RS5100/RS6100 Single Trigger SKU# SG-RS51-TRGSS-03



• RS5100/RS6100 replacement trigger assembly, single sided trigger.

Includes comfort pad and nylon strap.

• May be used with light gloves.

RS5100/RS6100 Single Trigger Accessories SKU# SG-RS51-CMPD-05



RS5100/RS6100 Single Trigger Replacement Comfort Pads 5 pack SKU# SG-RS51-STRPNY-10
RS5100/RS6100 Single Trigger Replacement Finger Straps
10 pack

RS5100/RS6100 Double Trigger SKU# SG-RS51-TRGDS-01



- RS5100/RS6100 replacement trigger assembly, double sided trigger.
- · Not recommended with gloves.

SKU# SG-RS51-TRGDU-01



- RS5100/RS6100 replacement trigger assembly, double sided trigger with USB-C
- · Not recommended with gloves.

SKU# SG-RS51-TRGDV-01

- RS5100/RS6100 replacement trigger assembly, double sided trigger with vibration
- · Not recommended with gloves.




RS5100/RS6100 Lanyard SKU# SG-RS5X6-LNYD-01

• RS5100/RS6100 Spare Lanyard Trigger Assembly

SKU# SG-RS51-RLYD1-01

- Retractor with Magnetic Recoil, For Use with Lanyard Trigger, Includes Adjustable Cord for Wearing Around the Neck
- · Allows lanyard to be worn around the neck or on the hip



Documents / Resources



ZEBRA RS5100 Single Finger Bluetooth Ring Scanner [pdf] User Guide RS5100 Single Finger Bluetooth Ring Scanner, RS5100, Single Finger Bluetooth Ring Scanner, Finger Bluetooth Ring Scanner, Bluetooth Ring Scanner, Scanner

References

• User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.