




ZEBRA TC21 / TC26 Accessory Guide User Guide

[Home](#) » [ZEBRA](#) » ZEBRA TC21 / TC26 Accessory Guide User Guide 

ZEBRA TC21 / TC26 Accessory Guide



Contents

- 1 TC21/TC26 Accessory Overview
- 2 Cradle System
 - 2.1 1 & 5 Slot Charge Cradles
 - 2.2 1 & 5-Slot Communication Cradles
- 3 Batteries and Chargers
 - 3.1 4-Slot Battery Charger
 - 3.2 1X and 2X Batteries
- 4 Data Capture
 - 4.1 Trigger Handle
 - 4.2 Screen Protector
 - 4.3 Trigger Handle Service Plan
- 5 Soft Goods
 - 5.1 Soft Holsters
 - 5.2 Hand Strap
 - 5.3 Arm Mount
- 6 Audio and Vehicle Accessories
 - 6.1 In-Vehicle Holder
 - 6.2 Headset
 - 6.3 Bluetooth Headset
 - 6.4 Audio Adapter Cable
- 7 Chargers and Cables
 - 7.1 USB C Cable
 - 7.2 Wall Charger – Power Supply
- 8 AC Line Cords – Country Specific
- 9 Documents / Resources
- 10 Related Posts

TC21/TC26 Accessory Overview



Cradle System

1 & 5 Slot Charge Cradles



CRD-TC2Y-BS1CO-01

TC21/TC26 Single Slot Charge
Only Cradle



CRD-TC2Y-BS5CO-01 **CRD-TC2Y-BS54B-01**

TC21/TC26 Multi-Slot Charge Only
ShareCradle

- Charges Trigger Handle and Terminal together
- Multi-slot – 19" Rack: Rack Mountable (Mounting accessory required – BRKT-SCRD-SMRK-01)



- 5-slot available in 2 options;
- 5 slot terminal only
- 4 slot terminal plus 4 slot battery



- Single Slot Base Cradle requires USB C Cable
(CBL-TC5X-USBC2A-01, PS: PWRWUA5V12W0XX (US, EU, GB, AU, CN, BR, KR, IN))



- 5-Slot Cradles requires power supply PWRBGA12V108W0WW, DC Line Cord CBL-DC381A1-0 & country specific AC Line Cord (sold separately)

1 & 5-Slot Communication Cradles



CRD-TC2Y-SE1ET-01

TC21/TC26 Single Slot
Charge/Communication Cradle



CRD-TC2Y-SE5ET-01

TC21/TC26 5-Slot Ethernet & Charge
ShareCradle

- Charge Trigger Handle and Terminal Together
- Multi-slot 19-inch Rack Mountable (Mounting accessory required – BRKT-SCRD-SMRK-01)
- **NOTE:** Single Slot Communication Cradle to utilize Ethernet requires MOD-MT2-EU1-0 or to utilize USB requires UBB cable 25-124330-01R. (Both Sold Separately)



- Single Slot Charge and Ethernet Communication Cradle requires power supply PWR-BGA12V50W0WW & CBLDC-388A1-01 & country specific AC Line Cord (sold separately)



- 5-Slot Cradles requires power supply PWRBGA12V108W0WW, DC Line Cord CBL-DC-381A1-0 & country specific AC Line Cord (sold separately)

Batteries and Chargers

4-Slot Battery Charger



SAC-TC2Y-4SCHG-01

SAC-TC2Y-20SCH-01

TC21/TC26 4-slot Battery Charger

- Charges 1X or 2X Batteries; can mix & match battery per slot
- 4-Slot requires power supply PWR-BGA12V50W0WW; DC Line Cord CBL-DC-388A1-01 & country specific AC Line Cord (sold separately)



- 20-slot required power supply PWR-BGA12V108W0WW; DC Line Cord CBL-DC-381A1-01 & country specific AC Line Cord (sold separately)



- 20-slot Rack Mountable (requires BRKT-SCRD-SMRK-01 sold separately)

1X and 2X Batteries



Batteries
(3100 mAh, 5260 mAh)



BTRY-TC2Y-1XMA1-01

BTRY-TC2Y-2XMA1-01

Basic Battery 3300 mAh
Extended Battery 5260 mAh

- Basic Battery 3300 mAh
- Extended Battery 5260 mAh
- Country Specific Batteries available: “-BR” Brazil, “-IA” India
- Both compatible with battery charger SAC-TC2Y-4SCHG-01

Data Capture

Trigger Handle

TRG-TC2Y-SNP1-01

TC21/TC26 Snap-On Trigger Handle

Transforms device into all-touch handle style terminal for use in interim high-volume scanning operations



- Easily attaches to TC21/TC26 top housing
- Exposed Contacts provide ability to charge with the 5- Slot & Single Slot Cradles
- Optional Wrist Tether (sold separately) 50-12500-066



- The Trigger Handle is only available to be used on the TC21 and TC26 devices equipped with the 2-pin rear I/O connector.
- Does not block rear camera

Screen Protector

SG-TC2Y-SCRNPT1-01

TC21/TC26 Tempered Glass Screen Protector

- Protects Display on TC21 & TC26



- Single Protector to a Package

Trigger Handle Service Plan

<p>The TC2X trigger accessory provides users with significant flexibility as they adapt the TC2X device to different operations within their retail environment. The TC2X trigger accessory is considered a consumable item which may need to be replaced during the life of a TC2X. Therefore, Zebra highly recommends the purchase of a Zebra trigger handle service plan.</p>	OPT-TRGMNT-2	2-Year Zebra OneCare Comprehensive Trigger Maintenance
	OPT-TRGMNT-3	3-Year Zebra OneCare Comprehensive Trigger Maintenance

Soft Goods

Soft Holsters

TC21/TC26 Soft Holster

- TC2X Open Bucket design to accommodate hand strap + Snap-on's for easy insertion/removal
- Opening for audio & drainage
- Non-rotating clip
- Adjustable belt to fit the TC21/TC26 with Basic or Extended Battery



Hand Strap

SG-TC2Y-HSTRP1-01

TC21/TC26 Hand Strap

- Plastic clip that snap into towel bar for easy insertion/removal
- Leather and Hypalon Pad for maximum comfort & wear resistance with Adjustable Velcro design



Arm Mount

SG-TC2Y-ARMNT-01

- Enables the TC21/TC26 to be mounted to the arm for hands free operation
- Scan with the hands free RS5100 Bluetooth Ring Scanner



Audio and Vehicle Accessories

In-Vehicle Holder



CRD-TC2Y-VCH1-01

TC21/TC26 In-Vehicle Holder

- Suction Cup for Easy Window or Dashboard Mount
- Supports device with 1X or 2X Batteries
- USB-C jack accessible
- Does Not support Snap-On Accessories
- Work with USB Cigarette Lighter Adapter (CHG-AUTOUSB1-01) – sold separately

Headset

HDST-35MM-PTVP-01

Over the ear headset with MIC and PTT 3.5mm Requires USB-C adapter cable, ADPUSBC-35MM1-0 (sold separately)



Bluetooth Headset

HS3100-OTH

HS3100 Rugged Bluetooth Headset Over-The Head Headband includes HS3100 Boom Module and HSX100 OTH Headband Module



Audio Adapter Cable

ADP-USBC-35MM1-01

USB to 3.5MM adapter with PTT Headset button support



Chargers and Cables

USB C Cable

CBL-TC5X-USBC2A-01

TC21/TC26 USB C Cable to be used for charging and communications



Wall Charger – Power Supply

WR-WUA5V12W0XX

Power Supply-100-240 VAC, 5 V, 2.5 A with country specific plugs.



Country	Power Supply Part Number
United States	PWR-WUA5V12W0US
Great Britain	PWR-WUA5V12W0GB
Europe	PWR-WUA5V12W0EU
Australia	PWR-WUA5V12W0AU
China	PWR-WUA5V12W0CN
Argentina	PWR-WUS5V12W0AR
Brazil	PWR-WUA5V12W0BR
Korea	PWR-WUA5V12W0KR
India	PWR-WUA5V12W0IN


AC Line Cords – Country Specific

Country	Three Wire AC Line Cord
Abu Dhabi	50-16000-220R: 1.8M long, CEE 7/7 plug
Australia	50-16000-217R: 1.9M long, AS 3112 plug

Bolivia	50-16000-220R: 1.8M long, CEE 7/7 plug
Brazil	50-16000-727R: 18AWG, 250V, 16A, BR (3w)
China	50-16000-217R: 1.9M long, AS 3112 plug 50-16000-257R: 1.8M long, IEC 60320 C13 plug
Dubai	50-16000-220R: 1.8M long, CEE 7/7 plug
Egypt	50-16000-220R: 1.8M long, CEE 7/7 plug
Europe	50-16000-220R: 1.8M long, CEE 7/7 plug
Hong Kong	50-16000-219R: 1.8M long, BS1363 plug
India	50-16000-669R: 1.9M long, BS 546 plug
Iran	50-16000-220R: 1.8M long, CEE 7/7 plug
Iraq	50-16000-219R: 1.8M long, BS1363 plug
Israel	50-16000-672R: 1.9M long, S132 plug
Italy/Chile	50-16000-671R: 1.8M long, CIE 23-16 plug
Japan	50-16000-218R: 1.8M long, NEMA 1-15P plug
Korea	50-16000-220R: 1.8M long, CEE 7/7 plug 50-16000-256R: 1.8M long, CEE7/7 plug
Malaysia	50-16000-219R: 1.8M long, BS1363 plug
New Guinea	50-16000-217R: 1.9M long, AS 3112 plug
Russia	50-16000-220R: 1.8M long, CEE 7/7 plug

Singapore	50-16000-219R: 1.8M long, BS1363 plug
UK	50-16000-219R: 1.8M long, BS1363 plug
US	23844-00-00R: 7.5 feet long 50-16000-221R: 1.8M long, USA NEMA 5-15P
Vietnam	50-16000-220R: 1.8M long, CEE 7/7 plug

Documents / Resources

 <p>TC21 and TC26 Accessory Guide</p>	<p>ZEBRA TC21 / TC26 Accessory Guide [pdf] User Guide Smartphone, TC21 Smartphone, TC26 Smartphone</p>
--	---