Zhuhai Gotech Intelligent Technology DZ-WRHTA-01 Smart Temperature and Humidity Sensor Instruction Manual

**Smart Temperature and
Humidity Sensor**



Wi-Fi Version

Contents

Product introduction

- Smart Temp & Humidity Sensor uses high-accuracy sensors to detect the surrounding environment. The parameters can be uploaded to the cloud and notified to user terminals through Wi-Fi in real-time.
- The device can be easily installed in homes, apartments, offices, etc.

Installation

- Installing two AAA batteries into the device.
- Align the first notch, then rotate the cover to align the second notch to complete the installation.

Product Specifications

Product Name	Smart Temp & Humidity Sensor
Product model	DZ-WRHTA-01
Battery Model	Two MA batteries
Product material	ABS
Working Temperature	-1 Or -60°C
Temperature accuracy	±0.2°C
Working humidity	1 95%RH (no condensation)
Humidity accuracy	±1.8%
Wireless protocol	Wi-Fi 2.4G 802.11b

Packing list

- Temp & Humidity Sensor x1
- User manual x1
- AAA battery x2

FCC Warning

- This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
- Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.
- This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

 – Reorient or relocate the receiving antenna.

 – Increase the separation between the equipment and receiver.

 – Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

 – Consult the dealer or an experienced radio/TV technician for help. FCC RF exposure statement: The equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance between 20cm of the radiator of your body.

Documents / Resources

	[Zhuhai Gotech Intelligent Technology DZ-WRHTA-01 Smart Temperature and Humidity Sensor](#) [pdf] Instruction Manual DZ-WRHTA-01, DZWRHTA01, 2A4GF-DZ-WRHTA-01, 2A4GFDZWRHTA01, DZ-WRHTA-01 Smart Temperature and Humidity Sensor, Smart Temperature and Humidity Sensor