

 **zigbee**
RSH-HS09 Temperature
and Humidity Sensor



ZigBee RSH-HS09 Temperature and Humidity Sensor User Guide

[Home](#) » [zigbee](#) » ZigBee RSH-HS09 Temperature and Humidity Sensor User Guide 

Contents

- 1 [ZigBee RSH-HS09 Temperature and Humidity Sensor](#)
- 2 [Product Usage Instructions](#)
- 3 [How It Works](#)
- 4 [Preparation for use](#)
- 5 [Replacing the battery](#)
- 6 [Product Specifications](#)
- 7 [Packing list](#)
- 8 [FCC Statement](#)
- 9 [Frequently Asked Questions](#)
- 10 [Documents / Resources](#)
 - 10.1 [References](#)
- 11 [Related Posts](#)



ZigBee RSH-HS09 Temperature and Humidity Sensor



Product Specifications

- **Product:** ZigBee Hub
- **Model:** RSH-HS09
- **Battery:** 3V CR2032 230mAh
- **Dimensions:** 29.3 x 53.4 x 10.5mm

Product Usage Instructions


1. **Resetting the Device:** Press and hold the reset function button for more than 5 seconds until the indicator light flashes.
2. **Adding the Device:** Follow the APP instructions to add the device after the indicator light flashes.

How It Works

- Install the battery to the device successfully and ensure that the mobile phone is connected to the network and the smart gateway has been successfully added;
- Open the App, and on the "Smart Gateway" page, click the "Add Sub Device button and select " Temperature and Humidity Sensor";
- Press and hold the reset function button for more than 5 seconds until the indicator light flashes, then follow the APP instructions to add the device.

After adding it successfully, you can find the device in the "My Home"list

Preparation for use



- Make sure that the product is within the effective coverage of the smart host (gateway) Zigbee network to ensure the effective connection between the product and the smart host(gateway) Zigbee network.
- Make sure that the smart host has been added.


Download and open the APP.

- Search for “Smart Life” in the App store or scan the QR code in the manual to download and install the App. Press the “Register” button to register an account if this is your first time use; if you already have an account, press the “Login” button.
- Download and open the app. Searchhh for “Smart Life” in the App store or scan the QR code in the manual to download and install the App. Press the “Register” button to register an account if this is your first time use; if you already have an account, press the “Login” button.



Scan the QR code to download the “Smart Life” App

Replacing the battery



Product Specifications

Product name:	Temperature and humidity sensor
Product model:	RSH-HS09
Battery type:	3V CR2032 230mAh
Temperature detection range:	-10°C~50°C
Temperature detection accuracy:	±0.5°C
Humidity detection range:	0%~95%RH (no condensation)
Humidity detection accuracy:	±5%
Wireless protocol:	Zigbee
Product size:	Φ29.3*53.4*10.5mm

Packing list

- Sensor X 1
- User manual XI

FCC Statement

- This equipment has been tested and found to comply with the limits for a Class B digital device, under part 15 of the FCC Rules.
- These limits are designed to provide reasonable protection against harmful interference in a residential installation.
- This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used according to the instructions, may cause harmful interference to radio communications.
- However, there is no guarantee that interference will not occur in a particular installation.

Suppose this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on. In that case, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Warning:

Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and
2. this device must accept any interference received, including interference that may cause undesired operation.

Frequently Asked Questions

- **Q: How do I reset the ZigBee Hub?**

A: Press and hold the reset function button for more than 5 seconds until the indicator light flashes.

- **Q: What battery does the ZigBee Hub use?**

A: The ZigBee Hub uses a 3V CR2032 230mAh battery.

Documents / Resources

[ZigBee RSH-HS09 Temperature and Humidity Sensor](#) [pdf] User Guide
RSH-HS09, RSH-HS09 Temperature and Humidity Sensor, Temperature and Humidity Sensor,
Humidity Sensor, Sensor

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.