

Home » ZKTECO » ZKTECO VT07-B01 7 Inch Touch Screen Video Intercom System Installation Guide 1





ZKTECO VT07-B01 7 Inch Touch Screen Video Intercom System Installation Guide



Due to regular upgrades of systems and products, ZKTeco could not guarantee exact consistency between the actual product and the written information in this manual.

#### **Contents**


- 1 1. Dimensions
- 2 2. Installation Environment
- 3 3. Device Installation
- 4 4. Connection Diagram
- 5 5. Ethernet Settings
- 6 6. Video Door Phone

#### Connection

- 7 Documents / Resources
  - 7.1 References

# 1. Dimensions

## VT07-B01



# 2. Installation Environment





AVOID INSTALLATION NEAR GLASS WINDOWS



AVOID DIRECT SUNLIGHT AND EXPOSURE




AVOID USE OF ANY HEAT SOURCE NEAR THE DEVICE

## 3. Device Installation


#### Mode 1: Install on the wall

- 1. Find a suitable indoor installation location, the recommended installation height is 59.1 inches (1.5m), which can be adjusted as needed.
- 2. Attach the mounting template stickers to the wall and drill holes, then fix the back plate on the wall with the wall mounting screws.
- 3. Finally, push the device into the back plate and secure it to the back plate.




Mode 2: Install on the desktop

- 1. Take out the device and the bracket from the box.
- 2. Put the white bracket rubber sleeve on the bottom of the bracket.
- 3. Finally, insert the bracket into the mounting slot behind the device.



# 4. Connection Diagram




#### Note:

- 1. VT07-B01, VTO and IP Camera are connected through out the network cable.
- 2. In LAN, the IP addresses of all devices must be in the same network segment.

# 5. Ethernet Settings

Click Setting > Advanced Setting > Network Manage to enter the Wired Network Configuration Setting interface to set the network parameters.



# 6. Video Door Phone Connection

### On the Video Intercom

Once the indoor station is configured with the network, the video intercom function can be activated by tapping the icon on the Video Intercom screen. Enter the IP address of the indoor station in the jumping interface.









# On the VT07-B01

After receiving the caller tone, you can perform the following operations.







ZKTeco Industrial Park, No. 32, Industrial Road,

Tangxia Town, Dongguan, China. Phone: +86 769 – 82109991 Fax: +86 755 – 89602394

www.zkteco.com



https://www.zkteco.com/en/

Copyright © 2024 ZKTECO CO., LTD. All Rights Reserved.

# **Documents / Resources**



ZKTECO VT07-B01 7 Inch Touch Screen Video Intercom System [pdf] Installation Guide VT07-B01, VT07-B01 7 Inch Touch Screen Video Intercom System, 7 Inch Touch Screen Video Intercom System, Touch Screen Video Intercom System, Video Intercom System, Intercom System

## References

- ZKTeco | Biometrics and Computer Vision
- User Manual

Manuals+, Privacy Policy | @manuals.plus | YouTube

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.