



Home » ZYXEL » ZYXEL ZyWALL USG FLEX Series Network Security Firewall User Guide 🥦

### Contents [ hide ]

- 1 ZYXEL ZyWALL USG FLEX Series Network Security Firewall
- 2 Hardware Installation
- 3 Support Information
- 4 Documents / Resources
  - 4.1 References




# **ZYXEL ZyWALL USG FLEX Series Network Security Firewall**




## **Hardware Installation**

#### **Back**



# **Front**



- 1. Use the included power adaptor or power cord to connect the power socket (on the rear panel) to a power outlet.
- 2. It is recommended that you configure the Security Appliance before using it to protect your network. Use an Ethernet cable to connect a computer to the LAN port (P3 or P4) of the Security Appliance.
- 3. Use another Ethernet cable(s) to connect the WAN port (P1 or P2) to an Ethernet jack with Internet access. Look at the front panel. The PWR light turns on. The SYS light blinks during system testing and initialization and then stays on when the system is ready.


### **Option 1 Nebula Registration with the App**

Use the Zyxel Nebula Mobile app to register a Zyxel Security Appliance with Nebula if your device uses a dynamic IP address. If your device uses a static IP address or PPPoE, use Option 2, log in, then run the wizard and configure the WAN.



#### Where to find QR code:

Label on the device



Download and open the Zyxel Nebula Mobile app. Log in with your Zyxel Account.

Create an organization and site or select an existing site. Scan the Security Appliance's QR code to add it to the site.


# **Option 2 Direct Management**

Use this method if you want to manage the Security Appliance directly using your web browser. Log in, then run the wizard

**USG FLEX H Series:** https://192.168.168.1


User Name: admin

Login Password: See Zyxel Device label or 1234



We are enhancing security by introducing unique passwords. If your device has a password printed on the back label, please use it. Otherwise, enter 1234. Launch your web browser and go to <a href="https://192.168.168.1">https://192.168.168.1</a> for Security Appliance. Click Yes to proceed if you get a security alert or certificate screen. Enter the user name and password. Click Login.





Use the installation setup wizard to connect to the Internet and register the and Security

Appliance and/or activate trial and Standard services.

# **Support Information**

#### **USA**

- 6 + 1800 255 4101
- support@zyxel.com

EU https://support.zyxel.eu

#### **Thailand**

- + 66 2831 5315.
- support@zyxel.co.th

#### **Taiwan**

- +886 2 2739 9889
- service@zyxel.com.tw

See the User's Guide at <a href="https://www.zyxel.com">www.zyxel.com</a> for more information, including customer support and safety warnings.

# **EU** Importer

Zyxel Networks A/S

Gladsaxevej 378, 2. th. 2860 Seborg, Denmark

https://www.zyxel.com/dk/da/

### **UK Importer**


Zyxel Networks UK

2 Old Row Court, Rose Street, Wokingham, RG40 1XZ, United Kingdom (UK) <a href="https://www.zyxel.com/uk/en/">https://www.zyxel.com/uk/en/</a>

# **Us Importer**

Zyxel Communications, Inc

# **Documents / Resources**





# References

- User Manual
- ZYXEL
- Firewall, Network Security Firewall, USG-FLEX-50H, ZyWALL USG FLEX Series Network Security Firewall, ZYXEL

# Leave a comment

Your email address will not be published. Required fields are marked \*

Comment \*

Name		
Email		
<u> </u>		
Website		
☐ Save my name, email, and website in this browser for the next time I com	ment.	
Post Comment		
Search:		
e.g. whirlpool wrf535swhz	Search	

Manuals+ | Upload | Deep Search | Privacy Policy | @manuals.plus | YouTube

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.