



CAMWORLD B0BNXV1222 Light Socket Security Camera with Alexa-SC16 User Manual

[Home](#) » [CAMWORLD](#) » CAMWORLD B0BNXV1222 Light Socket Security Camera with Alexa-SC16 User Manual



Contents

- [1 CAMWORLD B0BNXV1222 Light Socket Security Camera with Alexa-SC16](#)
- [2 DIMENSION](#)
- [3 Troubleshooting](#)
- [4 Special Statement](#)
- [5 Documents / Resources](#)

CamWorld

CAMWORLD B0BNXV1222 Light Socket Security Camera with Alexa-SC16



DIMENSION




Download "ICSee" APP

Search for the "iCSee" app in App Store / Google Play Store, or scan the QR code below to download.



Scan QR code to download APP

Sign up and log In



- If you already have an account, please log in. If you don't have an account yet, please click sign up to go to the registration page.

Add device

1. Click the "+" in the upper right corner to add a device.



2. Select the list "WiFi Camera".



3. Screw the camera into the socket and power it up. Then select "Next".




4. Connect your phone to the same WiFi which your camera will be connecting to, then press "Confirm".



5. Put the QR code generated by the App in front of the bulb camera.



The correct posture for QR Code scanning.




The QR code is literally on your iPhone or Android (Not the QR code in the manual You will hold that phone's QR code in front of the security camera. The camera will then scan the code on your phone and set everything up immediately.


- Set password → Pick a name → Configure Guide



- The connection is successful.



Introduction to the Live Screen Interface



How to insert the micro SD memory card correctly

1. Micro SD memory card requirements.

- Only FAT 32 format is supported
- Maximum memory capacity: 128GB
- Micro SD memory card size: 1.5 x 1.1 cm



2. Insert the SD memory card in the correct direction.

- The gold part is inserted in the same direction as the camera, with one side of the gold part facing the direction of the slot.



3. Push it in until it reaches the bottom.

- You will need to push in until you hear a clicking sound. Release and it will hold in place.




4. Finish installing the SD memory card

- When you need to remove it, push in the card gently until it disengages from the memory card slot.
- Grab the end of the card and pull it out of the slot.



How to Reset the Camera

- Please first power it on. Wait one minute for the camera to rotate and self-test.
- Insert the extra card pin from the product package into the reset hole on the device.
- After 5 seconds of pressing the pin against the hole, there will be a beep sound, and the camera self-test and reset.



Troubleshooting

- **Q:** Can't turn on the power? The camera does not work.

Bulb cameras do not have batteries, you need to screw into the socket and power up the socket. When you power it on, wait a minute, the bulb camera will rotate and self-test, indicating that it can work properly. If not, please contact us.

- **Q: Is WiFi not compatible?**

- Only support 2.4GHz WiFi, it is not compatible with 5GHz WiFi! If your WiFi is dual-band, please separate it independently. Please install the bulb camera in a place with high Wi-Fi signal strength. The stronger the WiFi signal, the smoother the online video will be

- **Q: Screen flip?**

- Motion tracking reverse movement? When you install it upside down, you need to flip the screen (Live screen -> top right corner go to more settings-> Basic settings -> screen flip). Please note: Due to version issues, some machines will move the mobile tracking in reverse after screen flip, please take a screenshot of your device information and send it to the seller via Amazon to fix this bug.

Q: Why can't my phone receive alert notifications?

1. Please make sure you have turned on the motion detection SmartAlarm switch and set the appropriate alarm sensitivity.
2. Please make sure your phone system permissions allow our apps to perform message push.
3. Please confirm to open the message push settings in the App, open the App, click Device → Settings) Smart Alarm → Open → Event Push. Please click Event Time – All Day Alarm
4. The alarm interval is 1-3-5 minutes, which means only one alarm can sound during the period.

Q: Can't play back the video?

1. Check whether you insert the memory card or purchase the cloud storage function;
2. After inserting the SD card, you can find the Record Settings in the device settings page, and turn on the "Record" in it, so that the device will automatically record video (in addition, you need to select "Overwrite" for

“Full Storage” in Local Storage) If you go to the

3. playback screen, it says “No local TF card*. Please go to Settings, and click About-> Reboot the device.

Q: Display offline?

Please check as follows

1. Confirm whether there is a power failure from the router or network disconnection, if so, it takes a while for the router to restore the network, check again after 2 minutes if the device is back online.
2. Check whether the router, Wi-Fi name or password has been changed. If so, remove your device and then add it to the network again.
3. Remove the device from the APP, then use a long pin inserted into the reset hole for 5 seconds to reset the bulb camera Finally reconnect.
4. If the device appears offline after use for a period of time, but after restarting the router or rewiring the device, the device is back to normal, it means that the router is overloaded due to long-term high load use, you need to replace a router with a stronger load capacity or reduce the number of devices connected to the router.

Q: Even at the lowest sensitivity, the app still pops up notifications frequently.

1. Set the image quality to “SD” so that the camera can recognize motion more accurately (there is a “UHD” icon on the right side of the camera live screen, click to switch)
2. Turn on the “Human Detection” function to reduce false alarms caused by object movement.
3. Turn off the “Auto Tracking” function. The rotation of the camera angle will trigger the movement alarm, you need to turn it off.

Q: Why do the cameras pop up frequently at night to detect alarms?

Please turn off the “Auto Track” function and turn on the “Human Detection” function.


Q: Can I use all the functions of the camera for free? Except for the cloud storage function, all other functions are free and no charge is required.

Special Statement


1. The product is based on the actual product, the manual is for reference only.
2. The mobile APP and device firmware version support updates, users can upgrade through the APP.
3. Please do not install this device in moist, dusty, high temperature, flammable/explosive places and places easily accessible to children.

Works with Alexa


- The camera supports Alexa. Follow the below steps to link ICSEE to your Alexa Account and operate it. Login to your ICSEE account add a camera then click me you will see Voice and other third-party services.




- It will show amazon alexa click it and you will see the login page



- Log in to your Amazon account and click Allow then it will show the devices under your ICSEE account. Choose the device you want to bind and submit.



- After binding success, it will show as blew. And now your Alexa app would find the device First say “Alexa open smart camera ” then say’ show my camera “You will see your camera on Amazon devices like Echoshow /Echo Dot.



If you have any questions about our products, please contact us with the following E-mail, thank you! Customer Support: Amz-SC@aliyun.com.

Documents / Resources



[CAMWORLD B0BNXV1222 Light Socket Security Camera with Alexa-SC16](#) [pdf] User Manual
B0BNXV1222 Light Socket Security Camera with Alexa-SC16, B0BNXV1222, Light Socket Security Camera with Alexa-SC16, Socket Security Camera with Alexa-SC16, Security Camera with Alexa-SC16, Camera with Alexa-SC16, Alexa-SC16