

# klydoclock CR12DKL Bluetooth Remote Control User Manual

[Home](#) » [klydoclock](#) » klydoclock CR12DKL Bluetooth Remote Control User Manual 


## Contents

- 1 klydoclock CR12DKL Bluetooth Remote Control
- 2 1. Get to know your bluetooth Remote Control
- 3 2. Key value
- 4 3. Pairing
- 5 4. Battery management
- 6 Warning:
- 7 Specifications
- 8 Frequently Asked Questions (FAQ)
  - 8.1 Q: How do I know when the battery is low?
  - 8.2 Q: How can I pair the remote control with another device?
- 9 Documents / Resources
  - 9.1 References
- 10 Related Posts

## klydoclock CR12DKL Bluetooth Remote Control

### USER MANUAL







#### 1. Get to know your bluetooth Remote Control



Klydoreremote

- Device Name: Klydoreremote
- PID 0110 VID 0x0508
- Device Remote Control



## 2. Key value

No.	TSD printing	HID key value
1		(0x0C)0x30
2		(0x07)0x52
3		(0x07)0x51
4		(0x07)0x50
5		(0x07)0x4F
6		(0x07)0x28

Remark Turn off device by long pressing  key and  key for 5s, the red led light flashes 3 times 250ms

on and 250ms off . Turn on the device by pressing any key.

### 3. Pairing

Steps:	Operation:
Pairing broadcasting	Press and hold the key “  ” and “  ” at the same time, the blue led light flashes once, and then flashes slowly after 3 seconds, the device enter broadcasting mode, then release the keys.
Pairing	The main device searches the corresponding device name, and click pairing, the Blue led light on the remote control will flash quickly (150ms on, 150ms off) when pairing.
Pairing result	1 Pairing successfully, the blue light keeps on for 3 seconds and off. 2 Pairing unsuccessfully for over 60 seconds, give up broadcasting for pairing.

### 4. Battery management

\* Powered by 500 MAH Lion battery.

\* low Battery detection

1 When  $V_{bat} \leq 3.6V + 0.1V$  10% , the device enter low battery status, when press any keys, the red led light flashes.

2 When  $V_{bat} \leq 3.2V + 0.1V$  (0%) The device enter seriously Low battery status, only when Voltage resumes to 4V, the device resume normal automatically.

#### Warning:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**NOTE:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver

- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

NOTE: This device and its antenna(s) must not be co-located or operation in conjunction with any other antenna or transmitter

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

## Specifications

- Device Name: Klydoreremote PID0110 VID0x0508 DeviceRemote Control
  - Battery: 500 MAH Lion battery
- 

## Frequently Asked Questions (FAQ)


**Q: How do I know when the battery is low?**

**A:** The device will indicate low battery through a notification or LED indicator.

**Q: How can I pair the remote control with another device?**

**A:** Follow the pairing steps mentioned in the user manual, including pairing broadcasting, pairing, and checking the pairing result.

## Documents / Resources

	<p><a href="#">klydoclock CR12DKL Bluetooth Remote Control</a> [pdf] User Manual 2AWCY-CR12DKL, 2AWCYCR12DKL, CR12DKL Bluetooth Remote Control, CR12DKL, Bluetooth Remote Control, Remote Control, Control</p>
---	--

## References

- [User Manual](#)

[Manuals+.](#) [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.