

+2USB + 2TIPO C















Product Specifications

PNEUMATIC POP UP OUTLET

Attention:

- 1. Before using wireless charging, please make sure your phone supports wireless charging. The maximum wireless charging power is 15W.
- Pop Up Power Outlet design with 3 outlet and 1 USB-A port.
 The maximum power is 15A 125V 1875W.
 Please do not exceed the maximum power of our products.
- 3. This is a hidden type of pop up outlet. After installation, please double check again to make sure that the product is properly plugged.
- 4. The diameter of the pop up socket is 4.33 inch.
- 5. Power cable length: 5 ft
- 6. USB port: DC 5V, 2.4A








After-sales Service:

PICXSIKB pneumatic pop up outlet is fits for the table top thickness up to 1.97 inct Before installing our product, please use a proper hole saw to cut a 4.33 inch diameter hole first.

If you are not sure how to choose a suitable hole saw, you can search for the following asin on Amazon.com or contact our customer service.




During use, if you have any questions about our products, please feel free to contact with our customer service team.

E-mail: service@tongxinhk.com

Proclud Introduction


STEP ONE

Drill a hole of 4.33 inches.



STEP TWO


Take out the ring from bottom.



STEP THREE

Put the pop up outlet into the hole.


Tighten up the ring and done installing.




STEP FOUR

Connect the power.

Check that the power supply is connected successfully.



Product Specifications)



Model No.:

ZG-QSJ100-M4

Item Name:

Pneumatic Pop Up Outlet

Höle diameter:

100 mm

Wire Length:

1500 mm

Rated Voltage

125 V

Rated Power:

1875 W

Rated Current

15 A

Vireless Charging Power:

15 W

Dear users: In order to use the product correctly please kindly read this manual carefully before using it.

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: 1) this device may not cause harmful interference, and 2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- --Reorient or relocate the receiving antenna.
- --Increase the separation between the equipment and receiver.
- --Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- --Consult the dealer or an experienced radio/TV technician for help.

 Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

 Radiation Exposure Statement

This device complies with FCC RF radiation exposure limits set forth for an uncontrolled environment.

The FCC certification of this device refers to RF exposure testing performed in typical operating conditions, where a person is no closer than 20 centimeters from the device surface at all times, except for non-repetitive patterns with transient time intervals in the order of a second. Only in the stated conditions, the device is shown to fully comply with the FCC RF Exposure requirements of KDB 447498.