

24" Series 11 Integrated Refrigerator Freezer, Ice & Water

Series 11 | Integrated

Panel Ready | Right Hinge



A slim profile, perfect for compact kitchens, or pair it with other Integrated models for generous chilled and frozen storage.

- Keep food fresher for longer by constantly maintaining the ideal temperature with ActiveSmart™ technology
- Create the perfect climate for each type of food with Variable Temperature Zone: choice of four food modes, Pantry, Fridge, Soft Freeze or Freezer

- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel and handle accessories

DIMENSIONS

Height	84 "
Width	23 3/4 "
Depth	24 "

FEATURES & BENEFITS

Variable Temperature Zone

Create the perfect climate and store each type of food at optimal temperature and humidity with Variable Temperature Zone, reducing food waste due to spoiling. You have the choice of four food modes: Pantry, Fridge, Soft Freeze or Freezer. Use the Max cold feature for periods of high refrigerator or freezer use, or full grocery loads.

Activesmart™ Foodcare

ActiveSmart™ Foodcare learns how you live. It's technology which understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Internal Water Dispenser And Ice Maker

Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior. Internal storage space is maximized thanks to a flush-fit slimline water dispenser that gives a continuous flow of temperature-controlled chilled water to fill almost any size or shape of vessel. The dual valve system instantly stops water flow to prevent drips and spills.

Flexible Storage

Designed to make it simple for you to store, access and remove food, this refrigerator includes LED-lit adjustable cantilevered shelving and full extension bins in the freezer. The door and veggie bins are family safe, allowing for hands-free operation thanks to its soft close mechanism

Complementary Design

Both the 24" and 30" Integrated Refrigerator Freezers can be installed separately or paired with a Column Refrigerator, Freezer or Wine Column. Customize with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Perfect Fit

These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry for an understated and clean look with any kitchen layout.

Design Quality

The premium design and finish includes a steel interior lining as well as full extension metal shelf runners for easy access, robust glass shelving and quality hinges designed for daily use.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel Left hinge 84"	RD2484WLD
Door panel stainless steel Right hinge 84"	RD2484WRD
Handle kit Classic	AHCLRD2484W
Handle kit Contemporary round, aluminium	AHSRD2484W
Handle kit Contemporary square fine, aluminium	AHD5RD2484W
Handle kit Contemporary square fine, black	AHD5RD2484WB
Handle kit Professional round flush	AHP3RD2484W



Handle kit Professional round flush, Brass off-stands	AHP3RD2484WB A	Door alarm	•	Frost Free Freezer	•
Handle kit Professional round flush, Dark Copper off-stands	AHP3RD2484WD C	Fruit and vegetable bins	2	Humidity control system	•
Joiner Kit	AJ-RS84LR	Gallon door shelves	1	Inverter controlled compressor	•
Toe kick stainless steel 24"	AKRS2404	Internal water dispenser	•	Sabbath mode	•
Toe kick stainless steel 42"	AKRS4204	LED bin lighting	•	Variable food modes	Pantry; Fridge; Soft freeze; Freezer
Toe kick stainless steel 48"	AKRS4804	LED ceiling lighting	•	Variable temperature zones	2
Toe kick stainless steel 54"	AKRS5404	LED lighting	•		
Toe kick stainless steel 60"	AKRS6004	LED side lighting	•		
Toe kick stainless steel 66"	AKRS6604	SmartTouch interface at counter height	•		
Toe kick stainless steel 72"	AKRS7204	Stackable bottle holders	4	Power Requirements	
Toe kick stainless steel 78"	AKRS7804			Rated current	10 A
Toe kick stainless steel 84"	AKRS8404			Supply frequency	60 Hz
				Supply voltage	115 V
Capacity		Freezer Features		Product Dimensions	
Total gross capacity	12.08 cu ft	Automatic ice maker	•	Depth	24 "
Volume	12.1 cu ft	Bottle chill	•	Height	84 "
Volume freezer	4.1 cu ft	Door alarm	•	Width	23 3/4 "
Volume refrigerator	8 cu ft	Fast freeze	•		
		Freezer bins	2		
		Freezer trays	1		
		Ice Boost	•		
		LED bin lighting	•	Product information	
		LED ceiling lighting	•	Packaged weight	357 lbs
Consumption		LED side lighting	•	Unpackaged weight	269 lbs
Energy rating	Energy star	Max Cold	•		
Energy usage	439kWh/year	SmartTouch interface at counter height	•		
				Warranty	
Features		Performance		Parts and labor	2 years
Adjustable door shelves	4	ActiveSmart™ Foodcare	•	Sealed system parts only	5 years
Adjustable glass cantilevered shelves	•	Adaptive defrost	•		
Covered door shelves	1	Dual evaporator	•		

SKU 25689

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- ↓ 2D-DWG Integrated Refrigeration - K05 Hinge
- ↓ 2D-DXF Integrated Refrigeration - K05 Hinge
- ↓ 2D-DXF Panel Preparation
- ↓ Energy Label
- ↓ Service & Warranty
- ↓ Water Filter Replacement Instructions - Parts 847200 and 847201 - EN
- ↓ Installation Guide
- ↓ Installation Guide Toe Kick
- ↓ Water Filter Replacement Instructions - Parts 847200 and 847201 - FR
- ↓ Installation Guide FR
- ↓ Planning Guide Professional Style Dial/Handle Accessories
- ↓ Planning Guide EN
- ↓ Planning Guide Integrated Refrigeration FR
- ↓ Planning Guide Integrated Refrigeration SP
- ↓ Revit Refrigerator Freezer
- ↓ Rhino Refrigerator Freezer with Custom Panel
- ↓ Rhino Refrigerator Freezer with Door Panel and Contemporary Round Handle
- ↓ Rhino Refrigerator Freezer with Door Panel and Contemporary Square Fine Black Handle
- ↓ Rhino Refrigerator Freezer with Door Panel and Contemporary Square Fine Handle
- ↓ Rhino Refrigerator Freezer with Door Panel and Contemporary Square Handle

- ↓ Rhino Refrigerator Freezer with Door Panel and Professional Round Flush Handle
- ↓ Rhino Refrigerator Freezer with Door Panel and Professional Round Handle
- ↓ Rhino Refrigerator Freezer with Door Panel and Professional Square Handle
- ↓ Sketchup Refrigerator Freezer with Custom Panel
- ↓ Sketchup Refrigerator Freezer with Door Panel and Contemporary Round Handle
- ↓ SketchUp Refrigerator Freezer with Door Panel and Contemporary Square Fine Black Handle
- ↓ Sketchup Refrigerator Freezer with Door Panel and Contemporary Square Fine Handle
- ↓ Sketchup Refrigerator Freezer with Door Panel and Contemporary Square Handle
- ↓ Sketchup Refrigerator Freezer with Door Panel and Professional Round Flush Handle
- ↓ Sketchup Refrigerator Freezer with Door Panel and Professional Round Handle
- ↓ Sketchup Refrigerator Freezer with Door Panel and Professional Square Handle
- ↓ User Guide Integrated Refrigerator Freezer EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 W www.fisherpaykel.com