


Burstiger



Burstiger Claw Wireless Gaming Mouse

User Manual




Thank you for choosing the Burstiger mouse, please read this manual before using it for the best experience.


Package

Burstiger Claw Wireless Gaming Mouse	x 1
Type-C Cable	x 1
USB Receiver	x 1
User Manual	x 1

Function



1. Left Button
2. Right Button
3. Scroll Wheel
4. Forward Button
5. Backward Button
6. Charging/DPI Indicator




7. Charging Port
8. Mouse Floor Pad
9. ON/OFF
10. DPI Switch

Mouse Parameter

Dimensions & weight

Product Dimensions: 121x64x40mm

Product Net Weight: 55±2g



DPI/Polling Rate

DPI: 400-26000 DPI

Polling Rate: 125/250/500/1000 Hz

Solution

Sensor: PAW3395

Charging

Interface Type: Type-C

Capacity: 300mAh

LOD Setting

LOD Gear: 1mm/2mm

Number: 5

Programmable Button

Cable

Type: paracord

Cable Length: 1.6m

Connection

Connection Way: Wired/2.4G/BT


Effective Connection Distance: 10M

System Support


Windows 8/10/11

Set-up Guide

2.4G Mode (Wireless Gaming)




Slide the mode switch to "2.4G". The indicator light turns into a slow flashing green light



Simultaneously press and hold the left, middle, and right buttons. The indicator light will



Take the USB dongle and insert it into the USB port of your device.



After successful pairing, the indicator light will stay green for 3 seconds and then turn off.

Wired Mode




Slide the mode switch to "OFF". The mode indicator light will turn off.





Connect the mouse to your computer using the provided cable, plug and play.

BT Mode



Slide the mode switch to "BT" position, and the indicator light will turn blue. Press the left, middle, and right buttons simultaneously. When the device appears as "Burstiger" click to connect.

Once connected successfully, the mode light will stay blue for about 3 seconds before turning off.



DPI Switch

DPI	Color of DPI Indicator
400	Orange
800	Red
1600	Green
3200	Blue
6400	Cyan
26000	Purple

You can change your DPI with a press of the DPI cycle button at the bottom of the mouse.

The factory DPI settings are set at 400, 800, 1600, 3200, 6400, 26000, or you can fine-tune your own sensitivity setting using PC

Sleep Mode:

- Level 1 Hibernate: If there is no activity for 60 seconds, the mouse enters Level 1 hibernation mode (wake up available via key press, movement, or scroll wheel)
- Level 2 Hibernate: If there is no activity for 10 minutes, the mouse enters Level 2 hibernation mode

Driver Download and install

Please download and install the driver from the Burstiger official website. Here is the link to download the driver:

<https://www.burstiger.com>

Note

- Driver settings only support 2.4G and Wired mode, and cannot be used in BT mode (if the driver is opened in BT mode, it will prompt "device not recognized").
- The driver is only for PC, not for Mac.

Battery Life and Sleep Mode

With a 300mAh rechargeable lithium battery, the mouse can last for up to 60 hours at a single charge under 1000Hz polling rate. And the battery can be fully charged in about 3 hours.

Mouse enters stand-by mode after 10s and enters sleeping mode after 60 second.

This time can be modified by driver. Moving the mouse to wake it up.

FCC Warning Statement:

Changes or modifications not expressly approved by the party responsible for compliance could void the user’ s authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- - Reorient or relocate the receiving antenna.
- - Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- - Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and
(2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE: This device and its antenna(s) must not be co-located or operation in conjunction with any other antenna or transmitter.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.