

# User's Guide 3499

CASIO®

ENGLISH

Congratulations upon your selection of this CASIO watch.

For details about how to use this watch and for troubleshooting information, go to the website below.

<https://world.casio.com/manual/wat/>



**Important!**

- This manual provides a brief overview of your watch.
- If you are going to a location where Internet access is not available, download the Operation Guide PDF from the website below to a device that you will be taking along with you.

Note that CASIO COMPUTER CO., LTD. assumes no responsibility for any damage or loss suffered by you or any third party arising through the use of your watch or its malfunction.

E-1

**Important!**

- Keep the watch's face exposed to light as much as possible (page E-4).
- This manual provides a brief overview of your watch.

**Important Altimeter and Compass Information!**

- The Altimeter Mode displays relative altitude based on barometric pressure readings. Readings taken at different times at the same location may produce different values due to changes in pressure. The value displayed by the watch may be different from the actual elevation and/or sea level elevation of your location.
- When using the Altimeter Mode for mountain climbing or other activities, it is highly recommended that you check a map, local altitude indications, or some other source for your current correct altitude, and that you regularly calibrate the Altimeter Mode.
- When using the watch compass for serious trekking or climbing always take along another compass to confirm readings. If watch readings are different from the other compass, perform bidirectional calibration of the watch compass.
- Direction readings and calibration will not be possible if the watch is near a permanent magnet (magnetic accessory, etc.), metal objects, high-voltage wires, aerial wires, or electrical appliances (TV, computer, cellphone, etc.)
- Calibration: Operation Guide available at the CASIO website.

**Contents**

|                                                                                        |      |
|----------------------------------------------------------------------------------------|------|
| <b>Charging the Watch</b>                                                              | E-4  |
| <b>Using the Watch</b>                                                                 | E-6  |
| Navigating Between the Timekeeping, Compass, Barometer/Thermometer and Altimeter Modes | E-6  |
| Navigating to Other Modes                                                              | E-8  |
| <b>Changing the Current Time and Date Settings</b>                                     | E-10 |
| <b>Mode Settings</b>                                                                   | E-12 |
| <b>Specifications</b>                                                                  | E-13 |

E-2

E-3

**Charging the Watch**



- Remove the watch from your wrist and place it in a brightly lit area.**
- The watch may become hot when exposed to light for charging. Take care to avoid burn injury.
  - Avoid charging in locations where it is very hot.
- Power Saving**
- Leaving the watch in a dark locations for about one hour between the hours of 10 p.m. and 6 a.m. will cause **PS** to flash on the display. All functions will continue operation.
  - Leaving the watch in a dark location for about one week will cause **PS** to remain on the display without flashing. Only the timekeeping function will continue operation.
- Battery Alerts**
- When battery power goes low, a warning message (**LOW** or **CHG**) appears on the display and certain functions become disabled. When a warning message appears, charge the watch as soon as possible.

E-4

E-5

**Using the Watch**


- Navigating Between the Timekeeping, Compass, Barometer/Thermometer and Altimeter Modes**
- To return directly to the Timekeeping Mode from any other mode, hold down **(D)** for at least two seconds.
  - To enter the Compass, Barometer/Thermometer or Altimeter Mode from any mode not shown in the diagram below, first return to the Timekeeping Mode.



E-6

E-7

## Navigating to Other Modes




E-8

E-9

## Changing the Current Time and Date Settings

- In the Timekeeping Mode, hold down (E) for at least two seconds. Keep (E) depressed until the city code and city name starts to scroll.
- Press (D) to move the flashing in the sequence shown below to select the other settings.



- When the timekeeping setting you want to change is flashing, use (A) and/or (C) to change it as described below.

| Screen | To do this:                                                       | Do this:                       |
|--------|-------------------------------------------------------------------|--------------------------------|
| TYO    | Change the city code                                              | Use (A) (East) and (C) (West). |
| OFF    | Toggle between Daylight Saving Time (ON) and Standard Time (OFF). | Press (A).                     |
| 12H    | Toggle between 12-hour (12H) and 24-hour (24H) timekeeping.       | Press (A).                     |

E-10

E-11

## Mode Settings

For full details about timer, alarm, World Time City summer time, and other settings, and about calibrating measurements (direction, altitude, barometric pressure, temperature), refer to the Operation Guide available at the CASIO website.

| Screen    | To do this:                                                                                                   | Do this:                 |
|-----------|---------------------------------------------------------------------------------------------------------------|--------------------------|
| 50        | Reset the second to 00 (If the current seconds count is between 30 and 59, one is added to the minute count). | Press (A).               |
| 10:58     | Change the hour or minute                                                                                     | Use (A) (+) and (C) (-). |
| 2021 6:30 | Change the year, month, or day                                                                                |                          |

- After all of the settings are the way you want, press (E) twice to exit the setting screen.

## Specifications

**Accuracy at normal temperature:** ±15 seconds a month

**Timekeeping:** Hour, minute, second, p.m. (P), year, month, day, day of the week  
Time format: 12-hour and 24-hour  
Calendar system: Full Auto-calendar pre-programmed from the year 2000 to 2099  
Other: Three display formats (day of the week/day screen, month/day screen, barometric pressure graph screen); Home City code (can be assigned one of 48 city codes); Standard Time / Daylight Saving Time (summer time)  
Year display on setting screen only.

**Digital Compass:** 60 seconds continuous reading; 16 directions; Angle value 0° to 359°; Four direction pointers; Calibration (bidirectional); Magnetic declination correction; Bearing Memory

**Barometer:**  
Measurement and display range: 260 to 1,100 hPa (or 7.65 to 32.45 inHg)  
Display unit: 1 hPa (or 0.05 inHg)  
Reading timing: Daily from midnight, at two-hour intervals (12 times per day); Every five seconds in the Barometer/Thermometer Mode  
Other: Calibration; Manual reading (button operation); Barometric pressure graph; Barometric pressure differential pointer; Barometric pressure change indicator

**Thermometer:**  
Measurement and display range: -10.0 to 60.0°C (or 14.0 to 140.0°F)  
Display unit: 0.1°C (or 0.2°F)  
Reading timing: Every five seconds in the Barometer/Thermometer Mode  
Other: Calibration; Manual reading (button operation)

E-12

E-13

### Altimeter:

Measurement range: -700 to 10,000 m (or -2,300 to 32,800 ft.) without reference altitude  
Display range: -10,000 to 10,000 m (or -32,800 to 32,800 ft.)  
Negative values can be caused by readings produced based on a reference altitude or due to atmospheric conditions.  
Display unit: 1 m (or 5 ft.)  
Current Altitude Data: Every second for the first 3 minutes, followed by every 5 seconds for approximately 1 hour (0'05); every second for the first 3 minutes, followed by every 2 minutes for approximately 12 hours (2'00)  
Altitude Memory Data:  
Manually saved records: 30 (altitude, date, time)  
Auto saved values: One set of high altitude and its reading date and time, low altitude and its reading date and time, total ascent and its save start date and time, total descent and its save start date and time  
Trek log data: High altitude, low altitude, cumulative ascent, cumulative descent for up to 14 treks  
Other: Reference altitude setting; Altitude differential; Altitude auto measurement interval (0'05 or 2'00)

### Bearing Sensor Precision:

Direction: Within ±10°  
Values are guaranteed for a temperature range of -10°C to 60°C (14°F to 140°F).  
North pointer: Within ±2 digital segments

### Pressure Sensor Precision:

Measurement accuracy: Within ±3 hPa (0.1 inHg) (Altimeter accuracy: Within ±75m (246 ft.))  
Values are guaranteed for a temperature range of -10°C to 40°C (14°F to 104°F).  
Precision is lessened by strong impact to either the watch or the sensor, and by temperature extremes.

### Temperature Sensor Precision:

±2°C (±3.6°F) in range of -10°C to 60°C (14.0°F to 140.0°F)

### Sunrise/sunset:

Sunrise/sunset time display; selectable date

### Stopwatch:

Measuring unit: 1/10 second  
Measuring capacity: 999:59' 59.9"  
Measuring accuracy: ±0.0006%  
Measuring modes: Elapsed time, split time, two finishes

### Countdown Timer:

Measuring unit: 1 second  
Countdown range: 24 hours  
Setting unit: 1 minute

Alarms: 5 Daily alarms (with one snooze alarm); Hourly time signal

World Time: 48 cities (31 time zones)

Other: Daylight Saving Time/Standard Time

Illumination: LED light; Selectable illumination duration (approximately 1.5 seconds or 3 seconds); Auto Light Switch (Full Auto Light operates only in the dark)

Other: Battery power indicator; Power Saving; Low-temperature resistance (-10°C/14°F); Button operation tone on/off

E-14

E-15

**Power Supply:** Solar panel and one rechargeable battery

Approximate battery operating time: 8 months (from full charge to Level 4) under the following conditions:

- Light: 1.5 seconds/day
- Beeper: 10 seconds/day
- Direction readings: 20 times/month
- Climbs: Once (approximately 1 hour of altitude readings)/month
- Barometric pressure change indicator readings: Approximately 24 hours/month
- Barometric pressure graph: Readings every 2 hours
- Display: 18 hours/day

*Frequent use of illumination runs down the battery. Particular care is required when using the auto light switch.*

Specifications are subject to change without notice.



## City Code Table

E-16

L-1

### City Code Table

| City Code | City                | UTC Offset/<br>GMT Differential |
|-----------|---------------------|---------------------------------|
| PPG       | Pago Pago           | -11                             |
| HNL       | Honolulu            | -10                             |
| ANC       | Anchorage           | -9                              |
| YVR       | Vancouver           | -8                              |
| LAX       | Los Angeles         | -8                              |
| YEA       | Edmonton            | -7                              |
| DEN       | Denver              | -7                              |
| MEX       | Mexico City         | -6                              |
| CHI       | Chicago             | -6                              |
| NYC       | New York            | -5                              |
| SCL       | Santiago            | -4                              |
| YHZ       | Halifax             | -4                              |
| YYT       | St. Johns           | -3.5                            |
| RIO       | Rio De Janeiro      | -3                              |
| FEN       | Fernando de Noronha | -2                              |
| RAI       | Praia               | -1                              |

| City Code | City      | UTC Offset/<br>GMT Differential |
|-----------|-----------|---------------------------------|
| UTC       |           |                                 |
| LIS       | Lisbon    | 0                               |
| LON       | London    | 0                               |
| MAD       | Madrid    | 0                               |
| PAR       | Paris     | 0                               |
| ROM       | Rome      | +1                              |
| BER       | Berlin    | +1                              |
| STO       | Stockholm | +1                              |
| ATH       | Athens    | +1                              |
| CAI       | Cairo     | +2                              |
| JRS       | Jerusalem | +2                              |
| MOW       | Moscow    | +3                              |
| JED       | Jeddah    | +3                              |
| THR       | Tehran    | +3.5                            |
| DXB       | Dubai     | +4                              |
| KBL       | Kabul     | +4.5                            |
| KHI       | Karachi   | +5                              |

| City Code | City       | UTC Offset/<br>GMT Differential |
|-----------|------------|---------------------------------|
| DEL       | Delhi      | +5.5                            |
| KTM       | Kathmandu  | +5.75                           |
| DAC       | Dhaka      | +6                              |
| RGN       | Yangon     | +6.5                            |
| BKK       | Bangkok    | +7                              |
| SIN       | Singapore  | +7                              |
| HKG       | Hong Kong  | +8                              |
| BJS       | Beijing    | +8                              |
| TPE       | Taipei     | +8                              |
| SEL       | Seoul      | +9                              |
| TYO       | Tokyo      | +9                              |
| ADL       | Adelaide   | +9.5                            |
| GUM       | Guam       | +10                             |
| SYD       | Sydney     | +10                             |
| NOU       | Noumea     | +11                             |
| WLG       | Wellington | +12                             |

- Based on data as of July 2020.
- If the city or area you want is not included in the above table, set the Home City to a city code that is in the same time zone as the location you want to select.
- For details about the Home City, World Time City and summer time settings, refer the Operation Guide available at the CASIO website.

L-2

L-3