

SKYWORTH

SS586

5.1CH Home Cinema Soundbar System

USER MANUAL



Important Safety Instruction

Thank you for purchasing the SS586 Soundbar. Please read this user manual carefully and keep for future reference.

Warning



Caution:

To reduce the risk of electric shock, do not dismantle the product and do not expose the apparatus to rain or moisture. No user-serviceable parts inside. Refer servicing to qualified personnel only.



The lightning flash within an equilateral triangle is intended to alert you to the presence of uninsulated dangerous voltage within the product's enclosure that may be of sufficient magnitude to constitute an electric shock to a person or persons.



Important! This symbol alerts you to read and observe important warnings and instructions on the unit or in this manual.

Notice:

This appliance is not intended for use by persons (including children) with reduced physical sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. Children should be supervised to ensure that they do not play with the appliance.

1. To prevent possible hearing damage, do not listen at high volume levels for long time periods or a sudden high volume level.



2. Never use the device unsupervised! Switch off the device whenever you are not using it, even if it is not used only for a short while.

3. The appliance is not intended to be operated by means of an external timer or separate remote control system.

4. If the supply cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard.

5. Before operating this system, check the voltage of this system to see if it is identical to the voltage of your local power supply.



6. The unit should not be impeded by covering the ventilation opening with items such as newspaper, table-cloths, curtains etc. Make sure that there are at least 20 cm of space above and at least 5 cm of space on each side of the unit.
7. The apparatus must not be exposed to dripping or splashing liquid, no objects filled with liquids such as vases, should be placed on the apparatus.
8. To prevent fire or shock hazard, do not expose this equipment to direct heat, rain, moisture or dust.
9. Do not position this unit near any water sources e.g. taps, bathtubs, washing machines or swimming pools. Ensure that you place the unit on a dry, stable surface.
10. Do not place this unit close to a strong magnetic field.
11. Do not place the unit on a amplifier or receiver.
12. Do not place this unit in a damp area as the moisture will affect the life of electric components.
13. Do not attempt to clean the unit with chemical solvents as this might damage the finish. Wipe with a clean, dry or slightly damp cloth.
14. When removing the power plug from the wall outlet, always pull directly on the plug, never pull on the cord.
15. Depending on the electromagnetic waves used by a television broadcast, if a TV is turned on near this unit while it is also on, lines might appear on the LED TV. Neither this unit nor the TV is malfunctioning. If you see such lines, keep this unit well away from the TV set.
16. The mains plug is used to disconnect the device, the disconnected device should remain readily operable.

Important Safety Instructions

1. Read these instructions. Keep these instructions. Follow all instructions. Heed all warnings.
2. Do not use this apparatus near water.
3. Clean only with dry cloth.
4. Do not block any ventilation openings. Install in accordance with the manufacturer's instructions.
5. Do not install near any heat sources such as radiators, heaters, stoves, or other apparatus (including amplifiers) that produce heat.
6. Protect the power cord from being walked on or pinched particularly at plugs, convenience receptacles or at the point where they exit from the apparatus.
7. Only use attachments/accessories specified by the manufacturer.
8. Unplug this apparatus during lightning storms or when unused for long periods of time.

9. Refer all servicing to qualified service personal. Servicing is required when the apparatus has been damaged in any way, for example, when the power-supply cord or plug is damaged, liquid has been spilled or objects have fallen into the apparatus, the apparatus has been exposed to rain or moisture, does not operate normally, or has been dropped.
10. The AC plug is used to disconnect the device, the disconnected device should remain readily operable. In order to disconnect the apparatus from the AC power completely, the AC plug must be removed from the AC outlet completely.

Preparation for Use

Unpacking and Set-Up

- Remove the soundbar from the carton and remove all packaging material from the soundbar. Save the packaging material, if possible, in case the soundbar ever needs to be serviced or transported. The original carton and packaging material is the only safe way to pack your soundbar to protect it from damage in transit.
- Remove any descriptive labels or stickers on the front or top of the cabinet. Do not remove any labels or stickers from the back or bottom of the cabinet.
- Place your soundbar on a level surface such as a table, desk or shelf, convenient to an AC outlet, out of direct sunlight, and away from sources of excess heat, dirt, dust, moisture, humidity, or vibration.
- Unwind the power cord connecting the AC adapter and extend it to its full length.

Protect Your Furniture

This model is equipped with non-skid rubber 'feet' to prevent the product from moving when you operate the controls. These 'feet' are made from non-migrating rubber material specially formulated to avoid leaving any marks or stains on your furniture. However certain types of oil based furniture polishes, wood preservatives, or cleaning sprays may cause the rubber 'feet' to soften, and leave marks or a rubber residue on the furniture. To prevent any damage to your furniture we strongly recommend that you purchase small self-adhesive felt pads, available at hardware stores and home improvement centers, and apply these pads to the bottom of the rubber 'feet' before you place the unit.

Important Notes

- Safety and operating instruction manual should be retained for future reference.
- The apparatus should not be exposed to dripping, splashing or placed in a humid atmosphere such as a bathroom.
- Do not install the product in the following areas:
 - Places exposed to direct sunlight or close to radiators.
- On top of other stereo equipment that radiate too much heat -Blocking ventilation or in a dusty area.
- Areas where there is constant vibration.
- Humid or moist places.
- Do not place near candles or other flames.
- Operate the product only as instructed in this manual.
- Before turning on the power for the first time, make sure the soundbar is plugged into a power outlet.
- For safety reasons, do not remove any covers or attempt to gain access to the inside of the product. Refer any servicing to qualified personnel.
- Do not attempt to remove any screws, or to open the casing of the unit; there are no user serviceable parts inside. Refer all servicing to qualified service personnel.



Power source:

This soundbar is designed to operate in AC 110-240V 50/60Hz, This surround is designed to operate in DC24V, 1.25A.

Skyworth makes every effort necessary to ensure that the information in this User Manual is substantially accurate, complete and current at the point of production. In the unlikely event that any information in this User Manual is incorrect or if information were omitted due to technical inaccuracies, Skyworth cannot be held responsible or liable for any direct, indirect, special, incidental or consequential damages that may arise from the use of erroneous information, typographical errors or any errors resulting in discrepancies in product specifications and actual operation of such product. Furthermore, Skyworth will not be liable for any damages that may arise caused directly, indirectly, special, incidental or consequential by the use of faulty, malfunctioning products and/or accessories thereof, included or sold separately. The inclusion of all or any accessories referenced, implied or illustrated, such as cables, plugs, connectors, stands, mounts, remotes and batteries may vary per country, supplier and place of origin. All accessories not included are sold separately and are readily available. Figures and illustrations in this User Manual are provided for reference and illustration purposes only and may differ from actual product appearance. Skyworth reserves the right to change any features, specifications, product outlook, design and functionality of said product without prior notice.


Please check in-store for more details.

Product Diagram



- 1 Wireless Surround SL or SR out (wireless surround Channel is fixed, when end user's power socket position isn't matched, please press switch button from bottom of surround speaker to exchange channel position.)
- 2 Wireless surround SL channel LED light
- 3 LED indicator: Indicates the pairing between soundbar and wireless surround speaker
- 4 FOR UPDATE ONLY (FOR SOFTWARE UPGRADE ONLY)
- 5 DC IN
- 6 Wireless surround SR channel LED light
- 7 quick press to switch L/R channel: Surround channel (SL OR SR) switch button (wireless surround Channel is fixed, when end user's power socket position isn't matched,pls press switch button from bottom of surround speaker to exchange channel position.) Press and hold for surround speaker pairing with soundbar.

Remote Control





1. Standby mode for power on/off.
2. PAIR: Connect or disconnect to the pairing device. (Press the button more than 2 seconds).
3. RESET: Reset all CH volume levels to default of factory setting and switch EQ to Music mode when press and hold button more than 2 seconds.
4. TR-: Treble volume down.
5. Volume+: Master volume up
6. Pre button: Previous program (Only work under USB & BT Mode).
7. Volume -: Master volume down
8. SW-: Subwoofer Channel volume down.
9. MUSIC: Select the Music EQ effect.
10. NEWS: Select the News EQ effect.
11. CEN-: Center Channel volume down.
12. SURR-: Surround Channel volume down.
13. MUTE: Mute mode.
14. INPUT: Input mode(AUX/USB/ARC/OPT/BT).
15. DISPLAY: LED display on/off, only work under power on.
16. TR+: Treble volume up.
17. Next button: Next program. (Only work under USB and BT mode).
18. SW+: Subwoofer Channel volume up.
19. MOVIE: Select the Movie EQ effect.
20. SPORT: Select the Sport EQ effect.
21. CEN+: Center Channel volume up.
22. SURR+: Surround Channel volume up.
23. HI: Play/Pause (Only work under USB and BT mode).

Positioning the Sound Bar

Place on a flat Surface



Place the soundbar horizontally on a flat surface such as a TV unit stand or shelf and align it centrally with the TV screen. Allow some space between the speaker and the wall. Don't place inside a cabinet or a walled shelf. Follow this guidance for best sound output and good airflow around the soundbar.



Mount on the wall



WARNING: If you don't feel confident to correctly and securely wall-mount the soundbar, Seek the assistance of an experienced person or professional.



Install the speaker on a vertical, fast, reinforced area of wall. For plaster walls, it is recommended to insert the screws into wall studs greater security. For optimum performance, allow at least 25mm/1" distance between the sound bar and the TV.



Follow below steps to mount the soundbar on the wall





1. Measure the distance of the mounting anchor pads on the soundbar. Mark the holes of the bracket on the wall ensuring the space corresponds with the distance of the soundbar anchoring points. Drill 4 holes into the wall.
2. Fix the plastic anchor in the 4 holes of the wall mounting bracket.
3. Fix the screws on the plastic anchor and tighten the screws to ensure that the wall mounting bracket is stable and secure.
4. After fastening the screws, place the soundbar pads into the extension of the wall mounting bracket.





Follow below steps to mount the surround speaker on the wall

1. Measure the desired height and position placement of the surround speakers in range of the soundbar and sub. Mark and drill the mounting holes.
2. Fasten the plastic anchors in the 4 holes of the wall mount bracket.
3. Then attach the provided screws to the plastic anchors and tighten the screws to ensure that the wall mount bracket is stable and secure.
4. Fasten each surround speaker securely to the bracket by screwing each speaker base to the bracket mount through the hole provided.




OPERATIONAL INSTRUCTIONS

Setting the Soundbar

1. Connect the plug to a suitable power source, the LED display will light up, this is to confirm the unit has power.
2. Turn the unit on by pressing "STANDBY" on the soundbar or on the remote. The default input mode will appear on the display.
3. Input modes can be changed by pressing the "INPUT" button on soundbar or on remote controller.
4. Below are all the compatible input modes to select from:
bt -Bluetooth Pairing mode, **AUX**-AUX mode, **OPT** -Optical mode, **Hd** -ARC mode, **USB**-USB mode,


Powering On/Off

5. Insert the power plug into a suitable power source like a wall outlet. The unit will automatically enter standby mode.
6. Turn the unit on by pressing the "STANDBY" button on the soundbar or remote.
7. To turn off, press and hold the "STANDBY" button for 2 seconds, then unplug from wall outlet.



Pair up with the surround

1. Plug the soundbar into the main socket and press "POWER/STANDBY" to turn the soundbar on, then press "INPUT" on soundbar to switch to the bluetooth (BT) mode.
2. Power on rear surround speakers. The blue LED indicator on the surround will blink slowly which indicates entering into pairing mode between soundbar and the wireless surround.
3. Press and hold the "switch button" on the bottom of the rear surround for around 2.5 seconds. The blue indicator blinks quickly while waiting for the soundbar and rear surround to automatically pair.
4. After about 20-30 seconds, the blue indicator of the rear surrounds changes to steady on. The soundbar and rear surround are matched successfully automatically.
5. The devices will be able to pair automatically after the initial successful pair, even if they are switched off and on.
6. If you want to pair your wireless surround with another soundbar, please repeat step 1 to step 4 above. Ensure that the soundbar you want to pair with the surround are within range turned on and any other pairing devices are switched off or on standby.



Remark:


1. If the wireless surround speaker is turned on, but the soundbar is in standby mode or turned off (no power), the flashing blue indicator light of the wireless surround speaker will become red and stay on after about 5 minutes, which means that wireless surround speaker enter into the standby state.
2. In order to avoid receiving wireless signal interference, when you are playing this wireless sound bar system, please keep this wireless soundbar system from your other wireless devices and 2.4GHz devices at a proper distance.
3. The maximum connection distance between wireless surround and Sound bar: within 10 meters in the open space.

Playing Audio via BT Connection

1. Turn the soundbar on and then press the "INPUT" button on soundbar or remote controller to switch it to BT mode. The LED display on the soundbar will flicker in the Bluetooth pairing mode.
2. Activate the pairing function on your phone or other compatible device and select "SS586" through BT connection.
3. When successfully paired, you will hear a tone and the LED display will stop to flicker and show "b2". The music you select from the paired device can now be played on the soundbar.
4. The remote controller includes BT mode playback controls.

Notes:


- If your pairing device switched off or manually disconnected, the soundbar will automatically enter pairing mode.
- If the connected device is switched off or manually disconnected, the soundbar will automatically enter pairing successfully with the connected device once you re-enter wireless range(10 meters). To connect to other devices, repeat the above pairing steps
- There is no automatic shutdown in pairing mode. The soundbar will remain in pairing mode even if no device is paired, so switch off if not in use




Playing Audio via USB Port

The soundbar automatically switches to USB input mode with the LED display "USB" when a USB flash drive is inserted (this mode isn't selectable on the soundbar or remote control unless a USB flash drive is connected).

1. Ensure that your USB flash drive contains MP3 audio files (other file types not supported)
2. Connect the USB flash drive to the USB port on the soundbar (or your own USB extension cable connected to the USB port); music will automatically play
3. The remote control includes USB input mode playback controls



Using the Soundbar



Audio input(Aux)Connection

1. Firstly connect the soundbar to your PC, laptop, smart-phone, TV, or other audio devices by using an AUX cable provided. Make sure that these devices have both AUX IN and AUX OUT terminals.
2. Then press the INPUT button on remote control or soundbar to switch the soundbar to Aux mode, once the soundbar is connected in Aux mode, the screen will display " AU ". And the music on your connected device will play. Playback can only be controlled on your connected device.

Note: For some computers, you may need to access the audio control panel to manually set the soundbar as shown steps on above.

HDMI (ARC) Mode

1. The soundbar supports HDMI (ARC) with audio return channel (ARC). You can hear the TV audio through your soundbar by using a single HDMI (ARC) cable. But on condition that your TV is ARC compliant.
2. Using a high speed HDMI (ARC) cable, connect the HDMI (ARC) connector on the soundbar to the HDMI (ARC) connector on the TV. The HDMI (ARC) connector on the TV might be labeled differently. For details, see the user manual of your TV.
3. When HDMI (ARC) is connected, TV sound setting in "sound output" mode should be set as <external Dolby or Auto mode>, in addition, digital audio output mode should be set as <automatic> or <decoded output as Dolby>. When the HDMI (ARC) cable is connected, the TV digital audio output is set as Dolby or Auto mode. Then start playing music on the TV.
4. Press "INPUT" button on the remote control or on soundbar to select Hd - HDMI (ARC) mode.
5. Use the volume buttons to adjust the volume to your requirements.
6. You can also change the audio settings by using the relevant buttons on the remote control.

- Note:**
1. When connecting a device such as a TV/Set-top box/DVD/ game console with HDMI (ARC) cable, set the audio output mode of the device to Dolby or Auto mode <digital HDMI (ARC) output>.
 2. The TV is connected to a HDMI (ARC) port with soundbar. Different TVs might have different setup menus, but the operation approach is the same.
 3. If needs to connect set-up box meanwhile, please firstly connect the HDMI (ARC) connector and paired to the soundbar. Then connect the set-top box.

Optical Mode

- Remove the cap of optical cable (keep the cap for the future use); check the direction of the plug. Connect the soundbar and TV with the optical cable.
- Use this mode to play music from a TV with optical digital output on the soundbar. In TV sound settings, select the soundbar optical connection (output for audio). When the optical cable is connected, the TV audio output is set to Dolby or Auto mode.
- The TV must have an optical digital output. Use the optical cable to make the connection as follows:
 1. Connect the optical cable to the optical digital output of your TV.
 2. Connect the optical cable to the optical digital input of your soundbar.
 3. Switch on the TV set and the soundbar. Set the connected TV to "Dolby or Auto mode".
 4. Start playing on the TV.
 5. Press "INPUT" button on the remote control or on the soundbar to select OPT - OPTICAL mode.
 6. Use the volume buttons to adjust the volume to your requirements.
 7. You can also change the audio settings by using the relevant buttons on the remote control.

- Note:**
1. When connecting a device such as a TV/Set-top box/ DVD/ game console with optical cable, set the audio output mode of the device to Dolby or Auto mode (digital optical output).
 2. Do not bend the optical cable, otherwise the cable inside will be damaged.

TROUBLESHOOTING


PROBLEM/TROUBLE	POSSIBLE CAUSE	SOLUTION
There is no sound output from soundbar.	Another input source is selected.	Select an appropriate input source.
	The mute function is activated.	Cancel the mute function.
	The volume of soundbar or TV/other device is adjusted too low.	Increase the volume level on soundbar or by remote control or on TV.
	The power cable of the unit is not connected properly.	Make sure that the power cable of the unit is connected to an AC wall outlet securely.
	Input jacks on a playback device are connected.	Connect the input jack on the soundbar and the output jack on the playback device.
	Signals that the soundbar cannot playback when being input.	When soundbar and TV or other devices are connected by an audio cable through TV (ARC) port output, Select the correct audio input and output. Make sure the digital audio output setting on the playback device to PCM format. Since the output format of our soundbar is PCM, if it is used, the decoding format of TV or other devices will be adjusted to PCM state.
The sound is distorted or echoed.	TV volume is not muted.	If you play audio from TV through the soundbar, make sure that the TV is muted.
The volume decreases when the unit is turned on.	The automatic volume adjustment function is activated. To prevent excessive loudness, the unit automatically controls its volume within a certain level when the unit is turned on.	Turn up the volume as required.
Noise is heard.	The soundbar is too close to another digital or high-frequency device.	Move those devices away from the soundbar.
The unit cannot be operated by using the remote control.	The unit is out of the operating range.	Use the remote control within the operating range.
	The batteries are weak.	Replace with new batteries.
	The remote control sensor of the soundbar is exposed to direct sunlight or strong lighting.	Adjust the lighting angle or reposition the soundbar. Make sure our product is not used in sunlight.
The TV cannot be operated by using the TV's remote control.	The unit is blocking the TV's remote control sensor.	Position the unit so that it does not obstruct the TV's remote control sensor.
A device cannot connect the soundbar or the unit cannot be connected to a Bluetooth device.	Bluetooth function of the device is not activated, not paired or connected correctly.	Restart the soundbar and try pairing again. You have not enabled the Bluetooth function of the device; see the user manual of the device on how to enable the function and correctly connect the device. The soundbar is already connected with another Bluetooth device. Disconnect the connected device, and then try again.
	Bluetooth is not selected as the input source.	Select Bluetooth as the input source.
	The unit is connected to a different Bluetooth device.	Un-pair the Bluetooth device that is currently connected and pair with the desired Bluetooth device.
	The unit is too far away from the Bluetooth device.	Move the Bluetooth device closer to this unit.
	A device emitting electromagnetic waves (such as a microwave oven, a wireless device and so on) may be placed nearby.	Do not use this unit near devices that emit electromagnetic waves.
	The Bluetooth device that you are using may not support the protocol.	Use a Bluetooth device that supports the protocol.
	The connection profile registered in the Bluetooth device may not be functioning correctly for some reason.	Delete the connection profile in the Bluetooth device and then connect the Bluetooth device to this unit.

PROBLEM/TROUBLE	POSSIBLE CAUSE	SOLUTION
Sound quality of audio play from a connected Bluetooth device is poor and connection is not stable.	The Bluetooth reception is poor.	Move the device closer to the soundbar, or remove any obstacle between the device and the soundbar.
No sound can be heard or sound breaks (Bluetooth mode)	The volume on the Bluetooth device may be too low.	Raise the volume on the Bluetooth device.
	Bluetooth is not selected as the input source.	Select the Bluetooth as the input source.
	Playback on the device has not been performed.	Perform playback on the device.
	The sound output on the Bluetooth device may not be set to this unit.	Select this unit as the output device on the Bluetooth device.
	The connection to the Bluetooth device was cut off.	Connect with the Bluetooth device one more time.
	The unit may be too far away from the Bluetooth device.	Move the Bluetooth device near this unit.
	A device emitting electromagnetic waves (such as a microwave oven, a wireless device and so on) may be placed nearby.	Do not use this unit near device that emit electromagnetic waves.
There is no sound from soundbar -HDMI TV (ARC) Mode	Incorrect HDMI cable is used causing no signal to be sent to soundbar. Incorrect input mode is selected.	1. Make sure that the user connected the TV and soundbar with a 19-core HD ARC cable. 2. The soundbar and TV are connected through TV (ARC) port output; make sure that the TV is ARC compliant. 3. Set the TV to HDMI ARC (CEC). Set the audio output mode of TV to PCM format. (Or refer to your TV user manual)
There is no sound from soundbar (OPTICAL Mode)	OPTICAL cable might be damaged and no signal is received by the soundbar due to a failed connection and incorrect operation mode selected.	1. Replace the OPTICAL cable with a new one to connect. 2. Set your TV audio output to PCM format. (Pls refer to your TV user manual)
There is no sound from soundbar (USB mode)	USB file type is supported and soundbar doesn't switch to USB input mode automatically when USB is inserted.	Make sure that USB flash drive contains MP3 files because other file types are not supported. Switch the input mode once again, then playback again.
Disconnected between surround satellites and soundbar	Connection is not correct between surround satellites and soundbar.	1. Turn the soundbar and surround satellites off by removing the AC plug from the socket. 2. Make sure that soundbar and surround satellites are connected to the electricity power at the same time, and switch them on again.
There is no sound output from rear active speaker	Power input or pair connecting issue.	1: Check the adaptor input 2: Pair again with soundbar
There is no sound output from rear passive speaker	Cable connecting issue.	Check connected cable between active rear speaker
Inverse channel from R to L	Speaker position switched.	Press R/L switch button from active rear speaker
Noise is coming from rear speakers	BT connecting or poor signal.	1: disconnect & connect with soundbar again 2: power off and on for soundbar and rear active speaker again.

Specifications

Model	SS586
Technology	BT/AUX/HDMI (ARC)/OPT/USB
Drivers	58X90*3+52X75*2+6.5"*1
Frequency Response	45Hz-20KHz
Signal-to-Noise Ratio	≥72dB
Impedance	8Ω*3+8Ω*2+4Ω
Power Input	(Soundbar) AC110-240V 50/60Hz (Surround) DC 24V, 1.25A
bluetooth Version	Version: 5.0 Range: up to 10m
Dimensions	Soundbar: 72.5H*100D*960L mm Surround: 72.5H*100D*190L mm Subwoofer: 190W*367H*306D mm

Package Contents



Soundbar & Subwoofer & Surround X 1




Adapter X 1



Wall Mounting Kits Sets *1



AUX Cable*1



User Manual*1



Remote Control*1



Power cord*1