

# Polygroup RC3A1 Remote Controller User Manual

Home » Polygroup » Polygroup RC3A1 Remote Controller User Manual

#### **Contents**

- 1 Polygroup RC3A1 Remote Controller
- 2 HOW TO USE THE REMOTE CONTROLLER:
- **3 IMPORTANT SAFETY INSTRUCTIONS**
- 4 Documents / Resources
- **5 Related Posts**



**Polygroup RC3A1 Remote Controller** 




## HOW TO USE THE REMOTE CONTROLLER:

The remote control is for the wired controller only:

- 1. REMOVE THE BATTERY LID AT THE BACK OF REMOTE CONTROL, INSTALL THE TWO AAA/UM4/LR03 BATTERIES( NOTINCLUDED) PROPERLY AS INDICATED ON THE BATTERY COMPARTMENT. MAKE SURE TO MATCH THE (+) AND (-) ENDS OF THE BATTERIES.
- 2. PRESS THE BUTTON TO SELECT DIFFERENT FUNCTIONS, REFER TO "HOW TO USE THE DUAL COLOR LIGHT CONTROLLER".
- 3. TO REPLACE THE BATTERY, OPEN THE BATTERY COMPARTMENT WITH A COIN. REPLACE WITH TWO AAA/UM4/LR03 BATTERIES.
- 4. DISPOSE USED BATTERY PROPERLY. OBSERVE LOCAL REGULATIONS REGARDING DISPOSAL OF HAZARDOUS WASTE.
- 5. ENSURE THE BATTERIES ARE INSTALLED CORRECTLY WITH REGARD TO POLARITY (+ AND -).

## **BATTERY REPLACEMENT**



#### IMPORTANT SAFETY INSTRUCTIONS

#### **WARNING:**

SMALL PARTS, KEEP AWAY FROM CHILDREN.

- Do not expose light set to moisture.
- Do not mix old and new batteries.
- Do not mix alkaline, standard (Carbon Zinc), lithium, or rechargeable (NiCd, NiMH or other type) batteries.
- Remove batteries when not used for an extended period of time, or when depleted.
- · Dispose of used batteries properly.
- Use only AAA-size (UM4/LR03) batteries for the remote controller.
- Clean the battery contacts prior to battery installation.
- DO NOT DISPOSE OF BATTERIES IN FIRE. BATTERIES MAY EXPLODE OR LEAK.

# **FCC Caution:**

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1. This device may not cause harmful interference, and
- 2. this device must accept any interference received, including interference that may cause undesired operation.

#### **IMPORTANT NOTE:**

# Note:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

# **ISEDC Warning**

This device complies with Innovation, Science, and Economic Development Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions:

- 1. this device may not cause interference, and
- 2. this device must accept any interference, including interference that may cause undesired operation of the device

The device is compliance with RF exposure guidelines, users can obtain Canadian information on RF exposure and compliance.

# **Documents / Resources**



Polygroup RC3A1 Remote Controller [pdf] User Manual 1701, 2A62O-1701, 2A62O1701, RC3A1, Remote Controller, RC3A1 Remote Controller

Manuals+,