

# **Remote HK31 Smart Key User Manual**

Home » Remote » Remote HK31 Smart Key User Manual



**User's Manual** 

Smart Key FCC ID: 2AOKM-HK31 IC: 24223-HK31

MODEL: RT-HKE06 PART NUMBER: RT-A9300

This remote has lock, unlock, Liftgate Unlock Hold Button, Forward button and Backward button, remote start Button and panic hold buttons; you can lock and unlock the vehicle doors and trunk/hatch with the remote transmitter.

#### **Contents**

- 1 LOCK Button:
- 2 Trunk HOLD Button:
- 3 PANIC HOLD Button:
- **4 FCC COMPLIANCE**

**STATEMENT:** 

- **5 IC WARNING:**
- 6 Documents / Resources
  - 6.1 References

#### LOCK Button:

When you press the LOCK button, it locks all the doors.

## **UNLOCK Button:**

Pressing the button unlocks the driver's door. Pressing the button again within 5 seconds unlocks the other doors.

#### **Trunk HOLD Button:**

hold the trunk/liftgate button for more than one second. This unlocks the truck, allowing you to manually open the trunk or liftgate.

press and hold the button, and it will automatically open the trunk or liftgate for easy cargo space access. Press it again if you want to stop the trunk or liftgate.

#### **PANIC HOLD Button:**

Press and hold the "panic" button for a half-second or more to set off the panic alarm. Press and hold the button again to reset the alarm to the off setting.

Right Sliding Door – Left Sliding Door Button:

Push the corresponding main control button on the overhead console to open or close the power sliding door.

# **FCC COMPLIANCE STATEMENT:**

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

#### IC WARNING:

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- 1. This device may not cause interference.
- 2. This device must accept any interference, including interference that may cause undesired operation of the device



## **Documents / Resources**



Remote HK31 Smart Key [pdf] User Manual HK31 Smart Key, HK31, Smart Key

# References

• User Manual

Manuals+, Privacy Policy