



Simple Touch Wireless Remote Standard Instructions


[Home](#) » [Simple Touch](#) » Simple Touch Wireless Remote Standard Instructions 

Simple Touch Wireless Remote Standard

Contents

- [1 Introduction](#)
- [2 RF exposure statement](#)
- [3 FCC Warning](#)
- [4 Documents / Resources](#)
- [5 Related Posts](#)

Introduction



Item		Operation
1	Frequency Connection	<ol style="list-style-type: none"> 1. Press motor receiver button for 2 seconds, motor will vibrating once . 2. Press stop button for 2 seconds, Motor will vibrating twice.
2	Set Upper Limit	Press up button + stop button for 2 seconds, Motor will vibrating twice.
3	Set Bottom Limit	Press down button + stop button for 2 seconds, Motor vibrating twice.
4	Remove Upper Limit	Press up button + stop button for 5 seconds, Motor will vibrating once.
5	Remove Bottom Limit	Press down button + stop button for 5 seconds, Motor vibrating once.
6	Set / Remove Favorite Position	<ol style="list-style-type: none"> 1. Press P2 button , Motor vibrating once. 2. Press STOP button , Motor vibrating once. 3. Press STOP button , Motor vibrating twice.
7	Switch Jog & continued operation	<ol style="list-style-type: none"> 1. Press up button + down button for 5 seconds, Motor vibrating once. 2. Press stop button, Motor vibrating once.
8	Add a Remote Control	<ol style="list-style-type: none"> 1. Press remote(A) P2 button , Motor vibrating once. 2. Press remote(A) P2 button , Motor vibrating once. 3. Press remote(B) P2 button , Motor vibrating twice.
9	Remove a remote control	<ol style="list-style-type: none"> 1. Press remote(A) P2 button , Motor vibrating once. 2. Press remote(A) P2 button , Motor vibrating once. 3. Press remote(B) P2 button , Motor vibrating twice.
10	Lock / Unlock Combination Button	<ol style="list-style-type: none"> 1. Press STOP 15 seconds. 2. Press P2 once , Lock (LED Flashes slowly for 3seconds.) Unlock (LED Flashes quickly for 3 seconds.)

Note.

1. Emitter couldn't expose to moisture or be strike heavily , or the emitter life be affected.
2. If the Emitter is insensitive or the radio range becomes shorter , Please replace the battery.
3. Only use 3v (AAA Battery) to avoid any dangerous risk.

RF exposure statement

This equipment complies with the FCC radiation exposure limits set forth for an uncontrolled environment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

FCC Warning

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and
2. this device must accept any interference received, including interference that may cause undesired operation.

NOTE1: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

1. Reorient or relocate the receiving antenna.
2. Increase the separation between the equipment and receiver.
3. Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
4. Consult the dealer or an experienced radio/TV technician for help.

NOTE2: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Simple Touch®

Documents / Resources



[Simple Touch Wireless Remote Standard](#) [pdf] Instructions

STP053, 2AWSE-STP053, 2AWSESTP053, Wireless Remote Standard, Wireless Remote Standard, Remote Standard