

# T G MPD641 Bluetooth Speaker User Manual


Home » T G » T G MPD641 Bluetooth Speaker User Manual 🖺



#### **Contents**

- 1 T G MPD641 Bluetooth Speaker User Manual
- 2 Pairing With BT Devices
- 3 Product specifications:
- **4 Product Feature:**
- 5 key & slot function:
- 6 How to connect two speakers
- 7 FCC Warnning:
- 8 Read More About This Manual & Download PDF:
- 9 Documents / Resources

#### T G MPD641 Bluetooth Speaker User Manual



## **Pairing With BT Devices**

When you power on the speaker, it is already on the BT mode. Once the speaker is turned on please go to your

smart device/cell phone and search to connect to BT. You should see the option to connect to "MPD641" Please select it and you should be connected. Once the speaker is switched on, it will automatically connect with the last paired BT device within the range. Accessories included: A charge cable, a Aux 3.5mm cable and a shoulder strap

#### **Product specifications:**

• BT: 5.3

· Working distance: 1 OM

• SNR: ?95db

Battery:3. 7V 1500mA

Normal volume playing time: 2HSpeaker driver: 0 52 mm plus\*2

Power: 40/5W \*2

Frequency response: 120 Hz-20KHz


• Unitsize: 230\*104\*111mm

Unit weight, ?a4gCharging: 5V/500mA

#### **Product Feature:**

- 1. International advanced BT chip and circuit design techniques, support all BT device;
- 2. Built-in Low-freq radiators, Super dynamic low-frequency sound pressure gain, listening transparent and flexible.
- 3. Can play music after pairing with BT device .for example mobile/ MID/ TV, the working distance is more than 1 OM.
- 4. SupportAUX IN audio input
- 5. Built-in MP3 decoding, can directly playTF card, U disk
- 6. Build-in the FM radio module, convenient to auto scan and save radio channels.
- 7. With Mic for hands-free phone call function. a.Support TWS

#### key & slot function:



- 1. AUX: it can play audio via 3.5mm AUX cable to audio device
- 2. TF slot: it can decode and play MP3/WAV format audio when put TF card into the slot
- 3. USB slot: it can decode and play MP3/WAV format audio when put USB card into the slot

- 4. DC 5V charging slot:use the standard Type C charging cable for power charging
- 5. When play music, press short for last song/last FM station, press long to turn down the volume.
- 6. When play music, (USB card/TF card/LINE IN/BT), short press for "play/pause". Under BT mode with mobile paired, when call coming, press short to answer a call hands-free, press again to hand up, press twice to ring up a call.
- 7. Power switch: Press long for power on /power off.When play music,press short for option of the LED flashing light
- 8. When play music, press short to switch model (USB card/TF card/BT/FM) switch to "line in" if via AUX cable to audio device.
- 9. When play music, press short for next song/next FM station, press long to turn up the volume How to use the Radio Press short "M" to enter FM mode, and press short "0" to search station automatically.

  Press it again to stop searching and save the channels. Press short "1-1-" to navigate up/ down thourgh saved channels. You may inset the aux cable which will help to get stronger radio signal.

#### How to connect two speakers

using the TWS function Keep the two speaker under

Wireless mode without pairing, press the "M" key for 2-3 seconds either of the speaker until hear a hint, now it is TWS mode. Press the "M" key for 3 seconds either of the speaker to stop TWS after disconnect wireless.

#### **FCC Warnning:**

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection againstharmful interference in a residential installation. This equipment generates, uses and can radiateradio frequency energy and, if not installed and used in accordance with the instructions, maycause harmful interference to radio communications. However, there is no guarantee thatinterference will not occur in a particular installation. If this equipment does cause harmfulinterference to radio or television reception, which can be determined by turning the equipmentoff and on, the user is encouraged to try to correct the interference by one or more of thefollowing measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1)This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 0cm between the radiator and your body.

## **Documents / Resources**



## TG MPD641 Bluetooth Speaker [pdf] User Manual

MPD641, 2AFMA-MPD641, 2AFMAMPD641, MPD641 Speaker, MPD641 Bluetooth Speaker, B luetooth Speaker

Manuals+,