


VTOMAN V8 Jump Starter 2000A Peak User Manual

Home » VTOMAN » VTOMAN V8 Jump Starter 2000A Peak User Manual



MAN

Model: V8 **Jump Starter User Manual**




Thank you for choosing VTOMAN V8 Jump Starter. Please read the user manual carefully before use and keep it for further reference.


Contents

- 1 PARTS AND FUNCTIONAL DESCRIPTION
- 2 LCD Screen Display
- **3 PARTS LIST:**
- **4 TECHNICAL SPECIFICATIONS:**
- 5 FAQ:
- **6 COMPOSITIONS AND AMOUNT OF TOXIC AND HARMFUL SUBSTANCES VTOMAN**
- 7 Documents / Resources
 - 7.1 References
- **8 Related Posts**


PARTS AND FUNCTIONAL DESCRIPTION



- 1. LED Flashiight (SOS)
- 2. Red Emergency Light
- 3. 12V Jump Cable Socket
- 4. ONIOFF Switch
- 5. Power Bution
- 6. 5V/9V Quickcharge Output
- 7. 5V/2.1A Output
- 8. 12V/10A Output
- 9. 15V/1A Input
- 10. LCD Sereen
- 11. Compass




Keep the "ON/OFF" switch "ON" and press the power button, the LCD screen will show the remain power of the device.



Fully Charged

Charging








5V 2.1A available

12V 10A available

5V/9V available




How To Jump Start 12V Vehicles

Firstly, plug the biue end of the jump clamps into the host of 8.

Secondly, connect the jump clamps with the car battery, red t0 positive (+) batery terminal and black to negative (-).

Then operate with the following instruction:



Graphic Green Light Red Light	Reason/Solutions
-------------------------------	------------------

QQ, D VTOMAN	ON	OFF	The connection is correct, ready to start your car.
(to	Blinking	OFF	
OO, O VIDMAN	OFF	OFF	The power of the car battery is too low or the car battery is totally dead. Press "BOOST" button, the green light will turn on then start the engine in 30 seconds.
DO O VTOMAN	OFF	ON	The internal battery is too hot, allow the unit to cool / The V8 is at low power capacity / Please connect tightly the u nit and clamps again.
	OFF	Blinking	Overcurrent protection, wait for at least 30 seconds.
DO VTOMAN	Blinking	Blinking	Temperature protection initiates, wait 10 mins resume aut omatically.



Red light on with Buzzing


Reverse the battery connections, please reconnect the p oles correctly until the green light on.

- 1. Make sure all of the connections right and then start the engine.
- 2. Once you have started your engine, disconnect the clamps, and remove the V8.

How To Use VTOMAN V8 To Charger The Cell Phone And Tablet:

- 1. Keep the "ON/OFF" stitch "ON" and check the remain power of the device with LCD screen.
- 2. Connect the cell phone and device with USB cable.
- 3. Press the power button to charge your cell phone.

Example of charging iphone /ipod



How To Use VITOMAN V8 To Power Other 12V Car Equipments:

- 1. Plug the cigarette adapter into the 12V output port.
- 2. Connect the other 12V Vehicle Electronics with the cigarette adapter.
- 3. Press the power button to power the 12V Vehicle Electronics.

*Note: Cigarette adapter is not included.

How To Turn On The LED Flash Light:

Press the power button for a few moments to turn the LED flashlight on. Press one more to change the modes of the LED flashlight. (Normal, Strobe, SOS, OFF)

Press the power button twice to turn the red emergency light ON. Press one more to turn it OFF.

PARTS LIST:

Number	Name	Quantity	Number	Name	Quantity
1	V8 Jump Starter	1	4	USB Cable	1
2	Intelligent Jumper Cable	1	5	Storage bag	1
3	Wall Charger	1	6	User Manual	1

TECHNICAL SPECIFICATIONS:

Size: 185*87*40mm

Weight: 550g

Battery Capacity: 66.6Wh

Output: 5V/9V; 5V 2.1A; 12V.10A; 12V Jumping Socket

Input: 15V 1A

Full charging time: 4.5h

Starting current: 500A(3s), 300A (5s)

Peak current: 2000A

Operating temperature: -20°C ~ 60°C

FAQ:

1. How to turn off the device?

After using, push the "ON/OFF" Switch to OFF, The product has intelligent detection function, once there is no load, or electronic products charging is end, it will automatically shout down to save power.

2. How long will it take to full charge the device?

About 4.5 hours with the 15V/1A input.

3. How many times can this device charge the cell phone?

Take iPhone 6 as an example, this device can charge it about 7 times from 0% to 100%.

4. How many times can this device start the car when it is fully charged?

It can start car up to 30 times but we only suggest to start car up to 4 times for once use.

5. What's the lifetime of V8?

Usually 3-5years in normal condition.

6. How long does VTOMAN V8 can hold charge and still can start the car?

The design of VTOMAN V8 is very scientific, it can hold a charge up to 12 months. But we suggest to charge it every three months to extend battery service life.

COMPOSITIONS AND AMOUNT OF TOXIC AND HARMFUL SUBSTANCES VTOMAN V8:

TOXIC AND HARMFUL SUBSTANCES						
Pb	Hg	Cd	Cr (Vi)	PBB	PBDE	
0	0	0	0	0	0	

All toxic and hazardous substances content is below the MCV limit specified in the Standard 2002/95/EC(RoHs)

H. WARNING

- 1. Read the instruction carefully before using the device.
- 2. Leave the device far from children.
- 3. Do not place the product in an environment where the temperature exceeds 60°C.
- 4. Do not shower dip the product in water.
- 5. Do not place the product in an extremely hot environment or fire.
- 6. Do not operate the product in an explosive environment, such as in the flammable liquids, gases or dust environment.
- 7. Do not use the device as a toy.
- 8. Do not use this device for charging a car.
- 9. Do not drop the product. If the product is impacted or damaged, it must be repaired by a qualified technician.
- 10. Do not use damaged or modified battery packs. Damage or modification of batteries may have unpredictable consequences, increasing the risk of fire, explosion, and injury.
- 11. To reduce the risk, keep away from children when using the device.
- 12. Make sure someone is nearby nearby when you are using thedevice.
- 13. Please remove metal accessories such as rings, bracelets and necklaces before using the product to prevent the metal from falling into the hole and cause short circuit.
- 14. Please make sure that the power is above 75% when you use it to start your car.
- 15. The product is only suitable for starting 12V gasoline and diesel vehicles. It may be dangerous if used for other purposes. Do not use it on equipment such as airplanes and ships.
- 16. This device can not power all 12V automotive products. Currently, it can only power some small automotive electronics, such as portable tire air pumps.





Lifetime Technical Service

Feel Free to Contact Us
Support@vtoman.com

For FAQ and More Information
Support@vtoman.com



Documents / Resources



VTOMAN V8 Jump Starter 2000A Peak [pdf] User Manual

V8 Jump Starter 2000A Peak, V8, Jump Starter 2000A Peak, Starter 2000A Peak, 2000A Peak

References

• User Manual

Manuals+, Privacy Policy